

Malacologia e Arte

Disegni e Dipinti Antichi

G.W.Tryon

continued by

H.A. Pilsbry

1923-26

Manual of Conchology

Series II Volume XXVII¹¹

Malacology and Art

Ancient Drawings and Paintings

Disegni e Dipinti Antichi
Ancient Drawings and Paintings

G.W.Tryon
continued by
H.A.Pilsbry

1922-26

Manual of Conchology
Series II Volume XXVII

versione 2.0

1



In questa raccolta di disegni e dipinti antichi vogliamo offrirvi una serie di disegni antichi di importanti autori di testi malacologici.

Quando gli strumenti fotografici non erano ancora disponibili, per il nostro piacere e la nostra fortuna, tutto era basato sulle capacità del disegnatore scientifico.

Tutti abbiamo avuto modo di vedere tavole iconografiche di animali dei vari Phylum, (uccelli, farfalle, insetti, felini, ecc...) e fiori, piante, conchiglie.

Tutti abbiamo provato quei momenti di piacere e godimento per l'occhio provocati da queste splendide illustrazioni.


Per non suddividere le opere in troppe collane, abbiamo deciso di unire disegni e pitture antiche, anche se non di documentazione scientifica, sottolineando nel titolo il nome dell'autore e gli anni di pubblicazione o esecuzione degli stessi.

Riteniamo che l'aspetto didattico di queste bellissime opere possa raggiungere positivamente anche i ragazzi e i giovani di oggi.

This collection of ancient drawings and paintings we want to offer a series of ancient drawings of important authors of malacological texts. When the photographic tools were not yet available, for our pleasure and our luck, everything was based on the ability of the scientific draftsman.

All we got to see iconographic boards of various phylum of animals (birds, butterflies, insects, cats, etc...) and flowers, plants, shells.

All have experienced those moments of pleasure and enjoyment to the eye caused by these wonderful illustrations. Not to divide the work in too many necklaces, we decided to combine ancient paintings and drawings, even if not of scientific documentation, emphasizing the author's name in the title and year of publication or execution of the same. We believe that the educational aspect of these beautiful works can also achieve positively the today boys and youngs.



SECOND SERIES: PULMONATA

MANUAL

OF

CONCHOLOGY

VOL. XXVII

PUPILLIDÆ

(ORCULINÆ, PAGODULINÆ, ACANTHINULINÆ, ETC.).


BY


HENRY A. PILSBRY, Sc.D.


ABIDAS AND CHONDRINAS OF THE PYRENEES AND
THE IBERIAN PENINSULA, BY DR. F. HAAS


PHILADELPHIA

PUBLISHED BY THE CONCHOLOGICAL DEPARTMENT
ACADEMY OF NATURAL SCIENCES OF PHILADELPHIA
1922-1926











1



2



3



4



6



5



7



8



9



10



11



13



15



12




14



16



17





1



2



3



4



5



6



7



8



9



10



11



12



13



14



15



16




17





18





19







































































EXPLANATION OF PLATES

Except where otherwise stated, the specimens figured are in the Museum of the Academy of Natural Sciences and were drawn by Helen Winchester. Figures borrowed from other works have been copied photographically.

| FIGURE | | PAGE |
|----------------------------------------------------------------------------------|--------------|------|
| PLATE 1. (<i>Orcula</i>) | | |
| 1-3. <i>Orcula dolium</i> (Drap.). Lyons. | 22679 | 7 |
| 4. <i>Orcula dolium</i> f. <i>obesa</i> (Branc.). After Kobelt | | 9 |
| 5. <i>Orcula dolium</i> var. <i>implicata</i> (Branc.). After Clessin. | | 12 |
| 6. <i>Orcula dolium</i> <i>triplicata</i> (Branc.). After Clessin .. | | 9 |
| 7. <i>Orcula dolium</i> <i>uniplicata</i> (P. & M.). After Pot. et Mich. | | 10 |
| 8, 9. <i>Orcula dolium</i> <i>pfeifferi</i> (Moq.). Grenoble. | 22675 . | 9 |
| 10. <i>Orcula dolium</i> <i>branceskii</i> (Cless.). After Kobelt .. | | 10 |
| 11. <i>Orcula schmidtii</i> (Kstr.) | | 16 |
| 12, 13. <i>Orcula dolium</i> <i>plagiostoma</i> (Sdbg.). 3915 | | 11 |
| 14. <i>Orcula gularis</i> (Rssm.). Tyrol. | 22681 | 13 |
| 15. <i>Orcula gularis</i> <i>spoliata</i> (Rssm.). Dennberg, Tyrol.. | | 14 |
| 16. <i>Orcula conica</i> (Rssm.). 22682 | | 15 |
| PLATE 2. (<i>Orcula</i>) | | |
| 1, 2. <i>Orcula doliolum</i> (Brug.). Valenciennes. | 8267 .. | 17 |
| 3. <i>Orcula d. templorum</i> (Ben.). Catania | | 22 |
| 4. <i>Orcula doliolum</i> (Brug.). Lyons. | 22687 | 17 |
| 5, 6. <i>Orcula d. tureica</i> (Let.). Smyrna. | 62491 | 23 |
| 7, 8. <i>Orcula imbricata</i> (Jick.). Abyssinia. | 64108 | 25 |
| 9. <i>Orcula imbricata</i> (Jick.). After Jickeli | | 25 |
| 10, 11. <i>Orcula jetschini</i> (Kim.). Near Mehadia. | 114974. | 17 |
| 12, 13. <i>Orcula mesopotamica</i> (Mss.). Biredjik. | 140001. | 27 |
| PLATE 3. (<i>Orcula</i>) | | |
| 1. <i>Orcula scyphus</i> (Pfr.). After Küster | | 31 |
| 2, 3, 4. <i>Orcula s. græcus</i> Pils. Chalcis. | 8266 | 36 |
| 5, 6. <i>Orcula s. palatalis</i> Pils. Sert. | 139998 | 33 |
| 7, 8, 9, 10. <i>Orcula s. batumensis</i> (Ret.). Siwas. | 139997. | 34 |
| 11, 12, 13. <i>Orcula s. enteroplaix</i> Pils. Brussa. | 8265 | 35 |
| PLATE 4. (<i>Orcula</i>) | | |
| 1. <i>Orcula raymondi</i> (Bgt.). After Bourguignat | | 38 |
| 2, 3. <i>Orcula r. trifilaris</i> (Mss.). Kurdschips. | 139996. | 40 |
| 4, 5, 6. <i>Orcula r. trifilaris</i> (Mss.). Suran. | 115009 | 40 |

FIGURE

| | PAGE |
|------------------------------------------------------------------------------------------|------|
| 7. <i>Orcula raymondi</i> f. <i>quadrifilaris</i> (Rosen). After Rosen | 41 |
| 8. <i>Orcula raymondi</i> <i>bifilaris</i> <i>truncateata</i> (Rosen). After Rosen | 42 |
| 9. <i>Orcula r. bifilaris</i> (Mouss.). After Mousson | 42 |
| 10. <i>Orcula subconica</i> (Sdbg.). Landschneckenkalk. 139994 | 3 |

PLATE 5. (*Orcula, Lauria*)

| | |
|----------------------------------------------------------------------------------|----|
| 1-4. <i>Orcula doliolum</i> , young. After Reinhardt | 2 |
| 5. <i>Orcula sirianocoriensis</i> <i>orientalis</i> (Pfr.). After Pfeiffer | 29 |
| 6, 7. <i>Orcula s. coeruleoceans</i> (Naeg.). Sert. 140003 ... | 30 |
| 8. <i>Orcula sirianocoriensis</i> (Mss.). After Kobelt | 28 |
| 9-12. <i>Lauria anglica</i> (Wood). Belfast. 22674 | 83 |
| 13-14. <i>Lauria numidica</i> (Bgt.). After Bourguignat ... | 86 |
| 15-17. <i>Lauria caucasica</i> (Pfr.). Kobi. 130129 | 74 |

PLATE 6. (*Lauria*)

| | |
|------------------------------------------------------------------------------------|----|
| 1, 2. <i>Lauria cylindracea</i> (DaC.). Collingham nr. Tad- caster. 22714 | 47 |
| 3, 5. <i>Lauria cylindracea</i> (DaC.) <i>albino</i> . Lancashire. 109430 | 47 |
| 4, 6. <i>Lauria cylindracea</i> (DaC.). Calvados. 22664 ... | 47 |
| 7, 8. <i>Lauria cylindracea</i> (DaC.) young specimens. 109430 | 47 |
| 9. <i>Lauria e. villæ</i> (Kstr.). After Kuester | 50 |
| 10-12. <i>Lauria e. aneonostoma</i> (Lowe). Madeira. 22865, 3932 | 51 |
| 13. <i>Lauria e. dohrni</i> (Pfr.). S. Antonio, Cape Verdes. 64111 | 53 |
| 14, 15. <i>Lauria e. dohrni</i> (<i>perdubia</i> Woll.). Tomlin coll... | 53 |
| 16, 17, 18. <i>Lauria e. poupillieri</i> (Bgt.). After Bourguig- nat | 51 |
| 19, 20. <i>Lauria umbilicus</i> (Roth). S. Giorgio, Syra. 130128 | 54 |

PLATE 7. (*Lauria*)

| | |
|------------------------------------------------------------------------|----|
| 1. <i>Lauria vulcanica</i> (Kstr.). After Kuester | 54 |
| 2, 3. <i>Lauria sempronii</i> (Charp.). Lombardy. 22673 .. | 55 |
| 4. <i>Lauria s. dilucida</i> (Rssm.). Kalamata. 130117 ... | 56 |
| 5, 6. <i>Lauria caspia</i> (Pfr.). Lenkoran. 130120 | 57 |
| 7, 8. <i>Lauria fanalensis</i> (Lowe). Madeira. 128899, 97285 | 58 |
| 9, 10. <i>Lauria fanalensis</i> (Lowe). Teneriffe, Tomlin coll. | 58 |
| 11, 12. <i>Lauria f. pyramidula</i> (P. & S.). Paratypes. 98200. | 60 |

FIGURE

| | PAGE |
|----------------------------------------------------------------------|------------------|
| 13, 14. <i>Lauria fanalensis</i> (Lowe). Palma. | 12888 |
| 15. <i>Lauria fanalensis</i> (Lowe). (<i>dcbilis</i> Mouss.). After | 59 |
| Mousson | 59 |
| 16. <i>Lauria fasciolata</i> (M. & D.). Azores. | 22866 |
| 17. <i>Lauria fasciolata</i> (M. & D.). S. Miguel. | 130115 |
| 18, 19. <i>Lauria fasciolata hortana</i> Pils. Horta, Fayal | 123 |

PLATE 8. (*Lauria*)

| | |
|----------------------------------------------------------------------------|--------|
| 1. <i>Lauria farquhari</i> (M. & P.). After Burnup | 63 |
| 2. <i>Lauria farquhari</i> (M. & P.). Elandsberg. 117277 | 63 |
| 3. <i>Lauria dadion</i> (Bs.). Simonstown. 22902 | 64 |
| 4. <i>Lauria dadion</i> (Bs.). After Burnup | 64 |
| 5, 6. <i>Lauria dadion</i> (Bs.). Karkloof. 47249 | 64 |
| 7, 9. <i>Lauria cryptoplax</i> (M. & P.). After Burnup | 65 |
| 8, 10. <i>Lauria cryptoplax</i> (M. & P.). Somerset East. 140008 | 65 |
| 11. <i>Lauria tabularis</i> (M. & P.). After Burnup | 65 |
| 12, 15. <i>Lauria tabularis</i> (M. & P.). Cape Town. 100457. | 65 |
| 13, 14. <i>Lauria tabularis</i> (M. & P.). Rondebosch. 106496. | 65 |
| 16. <i>Lauria desiderata</i> (Preston). After Preston | 62 |
| 17. <i>Lauria bruguieri</i> (Jick.). After Jickeli | 61 |
| 18. <i>Lauria cylindracea</i> (DaC.). After Jickeli | 47, 61 |
| 19. <i>Lauria bourbonensis</i> Pils. Type. 5513 | 62 |
| 20. <i>Lauria bruguieri</i> (Jick.). Paratype. 64095 | 61 |

PLATE 9. (*Lauria*)

| | |
|------------------------------------------------------------------------------------|------------------|
| 1-4. <i>Lauria superstructa</i> (Mss.). Mt. Suram. | 115014 |
| 5. <i>Lauria superstructa</i> ledieri (Bttg.). After Boettger. | 79 |
| 6. <i>Lauria superstructa unibasalis</i> (Bttg.). After Boett- | |
| ger. | 79 |
| 7. <i>Lauria superstructa unibasalis</i> (Bttg.). Suanetia. 130119 | 79 |
| 8, 10. <i>Lauria zonata</i> (Bttg.). 130118 | 79 |
| 9. <i>Lauria zonata</i> (Bttg.). After Boettger | 79 |
| 11, 13, 14. <i>Lauria pulchra biblabiata</i> (Ret.). W. Caucasus. 130127 | 82 |
| 12, 15. <i>Lauria pulchra nitens</i> (Bttg.). Kurdschips. 130124 | 82 |

PLATE 10. (*Lauria*)

| | |
|------------------------------------------------------------------------------|----|
| 1, 2. <i>Lauria tenuimarginata</i> Bttg. Type and paratype. 130116 | 76 |
| 3-5. <i>Lauria cheilogona</i> (Lowe). Madeira. 97283, 5389, 128906 | 90 |

| FIGURE | PAGE |
|-------------------------------------------------------------|------------|
| 6, 7. <i>Lauria vineta watsoniana</i> Pils. Madeira. | 97302 . 92 |
| 8, 10. <i>Lauria vineta</i> (Lowe). Madeira. | 91 |
| 9, 11. <i>Lauria vineta</i> (Lowe). Young. 5787 | 91 |
| 12. <i>Lauria irrigua</i> (Lowe). Madeira. 97287 | 92 |
| 13, 14. <i>Lauria loweana</i> (Woll.). Madeira. 97292 | 93 |

PLATE 11. (*Lauria*)

| | | |
|---------------------------------------------------------------|--------------|-----|
| 1, 2. <i>Lauria loweana transiens</i> (Woll.). | 97291 | 96 |
| 3. <i>Lauria cassidula</i> (Lowe). Madeira. B. Walker coll. | 96 | |
| 4, 6. <i>Lauria concinna</i> (Lowe). Madeira. | 97284 | 97 |
| 5. <i>Lauria concinna</i> (Lowe), base of young shell. | 128904. | 97 |
| 7. <i>Lauria s. heterodon</i> Pils. Madeira. | 130428 | 101 |
| 8, 9. <i>Lauria laurinea</i> (Lowe). Madeira. | 97289 | 98 |
| 10, 11, 12. <i>Lauria sphinctostoma</i> (Lowe). Madeira. | | |
| 128907, 4927 | 99 | |
| 13, 15, 16. <i>Lauria s. arborea</i> (Lowe). Madeira. | 97301 .. | 100 |
| 14. <i>Lauria s. arborea</i> (Lowe), young shell. Santa Cruz. | 100 | |

PLATE 12. (*Lauria*)

| | | |
|--------------------------------------------------------------|-------------|-----|
| 1, 2. <i>Lauria corneocostata</i> (Woll.). Madeira. | 5388 .. | 108 |
| 3, 4, 5. <i>Lauria corneocostata</i> (Woll.). Madeira. | 87305. | 108 |
| 6, 7, 8. <i>Lauria relevata</i> (Woll.). Madeira. | 97309 | 110 |
| 9. <i>Lauria e. resticula</i> (Woll.). From Wollaston. | 97306. | 109 |
| 10. <i>Lauria e. resticula</i> (Woll.). Brocton-Tomlin coll. | . | 109 |
| 11. <i>Lauria sphinctostoma simulator</i> Pils. Type. | 5611 .. | 101 |
| 12. <i>Lauria ferraria</i> (Lowe). Porto Santo. | 97307 | 110 |
| 13, 14. <i>Lauria monticola</i> (Lowe). Porto Santo. | 128903. | 112 |
| 15. <i>Lauria monticola pumilio</i> (Lowe). Porto Santo. | | |
| 128903 | 113 | |

PLATE 13. (*Lauria*)

| | | |
|----------------------------------------------------------|----------------|-----|
| 1, 2, 3. <i>Lauria wollastoni</i> (Lowe). Canical. | 114971 .. | 102 |
| 4, 5. <i>Lauria laevigata</i> (Lowe). Madeira. | 5377 | 103 |
| 6, 7, 8. <i>Lauria recta</i> (Lowe). Madeira. | 97296, 5382 .. | 104 |
| 9. <i>Lauria r. macilenta</i> (Lowe). Grand Deserta. | 97294. | 104 |
| 10, 11. <i>Lauria fusca</i> (Lowe). S. Vicente, Madeira. | 140011 | 105 |
| 12-15. <i>Lauria millegrana</i> (Lowe). Madeira. | 128902 .. | 106 |

PLATE 14. (*Lauria*)

| | | |
|----------------------------------------------------------|--------------|-----|
| 1. <i>Lauria cassida</i> (Lowe). Madeira. | 97281 | 88 |
| 2. <i>Lauria calathiscus</i> (Lowe). De Facho, P. Santo. | | |
| 130113 | 113 | |
| 3. <i>Lauria calathiscus</i> (Lowe). Porto Santo. | 97304 .. | 113 |
| 4, 5. <i>Lauria gibba</i> (Lowe). Madeira. | 114986 | 115 |

FIGURE

PAGE

| | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 6. <i>Lauria gibba</i> , last part of outer wall broken away, showing: <i>a</i> , angular lamella; <i>b</i> , basal fold; <i>c</i> , columellar lamella; <i>p</i> , parietal lamella; <i>u.p.</i> , upper-palatal fold | 115 |
| 7. <i>Lauria gibba</i> , outer wall viewed from inside, showing: <i>l.p.</i> , lower-palatal fold; <i>s.p.</i> , suprapalatal fold; <i>u.p.</i> , upper-palatal fold. 114986 | 115 |
| 8. <i>Lauria lamellosa</i> (Lowe). Fossil specimen | 116 |
| 9. <i>Lauria lamellosa</i> . Recent specimen. Brocton-Tom- lin coll. | 116 |
| 10, 11. <i>Lauria lamellosa</i> . Top and base of a young shell. Brocton-Tomlin coll. | 116 |
| 12, 13. <i>Lauria abbreviata</i> (Lowe). Near Canical. Broc- ton-Tomlin coll. | 108 |

PLATE 15. (*Lauria*, Canaries, Azores)

| | |
|---------------------------------------------------------------------------|-----|
| 1. <i>Lauria castanea</i> (Shuttl.) Teneriffe. B. Walker coll. | 118 |
| 2. <i>Lauria tæniata</i> (Shuttl.) Teneriffe. 114473 | 120 |
| 3, 4. <i>Lauria pythiella</i> (Monss.). Above Buenavista. 128900 | 119 |
| 5. <i>Lauria rugulosa</i> (Morel.). After Morelet | 126 |
| 6, 7. <i>Lauria fuscidula</i> (Morel.). Azores 5074 | 124 |
| 8. <i>Lauria vermiculosa</i> (Morel.). San Miguel. 5076 .. | 126 |
| 9, 10. <i>Lauria fuscidula hexodon</i> Pils. San Miguel. 22867. | 125 |
| 11. <i>Lauria fuscidula hexodon</i> Pils. San Miguel. 130121. | 125 |
| 12. <i>Lauria tesselata</i> (Morel.), base of young shell. 5075. | 128 |
| 13, 14. <i>Lauria tesselata</i> (Morel.). Santa Maria. 22868. | 128 |
| 15. <i>Lauria tesselata</i> (Morel.), later whorls opened. 5075. | 128 |

PLATE 16. (*Agardhia*)

| | |
|--------------------------------------------------------------------------------------|-----|
| 1, 2. <i>Agardhia biplicata</i> (Mich.). After Pollonera ... | 148 |
| 3, 4, 5. <i>Agardhia b. toscaniae</i> (Bgt.). Florence. 22691. | 151 |
| 6, 7. <i>Agardhia b. ligustica</i> (Poll.). After Pollonera ... | 147 |
| 8, 9. <i>Agardhia excessiva</i> (Gredl.). After Pollonera ... | 151 |
| 10, 11. <i>Agardhia b. locardi</i> (Locard.). After Caziot ... | 149 |
| 12. <i>Agardhia bielzi</i> (Rossm.). Brosteni. 22690 | 153 |
| 13, 14. <i>Agardhia bielzi</i> (Rossm.). Rodna Mts. 114993 . | 153 |
| 15, 16. <i>Agardhia bielzi</i> f. <i>euodon</i> (West.). Rodna Mts. 114993a | 154 |

PLATE 17. (*Agardhia*)

| | |
|--------------------------------------------------------------------------------|-----|
| 1, 2. <i>Agardhia blanci niciensis</i> (Poll.). After Pollonera. | 140 |
| 3, 4, 5. <i>Agardhia blanci</i> (Bourg.). St. Martin Lantosque. 22730 | 138 |

FIGURE

| | PAGE |
|-------------------------------------------------------------------------------------------|------|
| 6, 7, 8. Agardhia blancei jolyana (Nevill). After Nevill. | 141 |
| 9, 10, 11. Agardhia bourguignatiana (Nevill). After Nevill | 143 |
| 12, 13, 14. Agardhia b. var. <i>plagiostoma</i> (Nevill). ¹ After Nevill | 145 |
| 15, 16, 17. Agardhia b. var. <i>præclara</i> (Nevill). After Nevill | 146 |
| 18, 19, 20. Agardhia ferrari (Porro). Lugano. 22693 .. | 136 |
| 21, 22. Agardhia ferrari (Porro). Italy. 22692 | 136 |

PLATE 18. (*Agardhia*)

| | |
|----------------------------------------------------------------------------------------|-----|
| 1, 2. Agardhia valsabina (Spin.). After Pollonera | 141 |
| 3. Agardhia valsabina (Spin.). After Spinelli | 141 |
| 4, 5. Agardhia macrodonta Hesse. Type. Hesse coll .. | 156 |
| 6, 7. Agardhia macrodonta gracillima Pils. Type. Hesse coll. | 157 |
| 8. Agardhia rumelica Hesse. Type. Hesse coll. | 157 |
| 9, 10, 11, 12. Agardhia rumelica. Face and apertures of four of the original lot | 157 |
| 13. Agardhia lamellata (Cless.). Topotype. Hesse coll. 158 | |
| 14. Agardhia lamellata (Cless.). After Sturany & Wagner | 158 |
| 15. Agardhia parreysii (Pfr.). After Sturany & Wagner. 160 | |
| 16. Agardhia parreysii (Pfr.). 51814 | 160 |

PLATE 19. (*Agardhia*)

| | |
|----------------------------------------------------------------------------|-----|
| 1. Agardhia parreysii (armata Cless.). After Clessin . | 161 |
| 2. Agardhia truncatella (Pfr.). Carinthia. Hesse coll. 162 | |
| 3, 4. Agardhia truncatella (Pfr.). Carinthia. 115000. 162 | |
| 5. Agardhia truncatella (Pfr.). After Kuester | 162 |
| 6, 7. Agardhia truncatella formosa (Pfr.). After Kuester. 164 | |
| 8. Agardhia truncatella formosa (Pfr.). After Sturany & Wagner | 164 |
| 9, 10. Agardhia truncatella biarmata (Bttg.). After Sturany & Wagner | 164 |
| 11, 12. Agardhia truncatella biarmata (Bttg.). After Sturany | 164 |
| 13, 14. Agardhia truncatella biarmata (Bttg.). Komeno. Hesse coll. | 165 |
| 15. Agardhia truncatella skipetarica Wagn. After Sturany & Wagner | 166 |

¹ The name *plagiostoma* is preoccupied, but probably Nevill's form is not a valid race and will not require a new name.

| FIGURE | | PAGE |
|---------|------------------------------------------------------------------|------|
| 16. | Agardhia (Paracoryna) retusa (Sdbg.). Wiesbaden. 140018 | 133 |
| 17, 18. | Agardhia (Paracoryna) diezi (Flach). After Flach | 133 |

PLATE 20. (*Pagodulina*)

| | | | |
|-------------|----------------------------------------------------------------|--------------|-----|
| 1, 2. | Pagodulina pagodula (Desm.). Marseilles. | 22725. | 169 |
| 3. | Pagodulina pagodula (Desm.). Austria. | 22728 .. | 169 |
| 4. | Pagodulina pagodula (Desm.). Provence. | 22724 .. | 169 |
| 5, 6. | Pagodulina p. sparsa Pils. Rakakerwald. | 140013. | 171 |
| 7. | Pagodulina p. sparsa Pils. Marseilles. | 8268 | 171 |
| 8, 9. | Pagodulina p. austeniana (Nevill). After Nevill . | 170 | |
| 10. | Pagodulina pagodula (Desm.). Grenoble. | 22726 .. | 169 |
| 11, 12. | Pagodulina lederi (Bttg.). Lenkoran. | 140017 . | 177 |
| 13, 14, 15. | Pagodulina subdola gracilis (Bttg.). Prid- warje, Dalmatia. | 140016 | 177 |

PLATE 21. (*Pagodulina, Orcula*)

| | | |
|----------|------------------------------------------------------------------|-----------|
| 1, 2, 3. | Pagodulina subdola adamii (Westerl.). Edolo. 140015 | 175 |
| 4-7. | Pagodulina subdola (Gredl.). Alleghe. | 140014 .. |
| 8, 9. | Pagodulina subdola sanremoensis Pils. Type. 22729 | 174 |
| 10. | Orcula wagneri ljubetensis Stur. After Sturany & Wagner | 257 |
| 11. | Orcula bulgarica Hesse. Type. Hesse coll. | 26, |
| 12, 13. | Orcula wagneri Sturany. After Sturany & Wag- ner | 257 |

PLATE 22. *Spelaeodiscus*

| | | | |
|----------|------------------------------------------------------------------|----------|-----|
| 1, 2. | Spelaeodiscus triarius (Rm.). Mehadia. | 30826 . | 182 |
| 3. | Spelaeodiscus triarius (Rm.). Hungary. | 30827 .. | 182 |
| 4. | Spelaeodiscus triadis (Kim.). Ponor Ohaba. | 33050. | 183 |
| 5. | Spelaeodiscus triadis (Kim.). Petrozeny. | 65931 .. | 183 |
| 6, 7, 8. | Spelaeodiscus trinodis (Kim.). Transsylvania. 4840 | 181 | |
| 9-11. | Spelaeodiscus hauffeni (Sehm.). After Sturany & Wagner | 185 | |
| 12-14. | Spelaeodiscus albanicus (Wagn.). After Sturany & Wagner | 184 | |

| FIGURE | PLATE 23. (<i>Abida</i>) | PAGE |
|-----------------------------------------------|-----------------------------------------------------------------------------------------------|------|
| 1. | Abida polyodon (Drap.). Setcases near Camprodon. | 269 |
| 2. | Abida polyodon (Drap.). Topotype of <i>P. montser-</i> <i>ratica</i> Fag. Montserrat | 269 |
| 3, 4. | Abida partioti (M.-T.). Topotype of <i>P. dupuyi</i> West. St. Sauveur | 271 |
| 5, 6. | Abida secale (Drap.). Cotype of <i>P. boileausiana</i> Charp. Viedessos | 271 |
| 7, 8, 9. | Abida secale (Drap.). Cotype of <i>P. fagorum</i> Fag. Aulus | 272 |
| 10. | Abida biggerrensis (M.-T.). Topotype of <i>P. baillensi</i> Dup. Bayonne | 273 |
| 11, 12. | Abida biggerrensis (M.-T.). Paratype. Bagnères de Bigorre | 273 |
| 13, 14. | Abida biggerrensis (M.-T.). (<i>P. garumnica</i> Fag.) Artias | 273 |
| Figures from specimens in Senckenberg Museum. | | |

PLATE 24. (*Abida, Chondrina*)

| | | |
|----------------------------------------------------|-------------------------------------------------------------------------------------------------------|-----|
| 1-4. | Abida pyrenæaria (Mich.). South side of the Port de Salau | 276 |
| 5. | Abida pyrenæaria (Mich.). Topotype of <i>P. hospitii</i> Fag. Hospicio de Venasque | 276 |
| 6. | Abida pyrenæaria (Mich.). Cotype of <i>P. aulensis</i> Fag. | 276 |
| 7, 8, 9. | Abida pyrenæaria (Mich.). Cotype of <i>P. sax-</i> <i>icola</i> M.-T. | 277 |
| 10. | Abida pyrenæaria (Mich.). (<i>P. clausilioides</i> Boub.) | 277 |
| 11. | Chondrina calpica (West.). Cotype of <i>P. tingitana</i> var. <i>algesiræ</i> Kob. Algeciras | 314 |
| 12, 13. | Chondrina calpica (West.). Tetuan. B. Walker coll. | 315 |
| Figures 1-11 from specimens in Senckenberg Museum. | | |

PLATE 25

| | | |
|-------|----------------------------------------------------------------------------------------------------------|-----|
| 1, 2. | Abida affinis catalonica (Bof.). Topotype. Cam- prodon | 279 |
| 3, 4. | Abida affinis catalonica (Bof.). Cotype of <i>P.</i> <i>freseriana</i> Fag. Queralps | 280 |
| 5. | Abida affinis catalonica (Bof.). Cotype of <i>P. per-</i> <i>longa</i> Fag. Montagut near Ribas | 280 |
| 6. | Abida affinis catalonica (Bof.). Cotype of <i>P. phthi-</i> <i>sica</i> Bof. Besora | 280 |

| FIGURE | PAGE |
|-------------------------------------------------------------------------------------------------|------|
| 7, 7a. <i>Abida affinis montsicciana</i> (Bof.). Cotype. Portell del Montsech | 280 |
| 8, 9. <i>Abida affinis bofilli</i> (Fag.). Topotype. Montserrat. | 281 |
| 10, 11. <i>Abida affinis andorrensis</i> (Bgt.). Congost d'Organya, Segre valley | 281 |
| 12, 13. <i>Abida affinis andorrensis</i> (Bgt.). Cotype of <i>P. tuxensis</i> Fag. Tuxent | 281 |
| Figures from specimens in Senckenberg Museum. | |

PLATE 26

| | |
|-----------------------------------------------------------------------------------------------------------------------------------------|-----|
| 1. <i>Chondrina bigorriensis bigorriensis</i> (Des M.). Cotype of <i>P. moquiniana</i> Küster. Mt. Beudat near Pau. | 284 |
| 2. <i>Chondrina bigorriensis bigorriensis</i> (Des M.). Cotype of <i>P. badia</i> var. <i>gigantea</i> Rossm. Cirque de Garvanie | 284 |
| 3. <i>Chondrina bigorriensis tenuimarginata</i> (Des M.). Cotype of <i>P. crassata</i> Fagot. Escales de Sopeira. | 286 |
| 4. <i>Chondrina bigorriensis tenuimarginata</i> (Des M.). Topotype of <i>P. angulata</i> Fagot. Esera valley. | 286 |
| 5, 6, 7, 8. <i>Chondrina bigorriensis tenuimarginata</i> (Des M.). Valley of the Noguera Ribagorzana | 286 |
| 9. <i>Chondrina bigorriensis tenuimarginata</i> (Des M.). Caldas de Montbuy | 286 |
| 10. <i>Chondrina bigorriensis microchilus</i> (Bof.). Cotype. Ca'n Quinquillà de la Serra, Montsech | 289 |
| 11. <i>Chondrina aragonica</i> (Fag.). Valley of the Noguera Ribagorzana | 308 |
| 12. <i>Chondrina bigorriensis tenuimarginata</i> (Des M.). Forat Negre at the Hospitalet del Infant at Vandellós, Prov. Tarragona | 286 |
| 13. <i>Chondrina lusitanica vasconica</i> (Kob.). Cotype. Orduña | 311 |

Figures from specimens in Senckenberg Museum.

PLATE 27

| | |
|------------------------------------------------------------------------------------------------------------|-----|
| 1, 2. <i>Chondrina avenacea farinesi</i> (Des M.). Cotype of <i>P. microdon</i> West. Montserrat | 290 |
| 3. <i>Chondrina avenacea farinesi</i> (Des M.). Topotype of <i>P. sexplicata</i> Bof. Pobla de Segur | 297 |
| 4. <i>Chondrina avenacea farinesi</i> (Des M.). (<i>P. massotiana</i> Bgt.). Pobla de Segur | 297 |
| 5. <i>Chondrina avenacea farinesi</i> (Des M.). (<i>P. penchinatiana</i> Bgt.) Pobla de Segur | 297 |

| FIGURE | PAGE |
|-----------------------------------------------------------------------------------------------------------------------------|----------|
| 6. <i>Chondrina avenacea pulchella</i> (Bof.). Cotype. Valle d'Ager, Montsech | 298 |
| 7. <i>Chondrina avenacea jumillensis</i> (Pfr.). Cotype of <i>P. jumillensis</i> Rossm. Jumilla | 299 |
| 8. <i>Chondrina avenacea jumillensis</i> (Pfr.). Cotype. Jumilla or Orihuela | 299, 305 |
| 9. <i>Chondrina avenacea jumillensis</i> (Pfr.). (<i>P. tarraconensis</i> Fag.). Mt. Nola de Falset, Prov. Tarragona | 299, 305 |
| 10, 11. <i>Chondrina dertosensis</i> (Bof.). Cotype. Sierra de Cardó | 312 |
| 12. <i>Chondrina dertosensis</i> (Bof.). Montsia near Tortosa. | 312 |
| 13, 14. <i>Chondrina avenacea kobelti</i> (West.). Caldas de Oviedo | 306 |
| 15. <i>Chondrina avenacea kobelti</i> (West.). Giant form, Potes near Santander | 306 |
| Figures from specimens in the Senckenberg Museum. | |

PLATE 28

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| 1, 2. <i>Lyropupa striatula</i> (Pse.). Cotype. 46234MCZ. | 223 |
| 3, 4, 5. <i>Lyropupa ovatula moomomiensis</i> P. & C. Type. 44762 | 225 |
| 6, 7, 8. <i>Lyropupa costata</i> (Pse.). Kona Crater, Hawaii. 131437 | 223 |
| 9, 10, 15-17. <i>Lyropupa ovatula kona</i> P. & C. Cotype. 44763 | 224 |
| (Figs 15-17 were reversed by the artist). | |
| 11-14. <i>Pagodulina subdola adamii</i> (West.). Type and cotypes of <i>P. perplicata</i> Sterki | 176 |
| 16, 17. <i>Lyropupa ovatula kona</i> P. & C. Palatal folds of two specimens from Kapulehu. 131434. b., basal fold : <i>l.p.</i> , lower-palatal; <i>u.p.</i> , upper-palatal. | 224 |
| N. B. Figures 15, 16, 17 were inadvertently reversed in drawing. | |

PLATE 29

| | |
|----------------------------------------------------------------|-----|
| 1, 2. <i>Paraeraticula umbra</i> Oppenh. After Oppenheim . | 221 |
| 3. <i>Gastrocopta recondita</i> (T.-C.). After C. R. Boettger. | 209 |
| 4. <i>Vertigo zschorkei</i> Bütikofer. After Bütikofer | 219 |
| 5. <i>Vertigo pygmæa graellsiana</i> Serv. After Haas | 218 |
| 6. <i>Vertigo alpestris acheila</i> Serv. After Haas | 219 |
| 7. <i>Vertigo lilljeborgi</i> West. After Schmiederer | 218 |
| 8. <i>Ptychalea flexidens</i> (Reuss.). Tuchorshitz. 8146 . | 225 |

FIGURE

| | PAGE |
|--------------------------------------------------------------------------------------|--------------|
| 9. <i>Gastrocopta microsoma</i> (T.-C.). After C. R. Boettger. | 209 |
| 10. <i>Phenacharopta novoseelandiae</i> (Pfr.). North I., N. Z. 63794 | 261 |
| 11. <i>Truncatellina lardea</i> (Jick.). Prov. Hamaszen, Abyssinia. 134402 | 231 |
| 12. <i>Truncatellina claustralis clavella</i> (Reinh.). Albas-tuman. 134592 | 231 |
| 13, 14. <i>Enneopupa cylindrella</i> (Sdbg.). Hochheim-Florschheim. 4148 | 222 |
| 15. <i>Nesopupa bandulana</i> Con. Paratype. | 132321 |
| 16. <i>Nesopupa norfolkensis</i> (Sykes). Norfolk I. Walker coll. | 226 227 |

PLATE 30. (*Columella*)

| | | |
|-----------------------------------------------------------------------------|------------------------|-----|
| 1. <i>Columella limnaeana</i> (Lowe). Madeira. | 117134 .. | 235 |
| 2, 3. <i>Columella microspora</i> (Lowe). Madeira. 128896 | 92293, 128896 | 234 |
| 4. <i>Columella microspora</i> (Lowe). Teneriffe. Tomlin coll. | 234 | 234 |
| 5. <i>Columella edentula nana</i> (Bttg.). After Boettger .. | 238 | |
| 6. <i>Columella sharpi</i> (P. & C.). Type. Kilauea. | 58378 | 247 |
| 7. <i>Columella olaaensis</i> Pils. Type. Olala, Hawaii. | 77990 | 248 |
| 8. <i>Columella edentula turritella</i> (West.). After Clessin. | 238 | |
| 9, 10. <i>Columella edentula</i> (Drap.). Calvados. | 134351 | 236 |
| 11. <i>Columella edentula</i> (Drap.). Cruce, Moldavia. | 22716 | 236 |
| 12, 13. <i>Columella edentula</i> (Drap.). Oswego, Oregon. 111396 | 242 | |
| 14. <i>Columella edentula</i> (Drap.). Camillus, N. Y. | 113714 | 242 |
| 15. <i>Columella edentula</i> form simplex (Gld.). Clementon, N. J. | 113439 | 242 |
| 16. <i>Columella edentula</i> form simplex (Gld.). Beaver Co., Pa. | 46183 | 242 |
| 17. <i>Columella edentula</i> (Drap.), var. Evergreen, Ala. 116871 | 242 | |
| 18. <i>Columella hasta</i> (Hanna). After Hanna | 245 | |

PLATE 31

| | | |
|------------------------------------------------------------------------|--------------|-----|
| 1. <i>Columella columella</i> (Benz.). Debris of the Isar, Munich. | 134589 | 239 |
| 2. <i>Columella columella</i> (Benz.). After Rossmaessler .. | 239 | |
| 3. <i>Columella columella</i> (<i>gredleri</i> Cl.). After Clessin .. | 240 | |
| 4. <i>Columella inornata</i> (Mich.). After Michaud | 240 | |
| 5. <i>Columella gutta</i> (Bens.). From <i>Conchologia Indica</i> . | 241 | |

| FIGURE | | PAGE |
|---------|---------------------------------------------------------------------------------------------|------|
| 6. | <i>Columella alticola</i> (Ing.). Mammoth Hot Springs, Wyoming. 63610 | 243 |
| 7. | <i>Columella alticola</i> (Ing.). Howardsville, Col. 59083. | 243 |
| 8. | <i>Columella alticola</i> (Ing.). Banff. 92135 | 243 |
| 9. | <i>Columella polvonensis</i> (Pils.). Type. 5096 | 246 |
| 10, 11. | <i>Pupoidea zanguebarica</i> (Taylor). B. Walker coll. | 251 |
| 12. | <i>Pupoidea bryantwalkeri</i> Pils. Type. B. Walker coll. | 251 |
| 13. | <i>Pupoidea pilsbryi</i> Dall. Cotype. Ballast Point Silex beds. 165017 U. S. N. M. | 248 |
| 14. | <i>Granopupa brondeli</i> (Bgt.). Point Pescade. 134591. | 215 |
| 15. | <i>Pupoidea hedleyi</i> Pils. Type. Bundaberg, Queens- land | 252 |
| 16. | <i>Granopupa rhodia taurica</i> Kessl. Neschori. 134590. | 215 |

PLATE 32

| | | |
|---------|-----------------------------------------------------------------------|-----|
| 1-3. | <i>Spermodea lamellata</i> (Jeffr.). Ingleby, England. 22653 | 187 |
| 4. | <i>Acanthinula aculeata</i> (Müll.). Sicily. 22650 | 191 |
| 5. | <i>Acanthinula aculeata</i> (Müll.). France. 22651 | 191 |
| 6. | <i>Acanthinula aculeata</i> (Müll.). Waechtersbach. 123320 | 191 |
| 7, 8. | <i>Acanthinula azorica</i> Pils. S. Miguel. 1515 | 193 |
| 9. | <i>Acanthinula expatriata</i> Prest. After Preston | 194 |
| 10. | <i>Zoogenetes larpa</i> Say. Buckfield, Maine. 87289 ... | 196 |
| 11-13. | <i>Anthracopupa ohioensis</i> Whitf. After Whitfield . | 316 |
| 14, 15. | <i>Ptychospira deloplecta</i> Slavik. After Slavik ... | 264 |
| 16. | <i>Strophites grandæva</i> Dawson. After Dawson | 319 |
| 17, 18. | <i>Maturipupa vermillionensis</i> (Bradley). After Bradley | 317 |
| 19, 20. | <i>Acanthopupa joossi</i> Wenz. After Wenz | 198 |
| 21-24. | <i>Dendropupa vetusta</i> Dawson. After Dawson | 317 |