



*Semplice Lista dei nomi dei
molluschi marini del Mare
Mediterraneo*

*Simple list of names of
marine molluscs of the
Mediterranean Sea*

versione 1.0



PREMESSA – PREMISE

Con 2179 specie ripartite in 820 generi, 282 famiglie e 8 classi, questa “semplice lista” contenete soltanto il nome della specie, l’autore e la famiglia di appartenenza, ti offre un aiuto per avvicinarti alla conoscenza dei molluschi del Mare Mediterraneo. Questo lavoro deriva dal Nuovo Catalogo Illustrato del Mediterraneo pubblicato nel 2012 dall’Associazione Naturalistica Malachia sul proprio sito www.malachia.com.

Mancano quindi almeno 3 anni di aggiornamenti ma questo non impedisce di essere una lista utile per te che ti sei avvicinato da poco al mondo della malacologia.

Ti ricordiamo che circa 400 specie non posseggono conchiglia e non potranno quindi rientrare nella tua collezione. Ci sono poi alcune specie determinate su pochissimi esemplari e quindi considerate molto rare anche perché spesso provengono da dragaggi effettuati a profondità di centinaia di metri.

Possiamo definire, quindi, “molto buona” una collezione che contenga 700-1000 specie del Mare Mediterraneo.

With 2179 species divided into 820 genera, 282 families and 8 classes, this "simple list" containing only the species name, the author and the immediate family, offers a you closer to the knowledge of the molluscs of the Mediterranean Sea. This work comes from the “Nuovo Catalogo Illustrato del Mediterraneo” published in 2012 dall’Associazione Naturalistica Malachia on its website www.malachia.com.

Therefore choose at least 3 years of updates but that does not stop it from being a useful list for you that approached recently to the world of Malacology.

We remind you that about 400 species do not have shell and can not therefore fall within your collection. There are some species classified on very few examples and then considered very rare because often come from dredging carried out at depths of hundreds of meters.

We can define, then, "very good" a collection that contains 700-1000 species of the Mediterranean Sea.



Classis CAUDOFOVEATA

Familia LIMIFOSSORIDAE

- Scutopus robustus* Salvini-Plawen, 1970
Scutopus ventrolineatus Salvini-Plawen, 1968

Familia PROCHAETODERMATIDAE

- Prochaetoderma raduliferum* (Kowalevsky, 1901) [Chaetoderma]
Prochaetoderma boucheti Schetelma & Ivanov, 2000
Spathoderma alleni Schetelma & Ivanov, 2000

Familia CHAETODERMATIDAE

- Falcidens aequabilis* Salvini-Plawen, 1972
Falcidens gutturosus (Kowalevsky, 1901) [Chaetoderma]
Falcidens strigisquamatum (Salvini-Plawen, 1977) [Chaetoderma]

Classis SOLENOGASTRES

Familia DONDERSIIDAE

- Dondersia festiva* Hubrecht, 1888
Ichthyomenia ichthyoides (Pruvot, 1890) [Ismenia]
Micromenia subrubra Salvini-Plawen, 2003
Nematomenia flavens (Pruvot, 1890) [Dondersia]
Nematomenia banyulensis (Pruvot, 1890) [Dondersia]
Nematomenia coralliophila (Kowalevsky, 1881) [Neomenia]
Stylomenia salvatori Pruvot, 1899

Familia GYMNOMENIIDAE

- Wirenia argentea* Odhner, 1921

Familia LEPIDOMENIIDAE

- Tegulaherpia stimulosa* Salvini-Plawen, 1983
Tegulaherpia myodoryata Salvini-Plawen, 1988

Familia NEOMENIIDAE

- Neomenia carinata* Tullberg, 1875

Familia PRUVOTINIDAE

- Hypomenia nierstraszi* van Lummel, 1930
Uncimonia neapolitana Nierstrasz, 1903
Eleutheromenia carinata Salvini-Plawen & Bilal Öztürk, 2006

Familia RHOPALOMENIIDAE

- Rhopalomenia aglaopheniae* (Kowalevsky & Marion, 1887) [Proneomenia]

Familia AMPHIMENIIDAE

- Amphimonia neapolitana* Thiele, 1889
Paragymnomonia richardi Leloup, 1947

Familia STROPHOMENIIDAE

- Anamenia gorgonophila* (Kowalevsky, 1880) [Neomenia]

Familia SIMROTHIELLIDAE

- Kruppomonia minima* Nierstrasz, 1903

Familia PRONEOMENIIDAE

- Dorymenia vagans* (Kowalevsky & Marion, 1887) [Proneomenia]

Classis POLYPLACOPHORA

Familia LEPIDochITONIDAE

- Lepidopleurus cajetanus* (Poli, 1791)





<i>Parachiton africanus</i>	(Nierstrasz, 1906)
<i>Leptochiton algesirensis</i>	(Capellini, 1859)
<i>Leptochiton asellus</i>	(Gmelin, 1791)
<i>Leptochiton bedullii</i>	Dell'Angelo & Palazzi, 1986
<i>Leptochiton cancellatus</i>	(Sowerby G.B.II, 1840)
<i>Leptochiton cimicoides</i>	(Monterosato, 1879)
<i>Leptochiton geronensis</i>	Kaas & Van Belle, 1985
<i>Leptochiton pepezamorai</i> Carmona	Zavilde, Urgorri & García, 2004
<i>Leptochiton sarsi</i>	Kaas, 1981
<i>Leptochiton scabridus</i>	(Jeffreys, 1880)
<i>Lepidochitona canariensis</i>	(Thiele, 1909)
<i>Lepidochitona caprearum</i>	(Scacchi, 1836)
<i>Lepidochitona cinerea</i>	(Linné, 1767)
<i>Lepidochitona furtiva</i>	(Monterosato, 1879)
<i>Lepidochitona monterosatoi</i>	Kaas & Van Belle, 1981

Familia ISCHNOCHITONIDAE

<i>Ischnochiton rissoi</i>	(Payraudeau, 1826)
<i>Ischnochiton usticensis</i>	Dell'Angelo & Castriota, 1999
<i>Ischnochiton tsekosi</i>	Koukouras and Karachle, 2005
<i>Stenosemus dolii</i>	Van Belle & Dell'Angelo, 1998
<i>Stenosemus vanbellei</i>	(Kaas, 1985)
<i>Bathychiton biondii</i>	Dell'Angelo & Palazzi, 1988

Familia CALLISTOPLACIDAE

<i>Callistochiton pachylasmae</i>	(Monterosato, 1878)
-----------------------------------	---------------------

Familia CALLOCHITONIDAE

<i>Callochiton calcatus</i>	Dell'Angelo & Palazzi, 1994
<i>Callochiton septemvalvis</i>	(Montagu, 1803)

Familia CHITONIDAE

<i>Chiton corallinus</i>	(Risso, 1826) [Lepidopleurus]
<i>Chiton olivaceus</i>	Spengler, 1797
<i>Chiton phaseolinus</i>	Monterosato, 1879

Familia ACANTHOCHITONIDAE

<i>Acanthochitona crinita</i>	(Pennant, 1777)
<i>Acanthochitona fascicularis</i>	(Linné, 1767)
<i>Acanthochitona oblonga</i>	(Leloup, 1981)

Familia HANLEYIIDAE

<i>Hanleya hanleyi</i>	(Bean in Thorpe, 1844) [Chiton]
------------------------	---------------------------------

Classis MONOPLACOPHORA

Familia NEOPIILINIDAE

<i>Veleropilina reticulata</i>	(Seguenza G. 1876) [Tectura]
--------------------------------	------------------------------

Classis GASTROPODA

Familia PATELLIDAE

<i>Patella caerulea</i>	Linné, 1758
<i>Patella ferruginea</i>	Gmelin, 1791
<i>Patella depressa</i>	Pennant, 1777
<i>Patella rustica</i>	Linné, 1758
<i>Patella ulyssiponensis</i>	Gmelin, 1791





<i>Cymbula nigra</i>	(da Costa, 1771) [Patella]
<i>Ansates pellucidus</i>	(Linné, 1758) [Patella]
Familia NACELLIDAE	
<i>Cellana rota</i>	(Gmelin, 1791) [Patella]
Familia LOTTIIDAE	
<i>Tectura virginea</i>	(Müller O.F., 1776) [Patella]
Familia LEPETIDAE	
<i>Iothia fulva</i>	(Müller O.F., 1776) [Patella]
<i>Propilidium exiguum</i>	(Thompson, 1844) [Patella]
Familia COCCULINIDAE	
<i>Coccoligya spinigera</i>	(Jeffreys, 1883) [Cocculina]
<i>Coccoligya viminensis</i>	(Rocchini, 1990) [Cocculina]
Familia BATHYSCIADIIDAE	
<i>Bathysciadium xylophagum</i>	Warén & Carrozza in Warén, 1996
Familia LEPETELLIDAE	
<i>Lepetella espinosae</i>	Dantart & Luque, 1994
<i>Lepetella laterocompressa</i>	(De Rayneval & Ponz, 1854)
<i>Bogia labronica</i>	(Bogi, 1984) [Cocculina]
Familia PSEUDOCOCCULINIDAE	
<i>Pilus conicus</i>	(Verrill, 1884) [Cocculina]
<i>Copulabyssia corrugata</i>	(Jeffreys, 1883) [Cocculina]
Familia ADDISONIIDAE	
<i>Addisonia excentrica</i>	(Tiberi, 1855) [Gadinia]
Familia CHORISTELLIDAE	
<i>Choristella nofronii</i>	Mac Lean, 1992
Familia FISSURELLIDAE	
<i>Emarginula adriatica</i>	Costa O.G., 1829
<i>Emarginula bonfittoi</i>	Smriglio & Mariottini, 2001
<i>Emarginula christiaensi</i>	Piani, 1984
<i>Emarginula divae</i>	Van Aartsen & Carrozza, 1996
<i>Emarginula fissura</i>	(Linné, 1758) [Patella]
<i>Emarginula huzardii</i>	Payraudeau, 1826
<i>Emarginula multistriata</i>	Jeffreys, 1882
<i>Emarginula octaviana</i>	Coen, 1939
<i>Emarginula punctulum</i>	Piani, 1980 ex Monterosato ms.
<i>Emarginula pustula</i>	Thiele in Kuester, 1913
<i>Emarginula rosea</i>	Bell T., 1824
<i>Emarginula sicula</i>	Gray, 1825
<i>Emarginula solidula</i>	Costa O.G., 1829
<i>Emarginula tenera</i>	Seguenza G., 1863
<i>Emarginula tuberculosa</i>	Libassi, 1859
<i>Fissurisepta granulosa</i>	Jeffreys, 1883
<i>Puncturella noachina</i>	(Linné, 1771) [Patella]
<i>Puncturella picciridda</i>	Palazzi & Villari, 2001
<i>Zeidora naufraga</i>	Watson, 1883
<i>Diodora demartinorum</i>	Buzzurro & Russo, 2005
<i>Diodora dorsata</i>	(Monterosato, 1878) [Fissurella]
<i>Diodora funiculata</i>	(Reeve, 1850)
<i>Diodora gibberula</i>	(Lamarck, 1822) [Fissurella]





Diodora graeca (Linné, 1758) [Patella]
Diodora italica (Defrance, 1820) [Fissurella]
Diodora producta (Monterosato, 1880) [Fissurella]
Diodora rueppellii (Sowerby G.B. I, 1835) [Fissurella]
Fissurella nubecula (Linné, 1758) [Patella]

Familia ANATOMIDAE

Anatoma aspera (Philippi, 1844) [Scissurella]
Anatoma eximia (Seguenza, 1877)
Anatoma micalii Geiger 2012
Anatoma tenuisculpta (Seguenza, 1877)
Anatoma umbilicata (Jeffreys, 1883) [Scissurella]

Familia SCISSURELLIDAE

Scissurella azorensis Nolt, 2008
Scissurella costata D'Orbigny, 1823
Sinezona cingulata (Costa O.G., 1861)

Familia HALIOTIDAE

Haliotis mykonosensis Owen, Hanavan & Hall 2001
Haliotis pustulata cruenta Reeve, 1846
Haliotis stomatiaeformis Reeve, 1846
Haliotis tuberculata coccinea Reeve, 1846
Haliotis tuberculata tuberculata Linné, 1758

Familia COLLONIIDAE

Cantrainea peloritana (Cantraine, 1835) [Turbo]
Homalopoma carmelae Oliverio & Buzzurro, 1994
Homalopoma sanguineum (Linné, 1758) [Turbo]

Familia TURBINIDAE

Bolma rugosa (Linné, 1767) [Turbo]
Skenea catenoides (Monterosato, 1877) [Cyclostrema]
Skenea divae Carrozza & Van Aartsen, 2001
Skenea pelagia Nofroni & Valenti, 1987
Skenea serpuloides (Montagu, 1808) [Helix]
Adeuomphalus ammoniformis Seguenza G., 1876
Akritogyra conspicua (Monterosato, 1880) [Cyclostrema]
Anekes paucistriata Warén, 1992
Anekes sculpturata Warén, 1992
Cirsonella romettensis (Seguenza G., 1873) [Oxystele]
Dikoleps depressa (Monterosato, 1880) [Cyclostrema]
Dikoleps marianae Rubio, Dantart & Luque, 1998
Dikoleps nitens (Philippi, 1844) [Delphinula]
Dikoleps pruinosa (Chaster, 1896) [Cyclostrema]
Dikoleps rolani Rubio, Dantart & Luque, 1998
Dikoleps templadoi Rubio, Dantart & Luque, 2004
Dikoleps umbilicostriata (Gaglioni, 1987) [Cyclostrema]
Granigyra granulifera Warén, 1992
Lissomphalia bithynoides (Monterosato, 1880) [Cyclostrema]
Lissotesta gittenbergeri (Van Aartsen & Bogi, 1988) [Alvania]
Lissotesta turrata (Gaglioni, 1987) [Cyclostrema]
Mikro giustii (Bogi & Nofroni, 1989) [Anekes]
Moelleriopsis messanensis (Seguenza G., 1876) [Cyclostrema]



Dasyskenea suavis
Palazzia ausoniae
Parviturbo alboranensis
Parviturbo fenestratus
Parviturbo dibelaiGiovanni
Pseudorbis granulum
Skeneoides digeronimoi
Skeneoides exilissima
Skeneoides jeffreysii

Familia PHASIANELLIDAE

Tricolia deschampsi
Tricolia entomocheila
Tricolia landini
Tricolia miniata
Tricolia nordsiecki
Tricolia pullus
Tricolia punctura
Tricolia speciosa
Tricolia tenuis
Tricolia tingitana

Familia CHILODONTIDAE

Danilia costellata
Danilia tinei
Putzeysia wiseri

Familia TROCHIDAE

Trochus erythreus
Clanculus corallinus
Clanculus cruciatus
Clanculus jussieui
Clanculus laurae
Clelandella miliaris
Clelandella myriamae
Gibbula albida
Gibbula ardens
Gibbula leucophaea
Gibbula magus
Gibbula philberti
Gibbula varia
Gibbula adansonii
Gibbula adriatica
Gibbula nivosa
Gibbula racketsi
Gibbula spratti
Gibbula turbinoides
Gibbula fanulum
Gibbula guttadauri
Gibbula tingitana
Gibbula drepanensis
Gibbula vimontiae

Fasulo & Cretella, 2003
(Palazzi, 1988) [Omalogyra]
Peñas et al., 2006
(Chaster, 1896) [Cyclostrema]
Buzzurro & Alberto Cecalupo, 2006
(Brugnone, 1873) [Fossarus]
La Perna, 1998
(Philippi, 1844) [Delphinula]
(Monterosato, 1872) [Circulus]

Gofas, 1993
Gofas, 1993
Campani & Bogi, 2007
(Monterosato, 1884) [Tricoliella punctata var.]
(Talavera, 1978) [Skenea trochoides s.sp.]
pullus (Linné, 1758) [Turbo]
Gofas, 1993
(Von Muehlfeldt, 1824) [Turbo]
(Michaud, 1829) [Phasianella]
Gofas, 1982

(O.G.Costa, 1861) [Heliciella]
(Calcara, 1839) [Monodonta]
(Calcara, 1842) [Trochus]

Brocchi, 1821
(Gmelin, 1791) [Trochus]
(Linné, 1758) [Trochus]
(Payraudeau, 1826) [Monodonta]
Cecalupo, Buzzurro & Mariani, 2008 *
(Brocchi, 1814) [Trochus]
Gofas, 2005 *
(Gmelin, 1791) [Trochus]
(Von Salis, 1793) [Trochus]
(Philippi, 1836) [Trochus] *
(Linné, 1758) [Trochus]
(Récluz, 1843) [Trochus] *
(Linné, 1758) [Trochus] *
adansonii (Payraudeau, 1826) [Trochus]
(Philippi, 1844) [Trochus]
Adams A., 1851
(Payraudeau, 1826) [Trochus]
(Forbes, 1844) [Trochus]
(Deshayes, 1835) [Trochus]
(Gmelin, 1791) [Trochus]
(Philippi, 1836) [Trochus]
Pallary, 1901
(Brugnone, 1873) [Trochus]
Monterosato, 1884



<i>Gibbula cineraria</i>	(Linné, 1758) [Trochus]
<i>Gibbula divaricata</i>	(Linné, 1758) [Trochus]
<i>Gibbula pennanti</i>	(Philippi, 1846) [Trochus]
<i>Gibbula rarilineata</i>	(Michaud, 1829) [Trochus]
<i>Gibbula umbilicalis</i>	(Da Costa, 1778) [Trochus]
<i>Gibbula umbilicaris</i>	umbilicaris (Linné, 1758) [Trochus]
<i>Gibbula umbilicaris</i>	latior Monterosato, 1888
<i>Gibbula umbilicaris</i>	nebulosa (Philippi, 1848) [Trochus]
<i>Phorcus articulatus</i>	(Lamarck, 1822)
<i>Phorcus lineatus</i>	(Da Costa, 1778)
<i>Phorcus mutabilis</i>	(Philippi, 1846)
<i>Phorcus richardi</i>	(Payraudeau, 1826)
<i>Phorcus turbinatus</i>	(Von Born, 1778)
<i>Jujubinus aegeensis</i>	Nordsieck F., 1973
<i>Jujubinus baudoni</i>	(Monterosato, 1891 ex Martin H. ms.) [Trochus]
<i>Jujubinus catenatus</i>	Ar dovini, 2006
<i>Jujubinus curinii</i>	Bogi & Campani, 2006
<i>Jujubinus dispar</i>	Curini-Galletti, 1982 ex Monterosato ms.
<i>Jujubinus exasperatus</i>	(Pennant, 1777) [Trochus]
<i>Jujubinus gravinae</i>	(Dautzenberg, 1881) [Trochus]
<i>Jujubinus karpathoensis</i>	Nordsieck F., 1973
<i>Jujubinus montagui</i>	(Wood W., 1828) [Trochus]
<i>Jujubinus ruscurianus</i>	ruscurianus (Weinkauff, 1868) [Trochus]
<i>Jujubinus seguenzae</i>	Ghisotti & Melone, 1975 ex Monterosato ms.
<i>Jujubinus striatus</i>	striatus (Linné, 1758) [Trochus]
<i>Jujubinus striatus</i>	delpreteanus Sullioti, 1889
<i>Jujubinus striatus</i>	fraterculus (Monterosato, 1879) [Trochus]
<i>Jujubinus tumidulus</i>	(Aradas, 1846) [Trochus]
<i>Jujubinus unidentatus</i>	(Philippi, 1844) [Trochus]
<i>Callumbonella suturale</i>	(Philippi, 1836) [Trochus]
Familia SOLARIELLIDAE	
<i>Pseudominolia nedyma</i>	(Melvill, 1897) [Minolia]
Familia ATAPHRIDAE	
<i>Trochaclis versiliensis</i>	Warén, Carrozza & Rocchini in Warén, 1992
Familia CALLIOSTOMIDAE	
<i>Calliostoma alexandrinum</i>	Pallary, 1912
<i>Calliostoma conulus</i>	(Linné, 1758) [Trochus]
<i>Calliostoma dubium</i>	(Philippi, 1844) [Trochus]
<i>Calliostoma funiculatum</i>	(Ar dovini, 2011)
<i>Calliostoma gualterianum</i>	(Philippi, 1848) [Trochus]
<i>Calliostoma gubbiolii</i>	Nofroni, 1984
<i>Calliostoma laugieri</i>	laugieri (Payraudeau, 1826) [Trochus]
<i>Calliostoma laugieri</i>	spongiarum (Bucquoy, Dautzenberg & Dollfus, 1885)
<i>Calliostoma virescens</i>	Coen, 1933
<i>Calliostoma zizyphinum</i>	(Linné, 1758) [Trochus]
<i>Calliostoma granulatum</i>	(Von Born, 1778) [Trochus]
Familia STOMATELLIDAE	
<i>Stomatella impertusa</i>	(Burrow, 1815) [Haliotis]
Familia NERITIDAE	





Nerita sanguinolenta
Smaragdia souverbiana
Smaragdia viridis

Menke, 1829
(Montrouzier, 1863) [Neritina]
(Linné, 1758) [Nerita]

Familia CINGULOPSIDAE

Eatonina ochroleuca
Eatonina celata
Eatonina cossurae
Eatonina fulgida
Eatonina pumila
Tubbreva micrometrica

(Brusina, 1869) [Setia]
(Monterosato, 1884) [Microsetia]
(Calcara, 1841) [Rissoa]
(Adams J., 1797) [Helix]
(Monterosato, 1884) [Setia]
(Aradas & Benoit, 1876 ex Seguenza G. ms.) [Rissoa]

Familia RISSOIDAE

Rissoa aartseni
Rissoa angustior
Rissoa auriformis
Rissoa auriscalpium
Rissoa decorata
Rissoa fraunfeldiana
Rissoa guerinii
Rissoa italiensis
Rissoa labiosa
Rissoa lia
Rissoa lilacina
Rissoa monodonta
Rissoa multicincta
Rissoa panhormensis
Rissoa paradoxa
Rissoa parva
Rissoa rodhensis
Rissoa scurra
Rissoa similis
Rissoa splendida
Rissoa torquilla
Rissoa variabilis
Rissoa ventricosa
Rissoa violacea
Alvania aartseni
Alvania aeoliae
Alvania alboranensis
Alvania algeriana
Alvania amatii
Alvania aspera
Alvania balearica
Alvania beani
Alvania bicingulata
Alvania cancellata
Alvania carinata
Alvania cimex
Alvania cimicoides
Alvania cingulata

Verduin, 1985
(Monterosato, 1917) [Zippora]
auriformis Pallary, 1904
(Linné, 1758) [Turbo]
Philippi, 1846
Brusina, 1868
Récluz, 1843
Verduin, 1985
(Montagu, 1803) [Helix]
(Monterosato, 1884 ex Benoit ms.) [Apicularia]
Desmarest, 1814
Philippi, 1836
Smriglio & Mariottini, 1995
Verduin, 1985
(Monterosato, 1884) [Zippora]
(Da Costa, 1778) [Turbo]
Verduin, 1985
(Monterosato, 1917) [Apicularia]
Scacchi, 1836
Eichwald, 1830
Pallary, 1912 ex Monterosato ms.
(Von Muehlfeldt, 1824) [Turbo]
Desmarest, 1814
Récluz, 1843
Verduin, 1986
Palazzi, 1988
Peñas et al., 2006
(Monterosato, 1877) [Rissoa]
Oliverio, 1986
(Philippi, 1844) [Rissoa]
Oliver & Templado, 2009
(Hanley in Thorpe, 1844) [Cingula]
(G. Seguenza, 1876) [Alvinia]
(Da Costa, 1778) [Turbo]
(Da Costa, 1778) [Turbo]
(Linné, 1758) [Turbo]
(Forbes, 1844) [Rissoa]
(Philippi, 1836) [Rissoa]



<i>Alvania clarae</i>	Nofroni & Pizzini, 1991
<i>Alvania clathrella</i>	(Seguenza L., 1903 ex Monterosato ms.) [Alvinia]
<i>Alvania claudioi</i>	Buzzurro & Landini, 2007
<i>Alvania colossophilus</i>	Oberling, 1970
<i>Alvania consociella</i>	Monterosato, 1884
<i>Alvania corona</i>	Nordsieck F., 1972
<i>Alvania dalmatica</i>	Buzzurro & Prkic, 2007
<i>Alvania datchaensis</i>	Amati & Oliverio, 1987
<i>Alvania dianiensis</i>	Oliverio, 1988
<i>Alvania dictyophora</i>	(Philippi, 1844) [Rissoa]
<i>Alvania dipacoi</i>	Giusti & Nofroni, 1989
<i>Alvania discors</i>	(Allan, 1818) [Turbo]
<i>Alvania disparilis</i>	Monterosato, 1890
<i>Alvania dorbignyi</i>	(Audouin, 1827) [Rissoa]
<i>Alvania electa</i>	(Monterosato, 1874) [Rissoa]
<i>Alvania elegantissima</i>	(Monterosato, 1875) [Rissoa]
<i>Alvania elisae</i>	Margelli, 2001
<i>Alvania fischeri</i>	(Jeffreys, 1884) [Rissoa]
<i>Alvania fractospira</i>	Oberling, 1970
<i>Alvania gagliniae</i>	Amati, 1985
<i>Alvania garrafensis</i>	Peñas & Rolán 2008
<i>Alvania geryonia</i>	(Nardo, 1847 ex Chiereghini ms.) [Rissoa]
<i>Alvania hallgassi</i>	Amati & Oliverio, 1985
<i>Alvania hirta</i>	Monterosato, 1884
<i>Alvania hispidula</i>	(Monterosato, 1884) [Acinus]
<i>Alvania josefoi</i>	Oliver & Templado, 2009
<i>Alvania lactea</i>	(Michaud, 1832) [Rissoa]
<i>Alvania lanciae</i>	(Calcara, 1841) [Rissoa]
<i>Alvania lineata</i>	Risso, 1826
<i>Alvania litoralis</i>	(Nordsieck F., 1972) [Turbona] elegantissima var.
<i>Alvania lucinae</i>	Oberling, 1970
<i>Alvania mamillata</i>	Risso, 1826
<i>Alvania nestaresi</i>	Oliverio & Amati, 1990
<i>Alvania oliverioi</i>	Buzzurro, 2003
<i>Alvania oranica</i>	(Pallary, 1900) [Rissoa]
<i>Alvania pagodula</i>	(Bucquoy, Dautzenberg & Dollfus, 1884) [Rissoa]
<i>Alvania parvula</i>	(Jeffreys, 1884) [Rissoa]
<i>Alvania punctura</i>	(Montagu, 1803) [Turbo]
<i>Alvania rudis</i>	(Philippi, 1844) [Rissoa]
<i>Alvania scabra</i>	(Philippi, 1844) [Rissoa]
<i>Alvania schwartziana</i>	Brusina, 1866
<i>Alvania sculptilis</i>	(Monterosato, 1877) [Rissoa]
<i>Alvania settepassii</i>	Amati & Nofroni, 1985
<i>Alvania sororcula</i>	Granata-Grillo, 1877
<i>Alvania spinosa</i>	(Monterosato, 1890) [Alcidia]
<i>Alvania subareolata</i>	Monterosato, 1869
<i>Alvania subcrenulata</i>	(Bucquoy, Dautzenberg & Dollfus, 1884) [Rissoa]
<i>Alvania subsoluta</i>	(Aradas, 1847) [Rissoa]
<i>Alvania tenera</i>	(Philippi, 1844) [Rissoa]

<i>Alvania tessellata</i>	Weinkauff, 1868 ex Schwartz ms.
<i>Alvania testae</i>	(Aradas & Maggiore, 1844) [Rissoa]
<i>Alvania tomentosa</i>	(Pallary, 1920) [Rissoa]
<i>Alvania vermaasi</i>	Van Aartsen, 1975
<i>Alvania villarii</i>	Micali, Tisselli & Giunchi, 2004
<i>Alvania weinkauffi</i>	jacobusi Oliverio, Amati & Nofroni, 1986
<i>Alvania weinkauffi</i>	weinkauffi Weinkauff, 1868 ex Schwartz ms.
<i>Alvania zetlandica</i>	(Montagu, 1815) [Turbo]
<i>Alvania zylensis</i>	Gofas & Warén, 1982
<i>Benthonella tenella</i>	(Jeffreys, 1869) [Lacuna]
<i>Bothryphallus epidauricus</i>	(Brusina, 1866) [Cingula]
<i>Cingula trifasciata</i>	(Adams J., 1800) [Turbo]
<i>Crisilla beniamina</i>	(Monterosato, 1884) [Cingula]
<i>Crisilla chiarellii</i>	Cecalupo & Quadri, 1995
<i>Crisilla marioni</i>	Fasulo & Gaglini, 1987
<i>Crisilla perminima</i>	(Manzoni, 1868) [Rissoa]
<i>Crisilla pseudocingulata</i>	(Nordsieck F., 1972) [Setia]
<i>Crisilla ramosorum</i>	Oliver, Templado & Kersting, 2012
<i>Crisilla semistriata</i>	(Montagu, 1808) [Turbo]
<i>Crisilla simulans</i>	Locard, 1886
<i>Manzonia crassa</i>	(Kanmacher, 1798) [Turbo]
<i>Obtusella intersecta</i>	(Wood S.W., 1857) [Rissoa]
<i>Obtusella macilentata</i>	(Monterosato, 1880) [Setia]
<i>Onoba aculeus</i>	(Gould, 1841) [Cingula]
<i>Onoba dimassai</i>	Amati & Nofroni, 1980
<i>Onoba gianninii</i>	(Nordsieck F., 1974) [Setia]
<i>Onoba guzmani</i>	Hoenselaar & Moolenbeek, 1987
<i>Onoba josae</i>	Hoenselaar & Moolenbeek, 1987
<i>Onoba oliverioi</i>	Smriglio & Mariottini, 2000
<i>Onoba semicostata</i>	(Montagu, 1803) [Turbo]
<i>Onoba tarifensis</i>	Hoenselaar & Moolenbeek, 1987
<i>Peringiella denticulata</i>	Ponder, 1985
<i>Peringiella elegans</i>	(Locard, 1892) [Cingula]
<i>Plagyostila asturiana</i>	Fischer in De Folin & Perier, 1872
<i>Pseudosetia ficaratiensis</i>	(Brugnone, 1876) [Rissoa]
<i>Pusillina benzi</i>	(Aradas & Maggiore, 1844) [Padulina]
<i>Pusillina consimilis</i>	(Monterosato, 1890) [Sabanea]
<i>Pusillina diversa</i>	(Nordsieck F., 1972) [Turboella]
<i>Pusillina gemmula</i>	(Fischer P. in De Folin, 1871) [Rissoa]
<i>Pusillina inconspicua</i>	(Alder, 1844) [Rissoa]
<i>Pusillina lineolata</i>	(Michaud, 1832) [Rissoa]
<i>Pusillina margininia</i>	(Nordsieck F., 1972) [Turboella marginata]
<i>Pusillina marginata</i>	(Michaud, 1832) [Rissoa]
<i>Pusillina munda</i>	(Monterosato, 1884) [Sabanea]
<i>Pusillina philippi</i>	(Aradas & Maggiore, 1844) [Rissoa]
<i>Pusillina radiata</i>	(Philippi, 1836) [Rissoa]
<i>Pusillina sarsii</i>	(Lovén, 1846) [Rissoa]
<i>Pusillina testudae</i>	Verduin, 1979
<i>Pusillina turrita</i>	Monterosato, 1890



<i>Rudolphosetia fusca</i>	(Philippi, 1841) [Setia]
<i>Setia aartseni</i>	(Verduin, 1984) [Cingula]
<i>Setia amabilis</i>	(Locard, 1886) [Cingula]
<i>Setia ambigua</i>	(Brugnone, 1873) [Rissoa]
<i>Setia alboranensis</i>	Peñas et al., 2006
<i>Setia anselmoi</i>	(Van Aartsen & Engl, 1999) [Cingula]
<i>Setia antipolitana</i>	(Van der Linden & Wagner, 1987) [Cingula]
<i>Setia bruggeni</i>	(Verduin, 1984) [Cingula]
<i>Setia globulinus</i>	Monterosato, 1884
<i>Setia kuiperi</i>	(Verduin, 1984) [Cingula]
<i>Setia lacourti</i>	(Verduin, 1984) [Cingula]
<i>Setia levantina</i>	Bogi & Galil 2007
<i>Setia maculata</i>	(Monterosato, 1869) [Cingula]
<i>Setia microbia</i>	Hoenselaar & Hoenselaar, 1991
<i>Setia pulcherrima</i>	(Jeffreys, 1848) [Rissoa]
<i>Setia scillae</i>	(Aradas & Benoit, 1876 ex Seguenza G. ms.) [Rissoa]
<i>Setia sciutiana</i>	(Aradas & Benoit, 1874) [Rissoa]
<i>Setia slikorum</i>	(Verduin, 1984) [Cingula]
<i>Setia turriculata</i>	Monterosato, 1884
<i>Rissoina bruguieri</i>	(Payraudeau, 1826) [Rissoa]
<i>Rissoina spirata</i>	(Sowerby G.B. I, 1825) [Turritella]
<i>Rissoina bertholleti</i>	Issel, 1869
<i>Voorwindia tiberiana</i>	(Issel, 1869) [Cingula]
<i>Zebina paivensis</i>	(Watson, 1873) [Eulima]
Familia ADEORBIDAE	
<i>Circulus striatus</i>	(Philippi, 1836) [Valvata]
Familia BARLEEIDAE	
<i>Barleeia gougeti</i>	(Michaud, 1830) [Rissoa]
<i>Barleeia seminulum</i>	(Monterosato, 1877) [Rissoa]
<i>Barleeia unifasciata</i>	(Montagu, 1803) [Turbo]
Familia ANABATHRIDAE	
<i>Nodulus contortus</i>	(Jeffreys, 1856) [Rissoa]
<i>Nodulus spiralis</i>	Van der Linden, 1986
<i>Pisinna glabrata</i>	(Von Muehlfeldt, 1824) [Helix]
Familia CAECIDAE	
<i>Caecum armoricum</i>	De Folin, 1869
<i>Caecum auriculatum</i>	De Folin, 1868
<i>Caecum clarkii</i>	Carpenter, 1858
<i>Caecum subannulatum</i>	De Folin, 1870
<i>Caecum trachea</i>	(Montagu, 1803) [Dentalium]
Familia ELACHISINIDAE	
<i>Laeviphitus verduini</i>	Van Aartsen, Bogi & Giusti, 1989
Familia ASSIMINEIDAE	
<i>Assiminea gittenbergeri</i>	Van Aartsen 2008
<i>Paludinella littorina</i>	(Delle Chiaje, 1828) [Helix]
<i>Paludinella sicana</i>	(Brugnone, 1876) [Assiminea littorina var.]
Familia HYDROBIIDAE	
<i>Hydrobia acuta</i>	(Draparnaud, 1805) [Cyclostoma]
<i>Hydrobia djerbaensis</i>	Wilke, Pfenninger & Davis 2002





<i>Hydrobia glyca</i>	(Servain 1880)
<i>Hydrobia ventrosa</i>	(Montagu, 1803) [Turbo]
<i>Heleobia stagnorum</i>	(Gmelin, 1791) [Helix]
<i>Potamopyrgus antipodarum</i>	(Gray, 1843)
Familia IRAVADIIDAE	
<i>Ceratia proxima</i>	(Forbes & Hanley, 1850 ex Alder ms.) [Rissoa]
<i>Hyala vitrea</i>	(Montagu, 1803) [Turbo]
Familia PENDROMIDAE	
<i>Rugulina monterosatoi</i>	(Van Aartsen & Bogi, 1986) [Daronia]
Familia CLITOCERATIDAE	
<i>Parastrophia asturiana</i>	De Folin, 1870
Familia TORNIDAE	
<i>Tornus jullieni</i>	Adam & Knudsen, 1969
<i>Tornus mienisi</i>	Van Aartsen, Carrozza & Menkhorst, 1998
<i>Tornus subcarinatus</i>	(Montagu, 1803) [Helix]
<i>Discopsis costulatus</i>	De Folin, 1870
Familia CERITHIIDAE	
<i>Cerithium alucaster</i>	(Brocchi, 1814) [Murex]
<i>Cerithium columna</i>	Sowerby, 1834
<i>Cerithium egenum</i>	Gould, 1849
<i>Cerithium haustellum</i>	Monterosato in Crema, 1903
<i>Cerithium litteratum</i>	(Born 1778)
<i>Cerithium lividulum</i>	Risso, 1826
<i>Cerithium nesioticum</i>	Pilsbry & Vanatta, 1906
<i>Cerithium protractum</i>	Bivona Ant. in Bivona And., 1938
<i>Cerithium renovatum</i>	Monterosato, 1884
<i>Cerithium repandum</i>	Monterosato, 1878
<i>Cerithium rupestre</i>	Risso, 1826
<i>Cerithium scabridum</i>	Philippi, 1848
<i>Cerithium vulgatum</i>	vulgatum Bruguière, 1792
<i>Cerithium vulgatum</i>	mazaravallensis Cecalupo, 2003
<i>Bittium circa</i>	Peñas et al., 2006
<i>Bittium incile</i>	Watson, 1897
<i>Bittium jadertinum</i>	(Brusina, 1865) [Cerithium]
<i>Bittium lacteum</i>	(Philippi, 1836) [Cerithium]
<i>Bittium latreilli</i>	(Payraudeau, 1826) [Cerithium]
<i>Bittium reticulatum</i>	(Da Costa, 1778) [Strombiformis]
<i>Bittium scabrum</i>	(Olivi, 1792) [Murex]
<i>Bittium simplex</i>	(Jeffreys, 1867) [Cerithium reticulatum var.]
<i>Cerithidium diplax</i>	(Watson, 1886) [Bittium]
<i>Cerithidium perparvulum</i>	(Watson, 1886) [Bittium]
<i>Cerithidium submamillatum</i>	(De Rayneval & Ponzi, 1854) [Cerithium]
<i>Clypeomorus bifasciatus</i>	bifasciatus (Sowerby G.B. II, 1855) [Cerithium]
<i>Cassiella abylenis</i>	Gofas, 1987
<i>Rhinoclavis kochi</i>	(Philippi, 1848) [Cerithium]
Familia DIALIDAE	
<i>Diala varia</i>	Adams A., 1861
Familia PLANAXIDAE	
<i>Angiola punctostriata</i>	(Smith E.A., 1872) [Planaxis]





<i>Planaxis griseus</i>	(Brocchi, 1821) [Buccinum]
Familia LITIOPIDAE	
<i>Gibborissoa virgata</i>	(Philippi, 1849) [Rissoa]
Familia OBTORTIONIDAE	
<i>Finella pupoides</i>	Adams A., 1860
<i>Clathrofenella ferruginea</i>	(Adams A., 1860) [Dunkeria]
Familia POTAMIDIDAE	
<i>Potamides conicus</i>	(Blainville, 1826) [Cerithium]
Familia TURRITELLIDAE	
<i>Turritella communis</i>	Risso, 1826
<i>Turritella decipiens</i>	Monterosato, 1878
<i>Turritella monterosatoi</i>	Kobelt, 1888
<i>Turritella turbona</i>	Monterosato, 1877
<i>Mesalia breviaлис</i>	(Lamarck, 1822) [Turritella]
<i>Mesalia mesal</i>	(Deshayes, 1843) [Turritella]
Familia SILIQUARIIDAE	
<i>Tenagodus obtusus</i>	(Schumacher, 1817) [Anguinaria]
<i>Petalopoma elisabettae</i>	Schiaparelli, 2002
Familia VERMETIDAE	
<i>Vermetus cristatus</i>	Biondi, 1857
<i>Vermetus rugulosus</i>	Monterosato, 1878
<i>Vermetus triquetrus</i>	Bivona Ant., 1832
<i>Vermetus granulatus</i>	(Gravenhorst, 1831) [Vermicularia]
<i>Vermetus semisurrectus</i>	Bivona Ant., 1832
<i>Dendropoma anguliferum</i>	(Monterosato, 1884) [Bivonia]
<i>Dendropoma petraeum</i>	(Monterosato, 1884) [Bivonia]
<i>Petalocochnus glomeratus</i>	(Linné, 1758) [Serpula]
<i>Petalocochnus laurae</i>	Scuderi, 2012
<i>Serpulorbis arenaria</i>	(Linné, 1767) [Serpula]
Familia LITTORINIDAE	
<i>Littorina saxatilis</i>	(Olivi, 1792) [Turbo]
<i>Littorina nervillei</i>	Dautzenberg, 1893
<i>Melaraphe neritoides</i>	(Linné, 1758) [Turbo]
<i>Nodilittorina punctata</i>	(Gmelin, 1791) [Turbo]
Familia SKENEOPSISIDAE	
<i>Skeneopsis planorbis</i>	(Fabricius O., 1780) [Helix]
<i>Skeneopsis sultanarum</i>	Gofas, 1983
Familia TRUNCATELLIDAE	
<i>Truncatella subcylindrica</i>	(Linné, 1767) [Helix]
Familia APORRHAIIDAE	
<i>Aporrhais pespelecani</i>	(Linné, 1758) [Strombus]
<i>Aporrhais serresianus</i>	(Michaud, 1828) [Rostellaria]
Familia STROMBIDAE	
<i>Strombus mutabilis</i>	Swainson, 1821 *
<i>Strombus persicus</i>	Swainson, 1821
Familia HIPPONICIDAE	
<i>Sabia conica</i>	(Schumacher, 1817) [Amalthea]
Familia VANIKORIDAE	
<i>Macromphalus abylenis</i>	Warén & Bouchet, 1988





<i>Megalomphalus azonus</i>	(Brusina, 1865) [Stomatica]
<i>Megalomphalus disciformis</i>	(Granata-Grillo, 1877) [Fossarus]
<i>Megalomphalus petitianus</i>	(Tiberi, 1869) [Fossarus]
<i>Talassia dagueneti</i>	(De folin, 1873) [Salassia]
Familia FOSSARIDAE	
<i>Fossarus ambiguus</i>	(Linné, 1758) [Helix]
Familia CALYPTRAEIDAE	
<i>Bostrycapulus aculeatus</i>	(Gmelin, 1791)
<i>Crepidula fornicata</i>	(Linné, 1758) [Patella]
<i>Crepidula moulinsii</i>	Michaud, 1829
<i>Crepidula gibbosa</i>	Defrance, 1818
<i>Crepidula unguiformis</i>	Lamarck, 1822
<i>Calyptraea chinensis</i>	(Linné, 1758) [Patella]
Familia CAPULIDAE	
<i>Capulus hungaricus</i>	(Linné, 1758) [Patella]
Familia XENOPHORIDAE	
<i>Xenophora crispa</i>	(König, 1825) [Trochus]
Familia LAMELLARIDAE	
<i>Lamellaria latens</i>	(Müller O.F., 1776) [Bulla]
<i>Lamellaria perspicua</i>	(Linné, 1758) [Helix]
Familia VELUTINIDAE	
<i>Velutina velutina</i>	(Müller O.F., 1776) [Bulla]
Familia CYPRAEIDAE	
<i>Luria luridaurida</i>	(Linné, 1758) [Cypraea]
<i>Schilderia achatidea</i>	achatidea (Gray in Sowerby G.B. II, 1837) [Cypraea]
<i>Zonaria pyrum</i>	pyrum (Gmelin, 1791) [Cypraea]
<i>Purpuradusta gracilis</i>	notata (Gill, 1858) [Cypraea]
<i>Palmadusta lentiginosa</i>	(Gray, 1825) *
<i>Naria spurca</i>	(Linné, 1758) [Cypraea]
<i>Naria turdus</i>	(Lamarck, 1810) [Cypraea]
Familia TRIVIIDAE	
<i>Trivia arctica</i>	(Pulteney, 1789) [Cypraea]
<i>Trivia bitou</i>	Pallary, 1912
<i>Trivia levantina</i>	Smriglio, Mariottini & Buzzurro, 1998
<i>Trivia monacha</i>	(Da Costa, 1778) [Cypraea]
<i>Trivia multilirata</i>	(Sowerby G.B. II, 1870) [Cypraea]
<i>Trivia pulex</i>	(Solander in Gray, 1828) [Cypraea]
<i>Trivia spongicola</i>	Monterosato, 1923
<i>Erato voluta</i>	(Montagu, 1803) [Cypraea]
Familia OVULIDAE	
<i>Aperiovula adriatica</i>	(Sowerby G.B. I, 1828) [Ovulum]
<i>Neosimnia spelta</i>	(Linné, 1758) [Bulla]
<i>Neosimnia illyrica</i>	Schilder, 1927
<i>Pseudosimnia carnea</i>	(Poiret, 1789) [Bulla]
<i>Simnia nicaeensis</i>	Risso, 1826
<i>Simnia purpurea</i>	Risso, 1826
Familia PEDICULARIIDAE	
<i>Pedicularia sicula</i>	Swainson, 1840
Familia NATICIDAE	





<i>Notocochlis dillwynii</i>	Payraudeau, 1826
<i>Notocochlis gualteriana</i>	Récluz, 1844
<i>Euspira catena</i>	(Da Costa, 1778) [Coclea]
<i>Euspira fusca</i>	(Blainville, 1825) [Natica]
<i>Euspira grossularia</i>	(Marche-Marchad, 1957) [Lunatia]
<i>Euspira guillemini</i>	(Payraudeau, 1826) [Natica]
<i>Euspira macilenta</i>	(Philippi, 1844) [Natica]
<i>Euspira notabilis</i>	Jeffreys, 1885
<i>Euspira pulchella</i>	(Risso, 1826) [Natica]
<i>Neverita josephinia</i>	Risso, 1826
<i>Payraudeautia intricata</i>	(Donovan, 1804) [Nerita]
<i>Natica prietoi</i>	Hidalgo, 1873
<i>Natica vittata</i>	(Gmelin, 1791) [Nerita]
<i>Naticarius hebraea</i>	(Martyn, 1784) [Nerita]
<i>Naticarius stercusmuscarum</i>	(Gmelin, 1791) [Nerita]
<i>Cryptonatica affinis</i>	(Gmelin, 1791)
<i>Cryptonatica operculata</i>	(Jeffreys, 1885) [Natica]
<i>Tectonatica rizzae</i>	(Philippi, 1844) [Natica]
<i>Tectonatica sagraiana</i>	(Orbigny, 1842)
<i>Sinum bifasciatum</i>	(Récluz, 1851) [Sigaretus]
Familia TONNIDAE	
<i>Tonna galea</i>	(Linné, 1758) [Buccinum]
<i>Eudolium bairdii</i>	(Verrill & Smith, 1881) [Dolium]
<i>Eudolium crosseanum</i>	(Monterosato, 1869) [Dolium]
Familia CASSIDAE	
<i>Galeodea echinophora</i>	(Linné, 1758) [Buccinum]
<i>Galeodea rugosa</i>	(Linné, 1771) [Buccinum]
<i>Phalium granulatum</i>	(Born, 1778) [Buccinum]
<i>Phalium saburon</i>	(Bruguière, 1792) [Cassidea]
Familia RANELLIDAE	
<i>Ranella olearia</i>	(Linné, 1758) [Murex]
<i>Cymatium corrugatum</i>	corrugatum (Lamarck, 1816) [Triton]
<i>Cymatium parthenopeum</i>	parthenopeum (Von Salis, 1793) [Murex]
<i>Cabestana cutacea</i>	(Linné, 1767) [Murex]
<i>Cabestana dolaria</i>	(Linné, 1767) [Murex]
<i>Charonia lampas</i>	lampas (Linné, 1758) [Murex]
<i>Charonia variegata</i>	(Lamarck, 1816) [Triton]
Familia BURSIDAE	
<i>Bursa scrobilator</i>	scrobilator Linné, 1758
Familia ATLANTIDAE	
<i>Atlanta brunnea</i>	Gray, 1850
<i>Atlanta helicinoidea</i>	Gray, 1850
<i>Atlanta inclinata</i>	Gray, 1850
<i>Atlanta lesueurii</i>	Gray, 1850
<i>Atlanta peronii</i>	Lesueur, 1817
<i>Atlanta quoyana</i>	Smith, 1888
<i>Atlanta rosea</i>	Edoux & Souleyet, 1852
<i>Atlanta steindachenery</i>	Obwimmer, 1898
<i>Oxygyrus keraudrenii</i>	(Lesueur, 1817) [Atlanta]





<i>Protatlanta souleyeti</i>	(Smith E.A., 1888) [Atlanta]
<i>Protatlanta mediterranea</i>	Issel, 1915
Familia CARINARIIDAE	
<i>Carinaria lamarckii</i>	Peron & Lesueur, 1810
Familia FIROLIDAE	
<i>Firoloida desmarestia</i>	Lesueur, 1817
Familia CERITHIOPSIDAE	
<i>Cerithiopsis annae</i>	Cecalupo & Buzzurro, 2006
<i>Cerithiopsis atalaya</i>	Watson, 1874
<i>Cerithiopsis contigua</i>	Monterosato, 1878
<i>Cerithiopsis corona</i>	Gagliani, 1992
<i>Cerithiopsis diadema</i>	Monterosato, 1874 ex Watson ms.
<i>Cerithiopsis greppii</i>	Buzzurro & Cecalupo, 2004
<i>Cerithiopsis horrida</i>	Jeffreys, 1885
<i>Cerithiopsis ladae</i>	J.Prkic & G Buzzurro 2007
<i>Cerithiopsis jeffreysi</i>	Watson, 1885
<i>Cerithiopsis judithae</i>	A Reitano & G Buzzurro 2006
<i>Cerithiopsis micalii</i>	(Cecalupo & Villari, 1997) [Dizoniopsis]
<i>Cerithiopsis minima</i>	(Brusina, 1865) [Cerithium]
<i>Cerithiopsis nofronii</i>	Amati, 1987
<i>Cerithiopsis oculisfictis</i> J.	Prkic e P. Mariottini, 2009
<i>Cerithiopsis perlata</i>	Monterosato, 1889
<i>Cerithiopsis pulchresculpta</i>	Cachia, Mifsud e Sammut, 2004
<i>Cerithiopsis tenthrenois</i>	(Melvill, 1896) [Bittium]
<i>Cerithiopsis tubercularis</i>	(Montagu, 1803) [Murex]
<i>Dizoniopsis coppolae</i>	(Aradas, 1870) [Cerithium]
<i>Dizoniopsis concatenata</i>	(Conti, 1864)
<i>Dizoniopsis aspicienda</i>	Bouchet, Gofas & Warén 2010
<i>Dizoniopsis abylenis</i>	Bouchet, Gofas & Warén 2010
<i>Krachia cylindrata</i>	(Jeffreys, 1885) [Cerithium]
<i>Krachia tiara</i>	(Monterosato, 1874 ex Watson ms.) [Cerithiopsis]
<i>Krachiopsis giannuzzii</i>	Smriglio & Mariottini, 1999 in Giannuzzi-Savelli e
<i>Nanopsis buzzurroi</i>	Cecalupo & Robba, 2010
<i>Nanopsis denticulata</i>	Cecalupo & Robba, 2010
<i>Nanopsis nana</i>	(Jefferys, 1867)
<i>Nanopsis petani</i>	(Prkic & Mariottini, 2009)
<i>Nanopsis pulvis</i>	(Issel, 1869)
<i>Onchodia valeriae</i>	(Giusti, 1987) [Cerithiopsis]
<i>Prolixodens barleei</i>	Jeffreys, 1867
<i>Prolixodens fayalensis</i>	Watson, 1886
<i>Prolixodens scalaris</i>	Locard, 1892 ex. Monterosato ms.
<i>Prolixodens tarruelasi</i>	Peñas et al., 2006
<i>Seila trilineata</i>	(Philippi, 1836) [Cerithium]
Familia TRIFORIDAE	
<i>Cerithiella metula</i>	(Lovén, 1846) [Cerithium]
Familia TRIPHORIDAE	
<i>Cosmotriphora melanura</i>	(C.B. Adams, 1850) [Cerithium]
<i>Cheirodonta pallescens</i>	(Jeffreys, 1867) [Cerithium]
<i>Marshallora adversa</i>	(Montagu, 1803) [Murex]



<i>Monophorus alboranensis</i>	Rolán & Peñas, 2001
<i>Monophorus erythrosoma</i>	(Bouchet & Guillemot, 1978) [Triphora]
<i>Monophorus perversus</i>	(Linné, 1758) [Trochus]
<i>Monophorus thiriota</i>	Bouchet, 1984
<i>Obesula marisnostris</i>	Bouchet, 1985
<i>Pogonodon pseudocanaricus</i>	(Bouchet, 1985) [Cosmotriphora]
<i>Similiphora similior</i>	(Bouchet & Guillemot, 1978) [Triphora]
<i>Similiphora tricolor</i>	Bouchet, 1996
<i>Strobiligera brychia</i>	(Bouchet & Guillemot, 1978) [Triphora]
<i>Strobiligera flammulata</i>	Bouchet & Warén, 1993
<i>Metaxia bacillum</i>	(Issel, 1869) [Cerithium]
<i>Metaxia metaxae</i>	(Delle Chiaje, 1828) [Murex]

Familia EPITONIIDAE

<i>Epitonium algerianum</i>	(Weinkauff, 1866) [Scalaria]
<i>Epitonium brevissimum</i>	(Seguenza G., 1876) [Scalaria]
<i>Epitonium candidissimum</i>	(Monterosato, 1877) [Scalaria]
<i>Epitonium cantrainei</i>	(Weinkauff, 1866) [Scalaria]
<i>Epitonium celesti</i>	(Aradas, 1854) [Scalaria]
<i>Epitonium clathratulum</i>	(Kanmacher, 1798) [Turbo]
<i>Epitonium commune</i>	(Lamarck, 1822) [Scalaria]
<i>Epitonium dendrophylliae</i>	Bouchet & Warén, 1986
<i>Epitonium hispidulum</i>	(Monterosato, 1874) [Scalaria]
<i>Epitonium jolyi</i>	(Monterosato, 1878) [Scalaria]
<i>Epitonium linctum</i>	(De Boury & Monterosato, 1890) [Scalaria]
<i>Epitonium pseudonanum</i>	Bouchet & Warén, 1986
<i>Epitonium pulchellum</i>	(Bivona Ant., 1832) [Scalaria]
<i>Epitonium striatissimum</i>	(Monterosato, 1878) [Scalaria]
<i>Epitonium tiberii</i>	(De Boury, 1890) [Parviscala]
<i>Epitonium tryoni</i>	(De Boury, 1913) [Scala]
<i>Epitonium turtoni</i>	(Turton, 1819) [Turbo]
<i>Epitonium vittatum</i>	(Jeffreys, 1884) [Scalaria]
<i>Acirsa corsicana</i>	Nordsieck, 1974
<i>Acirsa subdecussata</i>	(Cantraine, 1835) [Scalaria]
<i>Acrilloscala lamyi</i>	(De Boury, 1909) [Scala]
<i>Cirsotrema cochlea</i>	(Sowerby G.B. II, 1844) [Scalaria]
<i>Claviscala richardi</i>	(Dautzenberg & De Boury, 1897) [Scalaria]
<i>Cycloscala hyalina</i>	(Sowerby G.B. II, 1844) [Scalaria]
<i>Gregorioiscala sarsi</i>	(Kobelt, 1903) [Scalaria]
<i>Gyroscala lamellosa</i>	(Lamarck, 1822) [Scalaria]
<i>Opalia crenata</i>	(Linné, 1758) [Turbo]
<i>Opalia abbotti</i>	Clench & Turner, 1952
<i>Opalia hellenica</i>	(Forbes, 1844) [Scalaria]
<i>Opalia fusticulus</i>	Gaglini, 1992
<i>Punctiscala cerigottana</i>	(Sturany, 1896) [Scala]
<i>Opaliopsis atlantis</i>	(Clench & Turner, 1952) [Nystiella]
<i>Stylotrochus marshalli</i>	(Sykes, 1925) [Cithna]
<i>Stylotrochus tuberatus</i>	(Jeffreys, 1883) [Iphitus]
<i>Narrimania concinna</i>	(Sykes, 1925) [Cerithiopsis]
<i>Papuliscala cerithielloides</i>	Bouchet & Warén, 1986

Papuliscala tavianii
Familia JANTHINIDAE

Janthina exigua
Janthina janthina
Janthina nitens
Janthina pallida

Bouchet & Warén, 1986
Lamarck, 1816
(Linné, 1758) [Helix]
Menke, 1828
Thompson, 1840 ex Harvey ms.

Familia EULIMIDAE

Eulima bilineata
Eulima fuscozonata
Eulima glabra
Eulima leptozona
Auriculigerina miranda
Bathycrinicola nacraensis
Campylorhaphion famelicum
Crinophtheiros comatulicula
Crinophtheiros giustii
Curveulima beneittoi
Curveulima dautzenbergi
Curveulima devians
Ersilia mediterranea
Fusceulima minuta
Fusceulima lineata
Haliella stenostoma
Halielloides fragilis
Melanella alba
Melanella boscii
Melanella compactilis
Melanella crosseana
Melanella doederleini
Melanella frielei
Melanella glypta
Melanella lubrica
Melanella microsculpta
Melanella monterosatoi
Melanella petitiana
Melanella polita
Melanella praeurta
Melanella spiridioni
Melanella stalioi
Melanella translucens
Nanobalcis nana
Oceanida confluens
Parvioris ibizenca
Pelseneeria minor
Sabinella bonifaciae
Sticteulima jeffreysiana
Sticteulima lentiginosa
Vitreolina antiflexa
Vitreolina cionella

Alder, 1848
Bouchet & Waren, 1986
(Da Costa, 1778) [Strombiformis]
Dautzenberg & Fischer H., 1896
Dautzenberg, 1925
Peñas & Giribet, 2003
(Watson, 1883) [Eulima]
(Graff, 1875) [Eulima]
Gaglioni, 1991
Peñas et al., 2006
(Pallary, 1900) [Eulima]
(Monterosato, 1884) [Vitreolina]
(Monterosato, 1869) [Lacuna]
(Jeffreys, 1884) [Eulima]
(Monterosato, 1869) [Aclis]
(Monterosato, 1869) [Lacuna]
(Jeffreys, 1884) [Eulima]
(Monterosato, 1869) [Aclis]
(Jeffreys, 1858) [Eulima]
Bouchet & Warén, 1986
(Da Costa, 1778) [Strombiformis]
(Payraudeau, 1827) [Rissoa]
(Sykes, 1903) [Acicularia]
(Brusina, 1886) [Eulima]
(Brusina, 1886) [Eulima]
(Jordan, 1895) [Eulima]
Bouchet & Warén, 1986
(Monterosato, 1890) [Acicularia]
Bouchet & Warén, 1986
(Monterosato, 1890 ex De Boury ms.) [Acicularia]
(Brusina, 1869) [Eulima]
(Linné, 1758) [Turbo]
(Pallary, 1904) [Eulima]
(Dautzenberg & Fischer H., 1896) [Eulima]
(Brusina, 1869) [Eulima]
(Brusina in Monterosato, 1890) [Acicularia]
(Monterosato, 1878) [Eulima]
Bouchet & Warén, 1986
(Nordsieck, 1968) [Eulima]
Koehler & Vaney, 1908
Nordsieck, 1974
(Brusina, 1869) [Leiostraca]
(Adams A., 1861) [Eulima]
Monterosato, 1884
Monterosato, 1878



<i>Vitreolina curva</i>	(Monterosato, 1874 ex Jeffreys ms.) [Eulima]
<i>Vitreolina incurva</i>	(Bucquoy, Dautzenberg & Dollfus, 1883) [Eulima]
<i>Vitreolina levantina</i>	Oliverio, Buzzurro & Villa, 1994
<i>Vitreolina perminima</i>	(Jeffreys, 1883) [Eulima]
<i>Vitreolina philippi</i>	(Rayneval, Hecke & Ponzi, 1854) [Eulima]

Familia ENTOCONCHIDAE

<i>Entoconcha mirabilis</i>	Müller, 1852
-----------------------------	--------------

Familia ACLIDIDAE

<i>Aclis ascaris</i>	(Turton, 1819) [Turbo]
<i>Aclis attenuans</i>	Jeffreys, 1883
<i>Aclis gulsonae</i>	(Clark W., 1850) [Chemnitzia]
<i>Aclis minor</i>	(Brown, 1827) [Turritella]
<i>Aclis trilineata</i>	Watson, 1897

Familia MURICIDAE

<i>Murex forskoehlii</i>	Röding, 1798
<i>Bolinus brandaris</i>	(Linné, 1758) [Murex]
<i>Hexaplex pecchiolianus</i>	(D'Ancona, 1871) [Murex]
<i>Hexaplex trunculus</i>	(Linné, 1758) [Murex]
<i>Dermomurex scalaroides</i>	(Blainville, 1826) [Murex]
<i>Aspella anceps</i>	(Lamarck, 1822) [Ranella]
<i>Ocenebra erinaceus</i>	(Linné, 1758) [Murex]
<i>Ocenebrina aciculata</i>	(Lamarck, 1822) [Murex]
<i>Ocenebrina buzzurroi</i>	Cecalupo & Mariani, 2008
<i>Ocenebrina carmelae</i>	Cecalupo, Buzzurro & Mariani, 2008
<i>Ocenebrina coralinoides</i>	Pallary, 1910
<i>Ocenebrina edwardsii</i>	(Payraudeau, 1826) [Purpura]
<i>Ocenebrina erronea</i>	(Settepassi, 1977)
<i>Ocenebrina helleri</i>	(Brusina, 1865) [Fusus]
<i>Ocenebrina hispidula</i>	(Pallary, 1904) [Hispidula]
<i>Ocenebrina hybrida</i>	(Aradas & Benoit, 1876) [Murex]
<i>Ocenebrina ingloria</i>	(Crosse, 1865) [Murex]
<i>Ocenebrina nicolai</i>	Monterosato, 1884
<i>Ocenebrina paddeui</i>	G. Bonomolo e G. Buzzurro, 2006
<i>Ocenebrina piantonii</i>	Cecalupo, Buzzurro & Mariani, 2008
<i>Ocenebrina reinai</i>	Bonomolo & Crocetta, 2012
<i>Hadriana craticuloides</i>	(Vokes, 1964) [Tritonalia]
<i>Murexul aradasii</i>	(Monterosato in Poirier, 1882)
<i>Murexul cevikeri</i>	Houart, 2000
<i>Muricopsis cristata</i>	(Brocchi, 1814) [Murex]
<i>Muricopsis grisotti</i>	Cecalupo, Buzzurro & Mariani, 2008
<i>Rapana venosa</i>	(Valenciennes, 1846) [Purpura]
<i>Thais lacera</i>	(Born, 1778) [Murex]
<i>Thais sacellum</i>	(Gmelin, 1791) [Murex]
<i>Stramonita haemastoma</i>	(Linné, 1766) [Buccinum]
<i>Ergalatax junionae</i>	Houart, 2008
<i>Orania fusulus</i>	(Brocchi, 1814) [Murex]
<i>Typhinellus labiatus</i>	(Cristofori & Jan, 1832) [Murex]
<i>Trophonopsis alboranensis</i>	Smriglio, Mariottini & Bonfitto, 1997
<i>Trophonopsis barvicensis</i>	(Johnston, 1825) [Fusus]



Trophonopsis breviatus
Trophonopsis droueti
Trophonopsis muricatus
Pagodula echinata

(Jeffreys, 1882) [Trophon]
cfr. (Dautzenberg, 1889) [Trophon]
(Montagu, 1803) [Murex]
(Kiener, 1840) [Fusus]

Familia CORALLIOPHILIDAE

Coralliophila africana
Coralliophila ahuii
Coralliophila brevis
Coralliophila meyendorffii
Coralliophila panormitana
Coralliophila richardi
Coralliophila sofiae
Coralliophila squamosa
Coralliophila trigoi
Latiaxis benoiti
Latiaxis cariniferus
Latiaxis sentix
Babelomurex tectumsinensis

Smriglio & Mariottini, 2001
Cossignani, 2009
(Blaiville, 1832) [Purpura]
(Calcara, 1845) [Murex]
(Monterosato, 1869) [Pyrula]
(Fischer P., 1882) [Murex]
(Aradas & Benoit, 1876) [Murex]
(Bivona And., 1838) [Fusus]
Mariottini, Smriglio, Rolan, 2005
(Tiberi, 1855) [Murex]
(G.B. Sowerby, 1834) [Murex]
(Bayer, 1971) [Coralliophila]
(Deshayes, 1856)

Familia BUCCINIDAE

Buccinum humphreysianum
Colus jeffreysianus
Euthria cornea
Kryptos koehleri
Pisania striata
Chauvetia brunnea
Chauvetia candidissima
Chauvetia decorata
Chauvetia giunchiorum
Chauvetia lefebvrei
Chauvetia lineolata
Chauvetia mamillata
Chauvetia procerula
Chauvetia recondita
Chauvetia retifera
Chauvetia submamillata
Chauvetia tenuisculpta
Chauvetia turritellata
Chauvetia ventrosa
Colubrarria reticulata
Engina leucozona
Polliia dorbignyi
Polliia scabra
Polliia scacchiana

Bennet, 1824
(Fischer P., 1868) [Fusus]
(Linné, 1758) [Murex]
(Locard, 1896) [Pleurotomella]
(Gmelin, 1791) [Voluta]
(Donovan, 1804) [Buccinum]
(Philippi, 1836) [Buccinum]
Monterosato, 1889
Micali, 1999
(Maravigna, 1840) [Buccinum]
(Tiberi, 1868) [Nesaea]
(Risso, 1826) [Lachesis]
Monterosato, 1889
(Brugnone, 1873) [Lachesis]
(Brugnone, 1880) [Lachesis]
(Bucquoy, Dautzenberg & Dollfus, 1882) [Donovania]
Dautzenberg, 1913
(Deshayes, 1835) [Fusus]
Nordsieck F., 1976
(Blainville, 1826) [Triton]
(Philippi, 1843) [Buccinum]
(Payraudeau, 1826) [Buccinum]
Locard, 1886
(Philippi, 1844) [Buccinum]

Familia COLUMBELLIDAE

Columbella rustica
Amphissa acutocostata
Anachis aliciae
Anachis savignyi
Zafra troglodites

(Linné, 1758) [Voluta]
(Philippi, 1844) [Buccinum]
(Pallary, 1900) [Columbella]
(Moazzo, 1939 ex Jousseau ms.) [Anachis]
(Sowerby G.B. I & Montrouzier, 1866) [Columbella]

<i>Mitrella broderipi</i>	(Sowerby G.B. I, 1844) [Columbella]
<i>Mitrella bruggeni</i>	Van Aartsen, Menkhorst & Gittenberger, 1984
<i>Mitrella coccinea</i>	(Philippi, 1836) [Buccinum linnaei var.]
<i>Mitrella gervillii</i>	(Payraudeau, 1826) [Mitra]
<i>Mitrella lanceolata</i>	(Locard, 1886) [Columbella]
<i>Mitrella minor</i>	(Scacchi, 1836) [Columbella]
<i>Mitrella pallaryi</i>	(Dautzenberg, 1927) [Pyrene]
<i>Mitrella scripta</i>	(Linné, 1758) [Murex]
<i>Mitrella swinnyi</i>	K. Monsecour & D. Monsecour, 2011

Familia NASSARIIDAE

<i>Nassarius arcularius</i>	plicatus (Röding, 1798) [Distorsio]
<i>Nassarius elatus</i>	(Gould, 1845) [Nassa]
<i>Nassarius heyneimanni</i>	(Von Maltzan, 1884) [Nassa]
<i>Nassarius macrodon</i>	recidivus (Von Martens, 1876) [Nassa semistriatus]
<i>Nassarius ovoideus</i>	(Locard, 1886) [Nassa]
<i>Nassarius turulosus</i>	(Risso, 1826) [Planaxis]
<i>Nassarius vaucheri</i>	(Pallary, 1906) [Nassa]
<i>Nassarius johnei</i>	(Monterosato, 1889) [Nassa]
<i>Nassarius tingitanus</i>	(Pallary, 1901) [Nassa]
<i>Nassarius corniculatus</i>	(Olivi, 1792) [Buccinum]
<i>Nassarius pfeifferi</i>	(Philippi, 1844) [Buccinum]
<i>Nassarius tinei</i>	(Maravigna in Guérin, 1840) [Buccinum]
<i>Nassarius coralligenus</i>	(Pallary, 1900) [Nassa]
<i>Nassarius incrassatus</i>	(Stroem, 1768) [Buccinum]
<i>Nassarius pygmaeus</i>	(Lamarck, 1822) [Ranella]
<i>Nassarius nitidus</i>	(Jeffreys, 1867) [Nassa]
<i>Nassarius reticulatus</i>	(Linné, 1758) [Buccinum]
<i>Nassarius wolffi</i>	(Knudsen, 1956) [Nassa]
<i>Nassarius granum</i>	(Lamarck, 1822) [Buccinum]
<i>Nassarius denticulatus</i>	(Adams A., 1851) [Nassa]
<i>Nassarius circumcinctus</i>	(Adams A., 1852) [Nassa]
<i>Nassarius gibbosulus</i>	(Linné, 1758) [Buccinum]
<i>Nassarius mutabilis</i>	(Linné, 1758) [Buccinum]
<i>Nassarius cuvierii</i>	(Payraudeau, 1826) [Buccinum]
<i>Nassarius louisi</i>	(Pallary, 1912) [Nassa cuvierii var.]
<i>Nassarius unifasciatus</i>	(Kiener, 1835) [Buccinum]
<i>Nassarius lima</i>	(Dillwyn, 1817) [Buccinum]
<i>Demoulia obtusata</i>	(Link, 1807) [Buccinum]
<i>Cyclope neritea</i>	(Linné, 1758) [Buccinum]
<i>Cyclope pellucida</i>	Risso, 1826

Familia FASCIOLARIIDAE

<i>Fasciolaria lignaria</i>	(Linné, 1758) [Murex]
<i>Fusinus alternatus</i>	Settepassi, 1985 ex Monterosato in Schedis
<i>Fusinus buzzurroi</i>	Prkic & Russo 2008
<i>Fusinus cretellai</i>	Buzzurro & Russo 2008
<i>Fusinus dimassai</i>	Buzzurro & Russo, 2006
<i>Fusinus dimitrii</i>	Buzzurro & Ovalis, 2006
<i>Fusinus eviae</i>	Buzzurro & Russo, 2006
<i>Fusinus labronicus</i>	(Monterosato, 1884) [Pseudofusus]



<i>Fusinus margaritae</i>	Buzzurro & Russo, 2006
<i>Fusinus parvulus</i>	(Monterosato 1884) [Pseudofusus]
<i>Fusinus profetai</i>	Nofroni, 1982
<i>Fusinus pulchellus</i>	(Philippi, 1844) [Fusus]
<i>Fusinus rolandi</i>	Buzzurro & Ovalis, 2005
<i>Fusinus rostratus</i>	(Olivi, 1792) [Murex]
<i>Fusinus rusticulus</i>	(Monterosato, 1880) [Trophon rostratus var.]
<i>Fusinus syracusanus</i>	(Linné, 1758) [Murex]
<i>Fusinus verrucosus</i>	(Gmelin, 1791) [Murex]
Familia VOLUTIDAE	
<i>Cymbium olla</i>	(Linné, 1758) [Voluta]
<i>Ampulla priamus</i>	(Gmelin, 1791) [Helix]
Familia CYSTISCIDAE	
<i>Gibberula caelata</i>	(Monterosato, 1877) [Marginella]
<i>Gibberula cristinae</i>	Tisselli, Agamennone & Giunchi, 2009
<i>Gibberula epigrus</i>	(Reeve, 1865) [Marginella]
<i>Gibberula jansseni</i>	Van Aartsen, Menkhorst & Gittenberger, 1984
<i>Gibberula miliaria</i>	(Linné, 1758) [Voluta]
<i>Gibberula oryza</i>	(Lamarck, 1822) [Volvaria]
<i>Gibberula philippi</i>	(Monterosato, 1878) [Marginella]
<i>Gibberula recondita</i>	Monterosato, 1844
<i>Gibberula secreta</i>	Monterosato, 1889
<i>Gibberula simonae</i>	Smriglio, 2003
<i>Gibberula turgidula</i>	(Locard & Caziot, 1900) [Marginella]
<i>Granulina boucheti</i>	Gofas, 1992
<i>Granulina gofasi</i>	Smriglio & Mariottini, 1997
<i>Granulina gubbioli</i>	Smriglio & Mariottini, 1999
<i>Granulina guttula</i>	La Perna, 1998
<i>Granulina marginata</i>	(Bivona, 1832) [Volvaria]
<i>Granulina melitensis</i>	Smriglio, Mariottini & Rufini, 1998
<i>Granulina minusculina</i>	(Locard, 1897) [Volutella]
<i>Granulina occulta</i>	(Monterosato, 1869) [Marginella]
<i>Granulina pusaterii</i>	Smriglio & Mariottini, 2003
<i>Granulina tenuilabiata</i>	La Perna, 1999
<i>Granulina torosa</i>	Gofas, 1992
<i>Granulina vanhareni</i>	(Van Aartsen, Menkhorst & Gittenberger, 1984) [Cyp]
Familia MARGINELLIDAE	
<i>Volvarina mitrella</i>	(Risso, 1826) [Voluta]
<i>Prunum bayonai</i>	Cossignani, 2009
Familia MITRIDAE	
<i>Mitra cornea</i>	Lamarck, 1811
<i>Mitra cornicula</i>	(Linné, 1758) [Voluta]
<i>Mitra zonata</i>	Marryat, 1818
Familia COSTELLARIIDAE	
<i>Vexillum ebenus</i>	(Lamarck, 1811) [Mitra]
<i>Vexillum granum</i>	(Forbes, 1843) [Mitra]
<i>Vexillum hypatiae</i>	(Pallary, 1912) [Mitra]
<i>Vexillum savignyi</i>	(Payraudeau, 1826) [Mitra]
<i>Vexillum tricolor</i>	(Gmelin, 1790) [Voluta]





Familia CANCELLARIIDAE

- Bivetiella cancellata* (Linné, 1767) [Voluta]
Bivetiella similis (Sowerby G.B. I, 1833) [Cancellaria]
Tribia coronata Scacchi, (1835) [Cancellaria]
Axelella minima (Reeve, 1856) [Cancellaria]

Familia CONIDAE

- Conus desidiosus* Adams A., 1854
Conus fumigatus Hwass in Bruguiere, 1792
Conus mediterraneus Hwass in Bruguière, 1792
Conus vayssierei Pallary, 1906

Familia BORSONIIDAE

- Typhlomangelia nivalis* (Lovén, 1846) [Pleurotoma]
Aphanitoma mariottinii Smriglio, Rufini & Martin Pérez, 2001
Drilliola emendata (Monterosato, 1872) [Pleurotoma]
Drilliolaloprestiana loprestiana 841) [Pleurotoma]

Familia CLATHURELLIDAE

- Clathromangelia loiselierii* Oberling, 1970
Clathromangelia granum (Philippi, 1844) [Pleurotoma]
Clathromangelia strigilata Pallary, 1904
Clathurella gracilis (Montagu, 1803) [Murex]
Corinnaeturrus leucomata (Dall, 1881) [Pleurotoma]
Lienardia mighelsi Iredale & Tomlin, 1917

Familia MITROMORPHIDAE

- Mitromorpha karpathoensis* (Nordsieck, 1969) [Pusia]
Mitromorpha mediterranea Mifsud, 2001
Mitromorpha melitensis (Mifsud, 1993) [Mitrolumna]
Mitromorpha olivoidea (Cantraine, 1835) [Mitra]
Mitromorpha wilheminae (Van Aartsen, Menkhorst & Gittenberger, 1984) [Mit

Familia MANGELIIDAE

- Bela atlantidea* (Knudsen, 1952)
Bela beatriceae Mariottini, 2007
Bela brachystoma (Philippi, 1844) [Pleurotoma]
Bela cycladensis (Reeve, 1845) [Pleurotoma]
Bela decussata (Locard, 1897) [Raphitoma]
Bela fuscata (Deshayes, 1835) [Pleurotoma]
Bela menkhorsti Van Aartsen, 1988
Bela nebula (Montagu, 1803) [Murex]
Bela oceanica (Locard, 1897) [Raphitoma]
Bela powisiana (Dautzenberg, 1887)
Bela taprurenensis (Pallary, 1904) [Ginnania]
Bela zenetouae (Van Aartsen, 1988) [Fehria]
Bela zonata (Locard, 1892) [Raphitoma]
Benthomangelia macra (Watson, 1881) [Pleurotoma]
Mangelia attenuata (Montagu, 1803) [Murex]
Mangelia barashi (Van Aartsen & Fehr de Wal, 1978) [Mangiliella]
Mangelia brusinae Van Aartsen & Fehr de Wal, 1978 ex Monterosato ms.
Mangelia callosa (Nordsieck F., 1977) [Cythara]
Mangelia costata (Pennant, 1777) [Murex]
Mangelia costulata (Risso, 1826) [Pleurotoma]

<i>Mangelia difficilis</i>	(Locard & Caziot, 1900)
<i>Mangelia farina</i>	(Nordsieck, 1977) [Cythara]
<i>Mangelia fieldeni</i>	(Van Aartsen & Fehr de Wal, 1978 ex Monterosato ms)
<i>Mangelia hispidula</i>	(Jan in Bellardi, 1847) ?
<i>Mangelia indistincta</i>	(Monterosato, 1875)
<i>Mangelia jerbaensis</i>	Della Bella & Spada in Chirli, 1997
<i>Mangelia melitensis</i>	Cachia & Mifsud, 2008
<i>Mangelia multilineolata</i>	(Deshayes, 1835) [Pleurotoma]
<i>Mangelia nuperrima</i>	(Tiberi, 1855) [Pleurotoma]
<i>Mangelia paciniana</i>	(Calcara, 1839) [Pleurotoma]
<i>Mangelia pallaryi</i>	(Nordsieck F., 1977) [Cythara]
<i>Mangelia payraudeaui</i>	(Deshayes, 1835) [Pleurotoma]
<i>Mangelia pontica</i>	Milaschewitch, 1908
<i>Mangelia sandrii</i>	(Brusina, 1865)
<i>Mangelia scabrida</i>	Monterosato, 1890
<i>Mangelia serga</i>	(Dall, 1881) [Pleurotoma]
<i>Mangelia sicula</i>	Reeve, 1846
<i>Mangelia stossiciana</i>	Brusina, 1869
<i>Mangelia striolata</i>	(Risso, 1826) [Murex]
<i>Mangelia taeniata</i>	(Deshayes, 1835) [Pleurotoma]
<i>Mangelia tenuicosta</i>	(Brugnone, 1868) [Pleurotoma attenuatum var.]
<i>Mangelia unifasciata</i>	(Deshayes, 1835) [Pleurotoma]
<i>Mangelia vauquelini</i>	(Payraudeau, 1826) [Pleurotoma]
<i>Pseudorhaphitoma idolabiata</i>	(Hornung & Mermod, 1928)

Familia RAPHITOMIDAE

<i>Gymnobela abyssorum</i>	(Locard, 1897) [Bela]
<i>Gymnobela subaraneosa</i>	(Dautzenberg & Fischer H., 1896) [Pleurotoma]
<i>Lusitanops cingulata</i>	Bouchet & Warén, 1980
<i>Lusitanops hyaloides</i>	(Dautzenberg, 1925) [Pleurotoma]
<i>Pleurotomella demosia</i>	(Dautzenberg & Fischer H., 1896) [Pleurotoma]
<i>Pleurotomella eurybrocha</i>	(Dautzenberg & Fischer H., 1896) [Pleurotoma]
<i>Pleurotomella gibbera</i>	Bouchet & Warén, 1980 ex Jeffreys ms.
<i>Pleurotomella packardi</i>	Verrill, 1872
<i>Raphitoma aequalis</i>	(Jeffreys, 1867) [Defrancia linearis var.]
<i>Raphitoma alternans</i>	(Monterosato, 1884) [Philbertia]
<i>Raphitoma arnoldi</i>	(Pallary, 1904) [Clathrurella]
<i>Raphitoma atropurpurea</i>	(Locard & Caziot, 1900 ex Monterosato ms.) [Clathr
<i>Raphitoma bicolor</i>	(Risso, 1826) [Pleurotoma]
<i>Raphitoma bofilliana</i>	(Sullioti, 1889) [Philbertia]
<i>Raphitoma bracteata</i>	(Pallary, 1904) [Homotoma]
<i>Raphitoma concinna</i>	(Scacchi, 1836)
<i>Raphitoma contigua</i>	(Monterosato, 1884) [Philbertia]
<i>Raphitoma corbis</i>	(Potiez & Michaud, 1838) [Pleurotoma]
<i>Raphitoma cordieri</i>	(Payraudeau, 1826) [Pleurotoma]
<i>Raphitoma cylindracea</i>	(Locard & Caziot, 1900) [Clathrurella]
<i>Raphitoma densa</i>	(Monterosato, 1884) [Philbertia]
<i>Raphitoma echinata</i>	(Brocchi, 1814) [Murex]
<i>Raphitoma erronea</i>	Monterosato, 1884
<i>Raphitoma histrix</i>	Bellardi, 1847



<i>Raphitoma horrida</i>	(Monterosato, 1884) [Cordiera]
<i>Raphitoma laviae</i>	(Philippi, 1844) [Pleurotoma]
<i>Raphitoma leufroyi</i>	(Michaud, 1828)
<i>Raphitoma linearis</i>	(Montagu, 1803) [Murex]
<i>Raphitoma lineolata</i>	(Bucquoy, Dautzenberg & Dollfus, 1883)
<i>Raphitoma mirabilis</i>	(Pallary, 1904) [Homotoma]
<i>Raphitoma nivea</i>	(Marshall in Sykes, 1906) [Clathrurella]
<i>Raphitoma papillosa</i>	(Pallary, 1904) [Philbertia]
<i>Raphitoma philberti</i>	(Michaud, 1829) [Pleurotoma]
<i>Raphitoma pruinosa</i>	(Pallary, 1906) [Philbertia]
<i>Raphitoma pseudohystrix</i>	Sykes, 1906
<i>Raphitoma pupoides</i>	(Monterosato, 1884) [Cordiera]
<i>Raphitoma purpurea</i>	(Montagu, 1803)
<i>Raphitoma smriglioi</i>	Pusateri & Giannuzzi-Savelli, 2013
<i>Raphitoma spadiana</i>	Pusateri & Giannuzzi-Savelli, 2012
<i>Raphitoma villaria</i>	Pusateri & Giannuzzi-Savelli, 2008
<i>Teretia teres</i>	(Reeve, 1844) [Pleurotoma]
<i>Xanthodaphne dalmasi</i>	(Dautzenberg & Fischer H., 1897) [Pleurotoma]
<i>Taranis laevisculpta</i>	Monterosato, 1880
<i>Taranis moerchi</i>	(Malm, 1863) [Trophon]
Familia DRILLIDAE	
<i>Spirotropis modiolus</i>	(De Cristofori & Jan, 1832) [Fusus]
<i>Crassopleura maravignae</i>	(Bivona Ant. In Bivona And., 1838) [Pleurotoma]
<i>Conopleura aliena</i>	Smriglio, Mariottini & Calascibetta, 1998
Familia CLAVATULIDAE	
<i>Fusiturris similis</i>	(Bivona And., 1838) [Pleurotoma]
<i>Fusiturris undarituga</i>	(Bivona Ant. in Bivona And., 1838) [Pleurotoma]
Familia HORAICLAVIDAE	
<i>Haedropleura flexicosta</i>	Monterosato, 1884
<i>Haedropleura secalina</i>	(Philippi, 1844) [Pleurotoma]
<i>Haedropleura septangularis</i>	(Montagu, 1803) [Murex]
<i>Micropleurotoma spirotropoides</i>	(Thiele, 1925) [Pleurotoma]
Familia RISSOELLIDAE	
<i>Rissoella diaphana</i>	(Alder, 1848) [Rissoa]
<i>Rissoella globularis</i>	(Forbes & Hanley, 1853) [Jeffreysia]
<i>Rissoella inflata</i>	Locard, 1892
<i>Rissoella opalina</i>	(Jeffreys, 1848) [Rissoa]
Familia OMALOGYRIDAE	
<i>Omalogyra atomus</i>	(Philippi, 1841) [Truncatella]
<i>Omalogyra simplex</i>	(Costa O.G., 1861) [Ammonicerina]
<i>Ammonicera fischeriana</i>	(Monterosato, 1869) [Homalogyra]
<i>Ammonicera rota</i>	(Forbes & Hanley, 1850) [Skenea]
<i>Retrotortina fuscata</i>	Chaster, 1896
Familia CIMIDAE	
<i>Cima cuticulata</i>	Warén, 1993
<i>Cima cylindrica</i>	(Jeffreys, 1856) [Jeffreysia]
<i>Cima melitensis</i>	Mifsud, 1998
<i>Cima minima</i>	(Jeffreys, 1858) [Odostomia]
<i>Cima apicibellus</i>	(Rolan, 2003)





<i>Graphis albida</i>	(Kanmacher, 1798) [Turbo]
<i>Graphis barashi</i>	Van Aartsen, 2002
<i>Cioniscus gracilis</i>	Monterosato, 1874 ex Jeffreys ms.
<i>Cioniscus striatus</i>	Jeffreys, 1884
Familia XYLODISCULIDAE	
<i>Xylodiscula boucheti</i>	Warén, Carrozza & Rocchini in Warén, 1992
<i>Xylodiscula lens</i>	Warén, 1992
<i>Xylodiscula wareni</i>	Bogi & Bartolini, 2008
Familia CORNIROSTRIDAE	
<i>Tomura depressa</i>	(Granata-Grillo, 1877) [Oxyste]le]
Familia HYALOGYRINIDAE	
<i>Hyalogyra zibrowii</i>	Warén, 1997
<i>Hyalogyrina amphorae</i>	Warén, Carozza & Rocchini, 1997
<i>Xenoskenea pellucida</i>	(Monterosato, 1874) [Skenea]
Familia ARCHITECTONICIDAE	
<i>Basisulcata lepida</i>	(Bayer, 1942) [Architectonica]
<i>Philippia hybrida</i>	(Linné, 1758) [Trochus]
<i>Discotectonica discus</i>	(Philippi, 1844) [Solarium]
<i>Solatisonax alleryi</i>	(Seguenza G., 1876) [Solarium]
<i>Solatisonax bannocki</i>	(Melone & Taviani, 1980) [Architectonica]
<i>Heliacus subvariegatus</i>	(D'Orbigny, 1852) [Solarium]
<i>Heliacus jeffreysianus</i>	(Tiberi, 1867) [Gyriscus]
<i>Heliacus contextus</i>	(Seguenza L., 1902) [Solarium]
<i>Pseudotorinia architae</i>	(Costa O.G., 1841) [Solarium]
<i>Pseudomalaxis zancleus</i>	zancleus (Philippi, 1844) [Bifrontia]
<i>Spirolaxis clenchi</i>	Jaume & Borro, 1946
<i>Spirolaxis lamellifer</i>	(Rehder, 1935) [Pseudomalaxis]
Familia MATHILDIDAE	
<i>Mathilda barbadensis</i>	Dall, 1889
<i>Mathilda bieleri</i>	Smriglio C., Prkic J., Di Giulio A., Mariottini P.
<i>Mathilda cochlaeformis</i>	Brugnone, 1873
<i>Mathilda coronata</i>	Monterosato, 1875
<i>Mathilda gemmulata</i>	Semper, 1865
<i>Mathilda letei</i>	Smriglio C., Prkic J., Di Giulio A., Mariottini P.
<i>Mathilda quadricarinata</i>	(Brocchi, 1814) [Turbo]
<i>Mathilda retusa</i>	Brugnone, 1873
<i>Tuba jeffreysi</i>	(Dall, 1889) [Mathilda]
Familia PYRAMIDELLIDAE	
<i>Eulimella acicula</i>	(Philippi, 1836)
<i>Eulimella ataktos</i>	Warén, 1991
<i>Eulimella bogii</i>	Van Aartsen, 1994
<i>Eulimella carminae</i>	Peñas & Micali, 1999
<i>Eulimella cerullii</i>	(Cossmann, 1915) [Syrniola]
<i>Eulimella cossignaniorum</i>	Van Aartsen, 1994
<i>Eulimella neoattenuata</i>	Gagliani, 1992
<i>Eulimella oliveri</i>	Peñas et al., 2006
<i>Eulimella scillae</i>	(Scacchi, 1835) [Melania]
<i>Eulimella subcylindrata</i>	(Dunker in Weinkauff, 1862)
<i>Eulimella unifasciata</i>	(Forbes, 1844) [Eulima]



<i>Eulimella ventricosa</i>	(Forbes, 1844) [Parthenia]
<i>Bacteridium carinatum</i>	(De Folin, 1870) [Eulimella]
<i>Puposyrnola minuta</i>	(Adams H., 1869) [Syrnola]
<i>Tiberia minuscula</i>	(Monterosato, 1880) [Pyramidella]
<i>Tiberia octaviana</i>	(Di Geronimo, 1973) [Pyramidella]
<i>Odostomia aartseni</i>	Nofroni, 1988
<i>Odostomia acuta</i>	Jeffreys, 1848
<i>Odostomia angusta</i>	Jeffreys, 1867
<i>Odostomia carrozzai</i>	Van Aartsen, 1987
<i>Odostomia eulimoides</i>	Hanley, 1844
<i>Odostomia imponderabilior</i>	Oberling, 1970
<i>Odostomia lukisii</i>	Jeffreys, 1859
<i>Odostomia megerlei</i>	(Locard, 1886) [Ptychostomon]
<i>Odostomia nardoi</i>	Brusina, 1869
<i>Odostomia plicata</i>	(Montagu, 1803) [Turbo]
<i>Odostomia scalaris</i>	Mac Gillivray, 1843
<i>Odostomia silesui</i>	Nofroni, 1988
<i>Odostomia soriano</i>	Peñas et al., 2006
<i>Odostomia striolata</i>	Forbes & Hanley, 1850
<i>Odostomia suboblunga</i>	Jeffreys, 1884
<i>Odostomia turriculata</i>	Monterosato, 1869
<i>Odostomia turrita</i>	Hanley, 1844
<i>Odostomia unidentata</i>	(Montagu, 1803) [Turbo]
<i>Odostomia barashi</i>	(Bogi & Galil, 1999)
<i>Odostomia erjaveciana</i>	Brusina, 1869
<i>Odostomia fusulus</i>	Monterosato, 1878
<i>Odostomia ignorata</i>	(Monterosato, 1917) [Auristomia]
<i>Odostomia nofronii</i>	Buzzurro, 2001
<i>Odostomia rutor</i>	Nofroni & Schander, 1993
<i>Odostomia nitens</i>	Jeffreys, 1870
<i>Odostomia conoidea</i>	(Brocchi, 1814) [Turbo]
<i>Odostomia conspicua</i>	Alder, 1850
<i>Odostomia lorioli</i>	(Hornung & Mermod, 1924) [Syrniola]
<i>Odostomia sicula</i>	Philippi, 1851
<i>Brachystomia improbabilis</i>	Oberling, 1970
<i>Brachystomia lorellae</i>	(Micali, 1987) [Odostomia]
<i>Parthenina alesii</i>	Micali, Nofroni & Perna, 2012
<i>Parthenina angulosa</i>	(Monterosato, 1889) [Pyrgulina]
<i>Parthenina brattstroemi</i>	Warén, 1991
<i>Parthenina brevicula</i>	(Jeffreys, 1883) [Odostomia]
<i>Parthenina clathrata</i>	(Jeffreys, 1848) [Odostomia]
<i>Parthenina dantarti</i>	Peñas & Rolán 2008
<i>Parthenina decussata</i>	(Montagu, 1803) [Turbo]
<i>Parthenina dentata</i>	(Nordsieck, 1972)
<i>Parthenina dollfusi</i>	(Kobelt, 1903) [Parthenia]
<i>Parthenina emaciata</i>	(Brusina, 1866) [Turbonilla]
<i>Parthenina eximia</i>	(Jeffreys, 1849) [Rissoa]
<i>Parthenina fenestrata</i>	(Jeffreys, 1848) [Odostomia]
<i>Parthenina fischeri</i>	(Hornung & Mermod, 1925) [Pyrgulina]

<i>Parthenina flexuosa</i>	(Monterosato, 1874 ex Jeffreys ms.) [Odostomia]
<i>Parthenina incerta</i>	(Milaschewitch, 1916) [Parthenia]
<i>Parthenina indistincta</i>	(Montagu, 1808) [Turbo]
<i>Parthenina intermixta</i>	(Monterosato, 1884) [Pyrgulina]
<i>Parthenina interstincta</i>	(Adams J., 1797) [Turbo]
<i>Parthenina juliae</i>	(De Folin, 1872) [Truncatella]
<i>Parthenina limitum</i>	(Brusina, 1876) [Turbonilla]
<i>Parthenina marthinae</i>	Nofroni & Schander, 1993
<i>Parthenina micronana</i>	Ozturk & Aartsen, 2006
<i>Parthenina monozona</i>	(Brusina, 1869) [Odostomia]
<i>Parthenina monterosatii</i>	(Clessin, 1900) [Parthenia]
<i>Parthenina moolenbeeki</i>	Amati, 1987
<i>Parthenina multicostata</i>	(Jeffreys, 1884) [Odostomia]
<i>Parthenina nivosa</i>	(Montagu, 1803) [Turbo]
<i>Parthenina palazzii</i>	Micali, 1984
<i>Parthenina pellucida</i>	(Dillwyn, 1817) [Voluta]
<i>Parthenina penchynati</i>	(Bucquoy, Dautzenberg & Dollfus, 1883) [Odostomia]
<i>Parthenina pontica</i>	Grossu, 1986
<i>Parthenina rinaldii</i>	Micali & Nofroni, 2004
<i>Parthenina sigmoidea</i>	(Monterosato, 1880) [Odostomia]
<i>Parthenina simulans</i>	(Chaster, 1898) [Pyrgulina indistincta var.]
<i>Parthenina stefanisi</i>	(Jeffreys, 1869) [Rissoa]
<i>Parthenina suturalis</i>	(Philippi, 1844) [Rissoa]
<i>Parthenina terebellum</i>	(Philippi, 1844) [Chemnitzia]
<i>Folinella excavata</i>	(Philippi, 1836) [Rissoa]
<i>Folinella ghisottii</i>	Van Aartsen, 1984
<i>Cingulina isseli</i>	Tryon, 1886
<i>Liostomia afzelii</i>	Warén, 1991
<i>Liostomia clavula</i>	(Lovén, 1846) [Turbonilla]
<i>Liostomia hansgei</i>	Warén, 1991
<i>Liostomia mamoi</i>	Mifsud, 1993
<i>Odostomella bicincta</i>	(Tiberi, 1868) [Odostomia]
<i>Odostomella doliolum</i>	(Philippi, 1844) [Rissoa]
<i>Odostomella jeffreysiana</i>	(Monterosato, 1884 ex Seguenza G. ms.) [Trabecula]
<i>Ondina anceps</i>	Gagliani, 1992
<i>Ondina crystallina</i>	Locard, 1892
<i>Ondina dilucida</i>	(Monterosato, 1884) [Odostomia]
<i>Ondina divisa</i>	(J. Adams, 1797) [Turbo]
<i>Ondina monterosatoi</i>	(Granata-Grillo, 1877)
<i>Ondina obliqua</i>	(Alder, 1844) [Odostomia]
<i>Ondina vitrea</i>	(Brusina, 1866) [Monoptygma]
<i>Ondina warreni</i>	(Thompson, 1845) [Rissoa]
<i>Miralda elegans</i>	(De Folin, 1870) [Mathilda]
<i>Iolaea neofelixoides</i>	(Nomura, 1936) [Kleinella]
<i>Noemiamea dolioliformis</i>	(Jeffreys, 1848) [Odostomia]
<i>Oscilla jocosa</i>	Melvill, 1904
<i>Oscilla galilae</i>	Bogi, Karhan & Yokes, 2012
<i>Styloptygma beatrix</i>	Melvill, 1911
<i>Syrnola cinctella</i>	Adams A., 1860



<i>Syrnola fasciata</i>	Jickeli, 1882
<i>Syrnola lendix</i>	(A.Adams, 1863)
<i>Syrnola wenzi</i>	Nordsieck F., 1972
<i>Turbonilla abrardi</i>	Fischer & Nicklès, 1946
<i>Turbonilla acuta</i>	(Donovan, 1804) [Turbo]
<i>Turbonilla acutissima</i>	Monterosato, 1884
<i>Turbonilla amoena</i>	(Monterosato, 1884) [Odostomia]
<i>Turbonilla edgari</i>	(Melvill, 1896) [Pyrgulina]
<i>Turbonilla flaianoi</i>	Mazziotti, Agamennone, Micali e Tisselli, 2005
<i>Turbonilla fulgidula</i>	(Jeffreys, 1884) [Odostomia]
<i>Turbonilla gradata</i>	Bucquoy, Dautzenberg & Dollfus, 1883
<i>Turbonilla guernei</i>	Dautzenberg, 1889
<i>Turbonilla hamata</i>	Nordsieck F., 1972
<i>Turbonilla internodula</i>	(Wood S., 1848) [Chemnitzia]
<i>Turbonilla jeffreysi</i>	(Jeffreys, 1848) [Chemnitzia]
<i>Turbonilla lactea</i>	(Linné, 1758) [Turbo]
<i>Turbonilla magnifica</i>	(Seguenza G., 1879) [Odostomia]
<i>Turbonilla micans</i>	(Monterosato, 1875) [Odostomia]
<i>Turbonilla multilirata</i>	(Monterosato, 1875) [Odostomia]
<i>Turbonilla obliquata</i>	(Philippi, 1844) [Chemnitzia]
<i>Turbonilla paucistriata</i>	(Jeffreys, 1884) [Odostomia]
<i>Turbonilla postacuticostata</i>	Sacco, 1892
<i>Turbonilla pseudogradata</i>	Nordsieck F., 1972
<i>Turbonilla pumila</i>	Seguenza G., 1876
<i>Turbonilla pusilla</i>	(Philippi, 1844) [Chemnitzia]
<i>Turbonilla rectogallica</i>	Sacco, 1892
<i>Turbonilla rosewateri</i>	Corgan & Van Aartsen, 1993
<i>Turbonilla rufa</i>	(Philippi, 1836) [Melania]
<i>Turbonilla sinuosa</i>	(Jeffreys, 1884) [Odostomia]
<i>Turbonilla striatula</i>	(Linné, 1758) [Turbo]
<i>Turbonilla subulina</i>	Monterosato, 1889
<i>Turbonilla syrtenensis</i>	Van Aartsen, 1981
<i>Careliopsis modesta</i>	(De Folin, 1870) [Dunkeria]
<i>Kejdonia cachiai</i>	(Mifsud, 1998) [Pseudographis]
<i>Monotygya lauta</i>	(A. Adams, 1853) [Monotygya]
<i>Euparthenia bulinea</i>	(Lowe, 1841) [Parthenia]
<i>Euparthenia humboldti</i>	(Risso, 1826) [Turbonilla]

Familia AMATHINIDAE

<i>Clathrella clathrata</i>	(Philippi, 1844) [Fossarus]
<i>Amathina tricarinata</i>	(Linné, 1767) [Patella]
<i>Leucotina eva</i>	cf. Thiele, 1925
<i>Leucotina natalensis</i>	Smith, 1910

Familia EBALIDAE

<i>Ebala eulimoides</i>	Feki, 1969
<i>Ebala gracillima</i>	(De Folin, 1869) [Eulimella]
<i>Ebala nitidissima</i>	(Montagu, 1803) [Turbo]
<i>Ebala pointeli</i>	(De Folin, 1867) [Turbonilla]
<i>Ebala striatula</i>	(Jeffreys, 1856) [Eulimella]
<i>Ebala trigonostoma</i>	(De Folin, 1869) [Eulimella]





<i>Murchisonella columna</i>	(Hedley, 1907) [Eulimella]
Familia TJAERNOEIDAE	
<i>Tjaernoeia exquisita</i>	(Jeffreys, 1883) [Adeorbis]
<i>Tjaernoeia boucheti</i>	Warén, 1991
<i>Tjaernoeia imperspicua</i>	(Chaster, 1895) [Adeorbis]
<i>Tjaernoeia unisulcata</i>	(Chaster, 1896) [Aderpbis]
Familia ORBISTELLIDAE	
<i>Orbitestella dariae</i>	(Liuzzi & Stolfa Zucchi, 1979) [Cyclostremiscus]
<i>Lurifax vitreus</i>	Warèn & Bouchet, 2001
Familia ACTEONIDAE	
<i>Acteon monterosatoi</i>	Dautzenberg, 1889
<i>Acteon semistriatus</i>	(Basterot, 1825 ex DeFrance)
<i>Acteon tornatilis</i>	(Linné, 1758) [Voluta]
<i>Callostracon tyrrhenicum</i>	Smriglio & Mariottini, 1996
<i>Crenilabium exile</i>	(Jeffreys, 1870 ex Forbes ms.) [Acteon]
<i>Japonacteon pusillus</i>	(Mac Gillivray, 1843) [Tornatella]
<i>Liocarenus globulinus</i>	(Forbes, 1844) [Tornatella]
Familia RINGICULIDAE	
<i>Ringicula auriculata</i>	(Ménard de la Groye, 1811) [Martinella]
<i>Ringicula cionmei</i>	Mariottini, Smriglio & Oliverio, 2000
<i>Ringicula conformis</i>	Monterosato, 1877
<i>Ringicula gianninii</i>	Nordsieck, 1974
Familia CYLICHNIDAE	
<i>Scaphander lignarius</i>	(Linné, 1758) [Bulla]
<i>Scaphander gracilis</i>	Watson, 1886
<i>Scaphander punctostriatus</i>	(Mighels & Adams, 1842) [Bulla]
<i>Acteocina mucronata</i>	(Philippi, 1849) [Bulla]
<i>Acteocina pontica</i>	Grossu, 1986
<i>Cylichna alba</i>	(Brown, 1827) [Volvaria]
<i>Cylichna crossei</i>	B.D.D, 1886
<i>Cylichna cylindracea</i>	(Pennant, 1777) [Bulla]
<i>Cylichna parvula</i>	Jeffreys, 1883
<i>Roxania monterosatoi</i>	Dautzenberg & Fischer H., 1896
<i>Roxania pinguicola</i>	(Seguenza G., 1880 ex Jeffreys ms.) [Bulla]
<i>Roxania semilaevis</i>	(Seguenza G., 1880) [Bulla]
<i>Roxania utriculus</i>	(Brocchi, 1814) [Bulla]
Familia PHILINIDAE	
<i>Philine angulata</i>	Jeffreys, 1867
<i>Philine aperta</i>	(Linné, 1767) [Bulla]
<i>Philine catena</i>	(Montagu, 1803) [Bulla]
<i>Philine condensa</i>	Van der Linden, 1995
<i>Philine denticulata</i>	(Adams J., 1800) [Bulla]
<i>Philine intricata</i>	Monterosato, 1884
<i>Philine iris</i>	Tringali, 2001
<i>Philine lima</i>	(Brown, 1827) [Utriculus]
<i>Philine monterosati</i>	Monterosato, 1874 ex Jeffreys ms.
<i>Philine punctata</i>	(Adams J., 1800) [Bulla]
<i>Philine quadrata</i>	(Wood S., 1839) [Bullaea]
<i>Philine striatula</i>	Monterosato, 1874 ex Jeffeys ms.





<i>Philine scabra</i>	(Müller, 1784) [Bulla]
<i>Laona finmarchica</i>	(Sars M., 1858) [Philine]
<i>Laona flexuosa</i>	Sars M., 1870
<i>Laona pruinosa</i>	(Clark, 1827) [Bullaea]
<i>Johania retifera</i>	(Forbes, 1844) [Bulla]
Familia AGLAJIDAE	
<i>Aglaja berrieri</i>	(Dieuzeide, 1935) [Doridium]
<i>Aglaja tricolorata</i>	Renier, 1804
<i>Chelidonura africana</i>	Pruvot-Fold, 1953
<i>Chelidonura fulvipunctata</i>	Baba, 1938
<i>Chelidonura italica</i>	Sordi, 1980
<i>Chelidonura orchidaea</i>	Perrone, 1990
<i>Melanochlamys seurati</i>	(Vayssière, 1926) [Doridium]
<i>Melanochlamys wildpretii</i>	Ortea, Bacallado & Moro, 2003
<i>Philinopsis depicta</i>	(Renier, 1804) [Aglaja]
Familia GASTROPTERIDAE	
<i>Gastropteron rubrum</i>	(Rafinesque, 1814) [Sarcopterus]
Familia DIAPHANIDAE	
<i>Diaphana cretica</i>	(Forbes, 1844) [Bulla]
<i>Diaphana lactea</i>	(Jeffreys, 1877) [Utriculus]
<i>Diaphana minuta</i>	Brown, 1827
<i>Diaphana marshalli</i>	(Sykes, 1905)
<i>Colpodaspis pusilla</i>	Sars M., 1870
<i>Rhodiaphana ventricosa</i>	(Jeffreys, 1865) [Amphisphyra]
Familia HAMINOEIDAE	
<i>Haminoea callidegenita</i>	Gibson & Chia, 1989
<i>Haminoea cyanomarginata</i>	Heller & Thompson, 1983
<i>Haminoea elegans</i>	Leach, 1852
<i>Haminoea exigua</i>	Schaefer, 1992
<i>Haminoea fusari</i>	Alvarez, Garcia & Villani, 1993
<i>Haminoea hydatis</i>	(Linné, 1758) [Bulla]
<i>Haminoea navicula</i>	(Da Costa, 1778) [Bulla]
<i>Haminoea orbignyana</i>	(Férussac, 1822) [Bulla]
<i>Haminoea ortei</i>	Talavera, Murillo & Templado, 1987
<i>Haminoea templadoi</i>	García, Perez-Hurtado & García-Gómez, 1991
<i>Atys angustatus</i>	Smith, 1872
<i>Atys blainvilliana</i>	(Récluz, 1843) [Bulla]
<i>Atys jeffreysi</i>	(Weinkauff, 1868) [Cylichna]
<i>Atys macandrewi</i>	Smith, E.A., 1872
<i>Weinkauffia turgidula</i>	(Forbes, 1844) [Bulla]
Familia SMARAGDINELLIDAE	
<i>Smaragdinella algirae</i>	(Adams A. in Sowerby G.B. II, 1850) [Bulla]
Familia BULLIDAE	
<i>Bulla ampulla</i>	Linné, 1758
<i>Bulla amygdala</i>	Dillwyn, 1817
<i>Bulla roperiana</i>	Pilsbry, 1893
<i>Bulla striata</i>	Bruguère, 1792
Familia RETUSIDAE	
<i>Retusa candidula</i>	(Locard, 1892) [Cylichna]





<i>Retusa desgenettii</i>	(Audouin, 1826) [Bulla]
<i>Retusa dilatata</i>	Pallary, 1904
<i>Retusa leptoneilema</i>	(Brusina, 1866) [Cylichna]
<i>Retusa mammillata</i>	(Philippi, 1836) [Bulla]
<i>Retusa minutissima</i>	(Monterosato, 1878 ex H. Martin ms.) [Utriculus]
<i>Retusa obtusa</i>	(Montagu, 1803) [Bulla]
<i>Retusa pellucida</i>	(Sars G.O., 1878) [Bulla]
<i>Retusa truncatula</i>	(Bruguière, 1792) [Bulla]
<i>Cylichnina crebrisculpta</i>	Monterosato, 1884
<i>Cylichnina girardi</i>	(Audouin, 1826) [Bulla]
<i>Cylichnina laevisculpta</i>	(Granata-Grillo, 1877) [Cylichna]
<i>Cylichnina</i> cfr.	mongii (Audouin, 1827)
<i>Cylichnina multiquadrata</i>	(Oberling, 1970) [Retusa]
<i>Cylichnina nitidula</i>	(Lovén, 1846) [Cylichna]
<i>Cylichnina umbilicata</i>	(Montagu, 1803) [Bulla]
<i>Pyrunculus fourierii</i>	(Audouin, 1826) [Bulla]
<i>Pyrunculus hoernesii</i>	(Weinkauff, 1866) [Bulla]
<i>Pyrunculus ovatus</i>	(Jeffreys, 1871) [Cylichna]
<i>Volvulella acuminata</i>	(Bruguière, 1792) [Bulla]
Familia OXYNOIDAE	
<i>Oxynoe olivacea</i>	Rafinesque, 1814
<i>Lobiger serradifalci</i>	(Calcara, 1840) [Bullaea]
Familia VOLVATELLIDAE	
<i>Ascobulla fragilis</i>	(Jeffreys, 1856) [Cylichna]
Familia PLACOBANCHIDAE	
<i>Elysia flava</i>	Verrill, 1901
<i>Elysia hetta</i>	Perrone, 1990
<i>Elysia timida</i>	(Risso, 1818) [Notarchus]
<i>Elysia translucens</i>	Pruvot-Fol, 1957
<i>Elysia viridis</i>	(Montagu, 1804) [Laplysia]
<i>Elysia margaritae</i>	Fez, 1962 *
<i>Thuridilla hopei</i>	(Vérany, 1853) [Actaeon]
Familia BOSELLIIDAE	
<i>Bosellia mimetica</i>	Trinchese, 1891
Familia PLATYHEDYLIDAE	
<i>Platyhedyle denudata</i>	Salvini-Plawen, 1973
Familia POLYBRANCHIIDAE	
<i>Polybranchia borgnini</i>	(Trinchese, 1896) [Phyllobranchus]
<i>Cyerce cristallina</i>	(Trinchese, 1881) [Lobiancoia]
<i>Cyerce graeca</i>	Thompson, T.E., 1988
<i>Caliphylla mediterranea</i>	Costa, A., 1867
Familia HERMAEIDAE	
<i>Hermaea bifida</i>	(Montagu, 1815) [Doris]
<i>Hermaea paucicirra</i>	Pruvot-Fol, 1953
<i>Hermaea variopicta</i>	(Costa, A., 1869) [Hermaeopsis]
<i>Aplysiopsis elegans</i>	Deshayes, 1864
Familia LIMAPONTIIDAE	
<i>Placida cremoniana</i>	(Trinchese, 1892) [Hermaea]
<i>Placida dendritica</i>	(Alder & Hancock, 1843) [Calliopaea]





<i>Placida saronica</i>	(Thompson T.E., 1988) [Hermaea]
<i>Placida verticillata</i>	Ortea, 1981
<i>Placida viridis</i>	(Trinchese, 1873) [Laura]
<i>Costasiella virescens</i>	Pruvot-Fol, 1951
<i>Calliopaea bellula</i>	d'Orbigny, 1837
<i>Limapontia capitata</i>	(Müller O.F., 1774) [Fasciola]
<i>Limapontia depressa</i>	Alder & Hancock, 1862
<i>Alderia modesta</i>	(Lovén, 1844) [Stiliger]
<i>Ercolania coerulea</i>	Trinchese, 1892
<i>Ercolania funerea</i>	(Costa A., 1867) [Embletonia]
<i>Alderella comosa</i>	(Costa A., 1867) [Alderia]
Familia AKERIDAE	
<i>Akera bullata</i>	Müller O.F., 1776
Familia APLYSIIDAE	
<i>Aplysia dactylomela</i>	Rang, 1828
<i>Aplysia depilans</i>	Gmelin, 1791
<i>Aplysia parvula</i>	Guilting in Mörch, 1863
<i>Aplysia punctata</i>	(Cuvier, 1803) [Laplysia]
<i>Aplysia fasciata</i>	Pioret, 1789
<i>Syphonota geographica</i>	(Adams & Reeve, 1850)
Familia AEGIRETIDAE	
<i>Aegires leuckarti</i>	Vérany, 1853
<i>Aegires punctilucens</i>	(d'Orbigny, 1837) [Polycera]
<i>Aegires sublaevis</i>	Odhner, 1932
Familia CORAMBIDAE	
<i>Doridella obscura</i>	Verrill, 1870 *
Familia GONIODORIDIDAE	
<i>Goniodoris barroisi</i>	Vayssière, 1901
<i>Goniodoris castanea</i>	Alder & Hancock, 1845
<i>Goniodoris nodosa</i>	(Montagu, 1808) [Doris]
<i>Okenia elegans</i>	(Leuckart, 1828) [Idalia]
<i>Okenia impexa</i>	Marcus Er., 1957
<i>Okenia leachii</i>	(Alder & Hancock, 1854) [Idalia]
<i>Okenia mediterranea</i>	(von Ihering, 1886) [Idalia]
<i>Okenia quadricornis</i>	(Montagu, 1815) [Doris]
<i>Ancula gibbosa</i>	(Risso, 1818) [Tritonia]
<i>Trapania fusca</i>	(Lafont, 1874) [Drepania]
<i>Trapania hispalensis</i>	Cervera & García-Gómez, 1989
<i>Trapania lineata</i>	Haefelfinger, 1960
<i>Trapania maculata</i>	Haefelfinger, 1960
<i>Trapania ortei</i>	García-Gómez & Cervera in Cervera & García-Gómez,
<i>Trapania pallida</i>	Kress, 1968
<i>Trapania tartanella</i>	(von Ihering, 1886) [Drepania] *
Familia ONCHIDORIDIDAE	
<i>Onchidoris albonigra</i>	(Pruvot-Fol, 1951) [Lamellidoris]
<i>Onchidoris bouvieri</i>	(Vayssière, 1919) [Lamellidoris]
<i>Onchidoris depressa</i>	(Alder & Hancock, 1842) [Doris]
<i>Onchidoris neapolitana</i>	(delle Chiaje, 1841) [Idalia]
<i>Onchidoris sparsa</i>	(Alder & Hancock, 1846) [Doris]



Acanthodoris pilosa (Abildgaard in Müller, 1789) [Doris]
Adalaria proxima (Alder & Hancock, 1854) [Doris]
Diaphorodoris luteocincta (Sars, M., 1870) [Doris]
Diaphorodoris papillata Portmann & Sandmeier, 1960

Familia POLYCERIDAE

Roboastra europea García-Gómez, 1985
Tambja ceutae García-Gómez & Ortea, 1988
Tambja marbellensis Schick & Cervera, 1998
Polycera aurantiomarginata García-Gómez & Bobo, 1984
Polycera dubia Sars M., 1829
Polycera elegans (Bergh, 1894) [Greilada]
Polycera faeroensis Lemche, 1929
Polycera hedgpethi Marcus, 1964
Polycera maculata Pruvot-Fol, 1951
Polycera quadrilineata (Müller, O.F., 1776) [Doris]
Limacia clavigera (Müller, O.F., 1776) [Doris]
Polycerella emertoni Verrill, 1881
Thecacera pennigera (Montagu, 1815) [Doris]
Crimora papillata Alder & Hancock, 1862
Kaloplocamus filosus Cattaneo-Vietti & Sordi, 1988
Kaloplocamus ramosus (Cantraine, 1835) [Doris]
Plocamopherus ocellatus Rüppell & Leuckart, 1828

Familia CHROMODORIDIDAE

Chromodoris britoi Ortea & Perez, 1983
Chromodoris elegantula (Philippi, 1844) [Doris]
Chromodoris krohni (Vérany, 1846) [Doris]
Chromodoris luteopunctata (Gantès, 1962) [Glossodoris]
Chromodoris luteorosea (Rapp, 1827) [Doris]
Chromodoris purpurea (Risso in Guérin, 1831) [Doris]
Chromodoris quadricolor (Rüppell & Leuckart, 1831) [Doris]
Cadlina excavata (Pruvot-Fol, 1951) [Echinochila]
Cadlina laevis (Linné, 1767) [Doris]
Cadlina pellucida (Risso, 1826) [Doris]
Hypselodoris bilineata (Pruvot-Fol, 1953) [Glossodoris]
Hypselodoris fontandraui (Pruvot-Fol, 1951) [Glossodoris]
Hypselodoris gasconi Ortea, in Ortea, Valdés & García-Gómez 1996
Hypselodoris infucata (Rüppell & Leuckart, 1831) [Doris]
Hypselodoris malacitana Luque, 1986
Hypselodoris midatlantica Gosliner, 1990
Hypselodoris orsinii (Vérany, 1846) [Doris]
Hypselodoris picta (Schultz in Philippi, 1836) [Doris]
Hypselodoris villafranca (Risso, 1818) [Doris]

Familia DENDRODORIDIDAE

Dendrodoris grandiflora (Rapp, 1827) [Doris]
Dendrodoris inornata (Abraham, 1877) [Doris]
Dendrodoris languida Pruvot-Fol, 1951
Dendrodoris limbata (Cuvier, 1804) [Doris]
Dendrodoris longula Pruvot-Fol, 1951
Dendrodoris nigra (Stimpson, 1855) [Doris]



<i>Dendrodoris minima</i>	Pruvot-Fol, 1951
<i>Dendrodoris pseudorubra</i>	Pruvot-Fol, 1951
<i>Dendrodoris racemosa</i>	Pruvot-Fol, 1951
<i>Doriopsilla areolata</i>	Bergh, 1880
<i>Doriopsilla pelseneeri</i>	d'Oliveira, 1895

Familia DORIDIDAE

<i>Aldisa banyulensis</i>	Pruvot-Fol, 1951
<i>Aldisa smaragdina</i>	Ortea, Perez & Llera, 1982
<i>Anisodoris marmorata</i>	(Bergh, 1881) [Archidoris]
<i>Archidoris pseudoargus</i>	(Rapp, 1827) [Doris]
<i>Atagema gibba</i>	Pruvot-Fol, 1951
<i>Atagema rugosa</i>	Pruvot-Fol, 1951
<i>Baptodoris cinnabarina</i>	Bergh, 1884
<i>Baptodoris perezi</i>	Llera & Ortea in Ortea, Perez & Llera, 1982
<i>Hoplodoris boucheti</i>	(Ortea, 1979) [Carminodoris]
<i>Discodoris atromaculata</i>	(Bergh, 1880) [Peltodoris]
<i>Discodoris erubescens</i>	Bergh, 1884
<i>Discodoris lilacina</i>	(Gould, 1852) [Doris]
<i>Discodoris maculosa</i>	Bergh, 1884
<i>Discodoris rosi</i>	Ortea, 1979
<i>Discodoris rubens</i>	Vayssière, 1919
<i>Discodoris sordii</i>	(Perrone, 1990) [Peltodoris]
<i>Discodoris stellifera</i>	(Ihering in Vayssière, 1904) [Archidoris]
<i>Doris alboranica</i>	Bouchet, 1977
<i>Doris bertheloti</i>	(d'Orbigny, 1839) [Doridigitata]
<i>Doris bicolor</i>	(Bergh, 1884) [Staurodoris]
<i>Doris marmorata</i>	Risso, 1818
<i>Doris ocelligera</i>	(Bergh, 1881) [Staurodoris]
<i>Doris pseudoverrucosa</i>	(von Ihering, 1886) [Staurodoris]
<i>Doris sticta</i>	(Iredale & O'Donoghue, 1923) [Doridigitata]
<i>Doris verrucosa</i>	Linné, 1758
<i>Geitodoris baccalladoi</i>	Ortea, 1990
<i>Geitodoris bonosi</i>	Ortea & Ballesteros, 1981
<i>Geitodoris joubini</i>	(Vayssière, 1919) [Carryodoris]
<i>Geitodoris planata</i>	(Alder & Hancock, 1846) [Doris]
<i>Geitodoris portmanni</i>	(Schmekel, 1972) [Carryodoris]
<i>Geitodoris pusae</i>	(Marcus, 1955) [Discodoris]
<i>Geitodoris rubens</i>	(Vayssière, 1919) [Discodoris]
<i>Jorunna atypha</i>	Bergh, 1881
<i>Jorunna onubensis</i>	Cervera, García & García-Gómez, 1986
<i>Jorunna tomentosa</i>	(Cuvier, 1804) [Doris]
<i>Paradonis indecora</i>	(Bergh, 1881) [Discodoris]
<i>Platydoriso argo</i>	(Linné, 1767) [Doris]
<i>Platydoriso dura</i>	Pruvot-Fol, 1951
<i>Platydoriso maculata</i>	Bouchet, 1977
<i>Platydoriso philippi</i>	Bergh, 1877
<i>Rostanga anthelia</i>	Perrone, 1991
<i>Rostanga rubra</i>	(Risso, 1818) [Doris]
<i>Sclerodoriso tuberculata</i>	Eliot, 1903





<i>Taringa armata</i>	Swennen, 1961
<i>Taringa faba</i>	Ballesteros, Llera & Ortea, 1985
<i>Taringa oleica</i>	Ortea, Perez & Llera, 1982
<i>Taringa pinoi</i>	Perrone, 1985
<i>Thordisa aurea</i>	Pruvot-Fol, 1951
<i>Thordisa filix</i>	Pruvot-Fol, 1951
<i>Thordisa pallida</i>	Bergh, 1884
Familia PHYLLIDIIDAE	
<i>Phyllidia flava</i>	Aradas, 1847
<i>Fryeria bayi</i>	Bouchet, 1983
Familia DOTIDAE	
<i>Doto acuta</i>	Schmekel & Kress, 1977
<i>Doto cervicenigra</i>	Ortea & Bouchet, 1989
<i>Doto coronata</i>	(Gmelin, 1791) [Doris]
<i>Doto cuspidata</i>	Alder & Hancock, 1862
<i>Doto doerga</i>	Marcus & Marcus, 1963
<i>Doto dunnei</i>	Lemche, 1976
<i>Doto floridicola</i>	Simroth, 1888
<i>Doto fragilis</i>	(Forbes, 1838) [Melibaea]
<i>Doto fragaria</i>	Ortea & Bouchet, 1989
<i>Doto furva</i>	Garcia, J.C. & Ortea, 1984
<i>Doto koenneckeri</i>	Lemche, 1976
<i>Doto leopardina</i>	Vicente, 1967
<i>Doto paulinae</i>	Trinchese, 1881
<i>Doto pinnatifida</i>	(Montagu, 1804) [Doris]
<i>Doto pontica</i>	Swennen, 1961
<i>Doto rosea</i>	Trinchese, 1881
Familia HANCOCKIIDAE	
<i>Hancockia uncinata</i>	(Hesse, 1872) [Doto]
Familia LOMANOTIDAE	
<i>Lomanotus genei</i>	Vérany, 1846
Familia PHYLLIROIDAE	
<i>Phylliroe atlantica</i>	Bergh, 1871
<i>Phylliroe bucephala</i>	Péron & Lesueur, 1810
<i>Cephalopyge trematoides</i>	(Chun, 1889) [Phylliroe]
Familia SCYLLAEIDAE	
<i>Scyllaea pelagica</i>	Linné, 1758
Familia TETHYDIDAE	
<i>Tethys fimbria</i>	Linné, 1767
<i>Melibe viridis</i>	Kelaart, 1858
Familia TRITONIIDAE	
<i>Tritonia hombergi</i>	Cuvier, 1803
<i>Tritonia lineata</i>	Alder & Hancock, 1848
<i>Tritonia manicata</i>	Deshayes, 1853
<i>Tritonia nilsodhneri</i>	Marcus Ev., 1983
<i>Tritonia plebeia</i>	Johnston, 1828
<i>Tritonia striata</i>	Haefelfinger, 1963
<i>Marionia blainvillea</i>	(Risso, 1818) [Tritonia]
<i>Tritoniopsis cincta</i>	(Pruvot-Fol, 1937) [Tritonia]





Familia ARMINIDAE

- Armina maculata* Rafinesque, 1814
Armina neapolitana (delle Chiaje, 1824) [Pleurophyllidia]
Armina tigrina Rafinesque, 1814
Armina tricuspidata Thompson, Cattaneo & Wong, 1990
Linguella elfortiana de Blainville, 1823
Linguella quadrilateralis (Bergh, 1860) [Sancara]

Familia HEROIDAE

- Hero blanchardi* Vayssière, 1888

Familia MADRELLIDAE

- Madrella aurantiaca* Vayssière, 1902
Eliotia souleyeti Vayssière, 1909

Familia ZEPHYRINIDAE

- Janolus cristatus* (delle Chiaje, 1841) [Eolis]
Janolus hyalinus (Alder & Hancock, 1854) [Antiopa]
Proctonotus mucroniferus (Alder & Hancock, 1844) [Venilia]

Familia AEOLIDIIDAE

- Aeolidia papillosa* (Linné, 1761) [Limax]
Aeolidiella alderi (Cocks, 1852) [Eolis]
Aeolidiella glauca (Alder & Hancock, 1845) [Eolis]
Aeolidiella rubra (Cantraine, 1835) [Cavolina]
Aeolidiella takanosimensis Baba, 1930
Berghia coerulescens (Deshayes, 1838) [Eolidia]
Berghia verrucicornis (Costa A., 1867) [Flabellina]
Cerberilla bernadettae Tardy, 1965
Limenandra nodosa Haefelfinger & Stamm, 1958
Spurilla neapolitana (delle Chiaje, 1841) [Eolis]
Spurilla vayssierei Garcia J.C. & Cervera, 1985

Familia CALMIDAE

- Calma glaucoides* (Alder & Hancock, 1854) [Eolis]

Familia CUMANOTIDAE

- Cumanotus beaumonti* (Eliot, 1906) [Coryphella]

Familia EUBRANCHIDAE

- Eubranhus cingulatus* (Alder & Hancock, 1847) [Eolis]
Eubranhus doriae (Trinchese, 1874) [Capellinia]
Eubranhus exiguus (Alder & Hancock, 1848) [Eolis]
Eubranhus farrani (Alder & Hancock, 1844) [Eolis]
Eubranhus pallidus (Alder & Hancock, 1842) [Eolis]
Eubranhus prietoi Llera & Ortea, 1981
Eubranhus tricolor Forbes, 1838
Eubranhus vittatus (Alder & Hancock, 1842) [Eolis]

Familia FLABELLINIDAE

- Flabellina affinis* (Gmelin, 1791) [Doris]
Flabellina babai Schmekel, 1972
Flabellina baetica García-Gómez, 1984
Flabellina insolita García-Gómez & Cervera, 1989
Flabellina ischitana Hirano & Thompson, 1990
Flabellina rubrolineata (O'Donoghue, 1929) [Coryphellina]
Coryphella lineata (Lovén, 1846) [Aeolis]



<i>Coryphella pedata</i>	(Montagu, 1815) [Doris]
<i>Coryphella pellucida</i>	(Alder & Hancock, 1843) [Eolis]
<i>Coryphella verrucosa</i>	(Sars M., 1829) [Eolidia]
<i>Calmella cavolini</i>	(Vérany, 1846) [Eolidia]
<i>Rioselleolis anadoni</i>	Ortea, 1979

Familia FIONIDAE

<i>Fiona pinnata</i>	(Eschscholtz, 1831) [Eolidia]
----------------------	-------------------------------

Familia GLAUCIDAE

<i>Antonietta luteorufa</i>	Schmekel, 1966
<i>Caloria elegans</i>	(Alder & Hancock, 1845) [Eolis]
<i>Caloria indica</i>	(Bergh, 1896) [Phidiana]
<i>Cratena peregrina</i>	(Gmelin, 1791) [Doris]
<i>Dicata odhneri</i>	Schmekel, 1967
<i>Dondice banyulensis</i>	Portmann & Sandmeier, 1960
<i>Facelina annulicornis</i>	(Chamisso & Eysenhardt, 1821) [Eolidia]
<i>Facelina auriculata</i>	(Müller, O.F., 1776) [Doris]
<i>Facelina bostoniensis</i>	(Couthouy, 1838) [Eolis]
<i>Facelina dubia</i>	Pruvot-Fol, 1948
<i>Facelina fusca</i>	Schmekel, 1966
<i>Facelina lugubris</i>	(Bergh, 1882) [Acanthopsole]
<i>Facelina quatrefagesi</i>	Vayssière, 1888
<i>Facelina rubrovittata</i>	(Costa A., 1866) [Aeolis]
<i>Facelina rutila</i>	Pruvot-Fol, 1951
<i>Facelina vicina</i>	(Bergh, 1882) [Acanthopsole]
<i>Facelinopsis marioni</i>	(Vayssière, 1888) [Facelina]
<i>Favorinus branchialis</i>	(Rathke in Müller, 1806) [Doris]
<i>Favorinus vitreus</i>	Ortea, 1982
<i>Glaucus atlanticus</i>	Forster, 1777
<i>Piseinotecus gabinieri</i>	(Vicente, 1975) [Facelina]
<i>Piseinotecus gaditanus</i>	Cervera, García-Gómez & Garcia, 1987
<i>Piseinotecus sphaeriferus</i>	(Schmekel, 1965) [Calmella]
<i>Pruvotfolia pselliotes</i>	(Labbé, 1923) [Acanthopsole]
<i>Rolandia hispanica</i>	Pruvot-Fol, 1951

Familia PSEUDOVERMIDAE

<i>Pseudovermis axi</i>	Marcus & Marcus, 1955
<i>Pseudovermis boadeni</i>	Salvini-Plawen & Sterrer, 1968
<i>Pseudovermis kowalewskyi</i>	Salvini-Plawen & Sterrer, 1968
<i>Pseudovermis papillifer</i>	Kowalewsky, 1901
<i>Pseudovermis paradoxus</i>	Periaslavzev, 1891
<i>Pseudovermis schultzi</i>	Marcus & Marcus, 1955
<i>Pseudovermis setensis</i>	Fize, 1961

Familia TERGIPEDIDAE

<i>Cuthona albopunctata</i>	(Schmekel, 1968) [Trinchesia]
<i>Cuthona amoena</i>	(Alder & Hancock, 1845) [Eolis]
<i>Cuthona caerulea</i>	(Montagu, 1804) [Doris]
<i>Cuthona foliata</i>	(Forbes & Goodsir, 1839) [Eolida]
<i>Cuthona genovae</i>	(O'Donoghue, 1929) [Cratena]
<i>Cuthona granosa</i>	(Schmekel, 1966) [Trinchesia]
<i>Cuthona gymnota</i>	(Couthouy, 1838) [Eolis]





<i>Cuthona ilonae</i>	(Schmekel, 1968) [Trinchesia]
<i>Cuthona leopardina</i>	(Vayssière, 1888) [Amphorina]
<i>Cuthona maua</i>	(Marcus & Marcus, 1960) [Catriona]
<i>Cuthona miniostrata</i>	(Schmekel, 1968) [Trinchesia]
<i>Cuthona ocellata</i>	(Schmekel, 1966) [Trinchesia]
<i>Embletonia pulchra</i>	(Alder & Hancock, 1844) [Pterochilus]
<i>Tenellia adspersa</i>	(Nordmann, 1845) [Tergipes]
<i>Tergipes edwardsii</i>	Nordmann, 1844
<i>Tergipes tergipes</i>	(Forskål, 1775) [Limax]

Familia DOLABRIFERIDAE

<i>Petalifera petalifera</i>	(Rang, 1828) [Aplysia]
<i>Phyllaplysia lafonti</i>	Fischer P., 1870

Familia NOTARCHIDAE

<i>Notarcus punctatus</i>	Philippi, 1836
<i>Bursatella leachii</i>	Blainville, 1817

Familia UMBRACULIDAE

<i>Umbraculum umbraculum</i>	(Lightfoot, 1786) [Patella]
<i>Spiricella unguicula</i>	Rang, 1828

Familia TYLODINIDAE

<i>Tylodina perversa</i>	(Gmelin, 1791) [Patella]
<i>Anidolyta duebeni</i>	(Lovén, 1846) [Tylodina]

Familia PLEUROBRANCHIDAE

<i>Pleurobranchus forskalii</i>	Rueppell & Leuckart, 1830
<i>Pleurobranchus membranaceus</i>	(Montagu, 1815) [Lamellaria]
<i>Pleurobranchus testudinarius</i>	Cantraine, 1835
<i>Berthella aurantiaca</i>	(Risso, 1818) [Pleurobranchus]
<i>Berthella elongata</i>	(Cantraine, 1835) [Pleurobranchus]
<i>Berthella ocellata</i>	(Delle Chiaje, 1830) [Pleurobranchus]
<i>Berthella plumula</i>	(Montagu, 1803) [Bulla]
<i>Berthella stellata</i>	(Risso, 1826) [Pleurobranchus]
<i>Berthellina edwardsi</i>	(Vayssière 1896) [Berthella]
<i>Pleurobranchaea meckelii</i>	Meckel in Leue, 1813
<i>Pleurobranchaea inconspicua</i>	Bergh, 1897

Familia LIMACINIDAE

<i>Limacina retroversa</i>	(Fleming, 1823) [Heterofusus]
<i>Limacina bulimoides</i>	(D'Orbigny, 1836) [Atlanta]
<i>Limacina trochiformis</i>	(D'Orbigny, 1836) [Atlanta]
<i>Limacina inflata</i>	(D'Orbigny, 1836) [Atlanta]
<i>Limacina lesueurii</i>	(D'Orbigny, 1836) [Atlanta]

Familia CAVOLINIIDAE

<i>Cavolinia flava</i>	(D'Orbigny, 1835 ex Rang ms.) [Hyalea]
<i>Cavolinia gibboides</i>	Rampal, 2002
<i>Cavolinia gibbosa</i>	(D'Orbigny, 1835 ex Rang ms.) [Hyalea]
<i>Cavolinia inflexa</i>	imitans (Pfeffer, 1880) [Hyalea]
<i>Cavolinia tridentata</i>	(Niebuhr, 1775 ex Forskål ms.) [Anomia]
<i>Cavolinia uncinata</i>	(Rang, 1829) [Hyalea]
<i>Diacavolinia limbata</i>	(D'Orbigny, 1836) [Hyalea]
<i>Diacria quadridentata</i>	(Lesueur, 1821) [Hyalea]
<i>Diacria trispinosa</i>	(Lesueur, 1821) [Hyalea]





<i>Clio cuspidata</i>	(Bosc, 1802) [Hyalea]
<i>Clio pyramidata</i>	lanceolata (Lesueur, 1813) [Hyalea]
<i>Creseis acicula</i>	Rang, 1828
<i>Creseis conica</i>	Escholtz, 1829
<i>Hyalocylis striata</i>	(Rang, 1828) [Creseis]
<i>Styliola subula</i>	(Quoy & Gaimard, 1827) [Clodora]
<i>Cuvierina columnella</i>	(Rang, 1827) [Civieria]
Familia PERACLIDAE	
<i>Peracle bispinosa</i>	Pelseneer, 1888
<i>Peracle diversa</i>	Monterosato, 1875
<i>Peracle reticulata</i>	(D'Orbigny, 1836) [Atlanta]
Familia CYMBULIIDAE	
<i>Cymbulia parvidentata</i>	Pelseneer, 1888
<i>Cymbulia peronii</i>	Lamarck, 1819
<i>Gleba cordata</i>	Niebuhr, 1776 ex Forskål ms.
<i>Corolla spectabilis</i>	Dall, 1871
Familia DESMOPTERIDAE	
<i>Desmopterus papilio</i>	Chun, 1889
Familia ELLOBIIDAE	
<i>Auriculinella bidentata</i>	(Montagu, 1808)
<i>Ovatella firmini</i>	(Payraudeau, 1826) [Auricula]
<i>Myosotella denticulata</i>	(Montagu, 1803) [Voluta]
<i>Myosotella myosotis</i>	(Draparnaud, 1801) [Auricula]
<i>Pseudomelampus kochi</i>	(Pallary, 1900) [Alexia]
Familia TRIMUSCULIDAE	
<i>Trimusculus mammilaris</i>	(Linné, 1758) [Patella]
Familia SIPHONARIIDAE	
<i>Siphonaria crenata</i>	Blainville, 1827
<i>Siphonaria pectinata</i>	(Linné, 1758) [Patella]
<i>Williamia gussonii</i>	(Costa O.G., 1829) [Ancylus]
Classis CEPHALOPODA	
Familia SPIRULIDAE	
<i>Spirula spirula</i>	(Linné, 1758) [Nautilus]
<i>Sepia elegans</i>	Blainville, 1827
<i>Sepia officinalis</i>	Linné, 1758
<i>Rhombossepion orbynyana</i>	(Férussac in D'Orbigny, 1826) [Sepia]
<i>Rossia macrostoma</i>	(Delle Chiaje, 1830) [Sepiola]
<i>Neorossia caroli</i>	(Joubin, 1902) [Rossia]
Familia SEPIOLIDAE	
<i>Sepietta oweniana</i>	(D'Orbigny, 1840) [Sepiola]
Familia LOLIGINIDAE	
<i>Loligo forbesii</i>	Steenstrup, 1856
<i>Loligo media</i>	(Linné, 1758) [Sepia]
<i>Loligo vulgaris</i>	Lamarck, 1798
Familia ENOPLOTEUTHIDAE	
<i>Abralia veranyi</i>	(Rueppel, 1844) [Enoploteuthis]
Familia HISTIOTEUTHIDAE	
<i>Histioteuthis bonnellii</i>	(Férussac, 1834) [Cranchia]





<i>Histioteuthis reversa</i>	(Verrill, 1880) [Calliteuthis]
Familia OMMASTREPHIDAE	
<i>Ilex coindetii</i>	(Vérany, 1839) [Loligo]
<i>Todaropsis eblanae</i>	(Ball, 1841) [Loligo]
<i>Todarodes sagittatus</i>	(Lamarck, 1798) [Loligo]
Familia OCTOPODIDAE	
<i>Octopus cyanea</i>	Gray, 1849
<i>Octopus salutii</i>	Vérany, 1836
<i>Octopus defilippi</i>	Vérany, 1836
<i>Octopus vulgaris</i>	Cuvier, 1797
<i>Scaevurgus uniccirrhus</i>	(Delle Chiaje in Férussac & D'Orbigny, 1840) [Octo]
<i>Pteroctopus tetracirrhus</i>	(Delle Chiaje, 1830) [Octopus]
<i>Eledone cirrhosa</i>	(Lamarck, 1798) [Octopus]
<i>Bathypolypus sponsalis</i>	(Fischer P. & H., 1892) [Octopus]
<i>Cranchia scabra</i>	Leach, 1817
Familia ARGONAUTIDAE	
<i>Argonauta argo</i>	Linné, 1758

Classis BIVALVIA

Familia SOLEMYIDAE	
<i>Solemya togata</i>	(Poli, 1795) [Tellina]
Familia NUCULIDAE	
<i>Nucula hanleyi</i>	Winckworth, 1931
<i>Nucula nitidiosa</i>	Winckworth, 1930
<i>Nucula nucleus</i>	(Linné, 1758) [Arca]
<i>Nucula sulcata</i>	Bronn, 1831
<i>Nucula tumidula</i>	Malm, 1860
<i>Austronucula perminima</i>	Monterosato 1875
<i>Ennucula aegeensis</i>	(Forbes, 1844) [Nucula]
<i>Ennucula corbuloides</i>	Seguenza G., 1877
<i>Nucula decipiens</i>	Philippi, 1844
<i>Ennucula tenuis</i>	(Montagu, 1808) [Arca]
Familia PRISTIGLOMIDAE	
<i>Pristigloma minima</i>	(Seguenza G., 1877) [Glomus]
<i>Pristigloma nitens</i>	(Jeffreys, 1876)
Familia NUCULANIDAE	
<i>Nuculana minuta</i>	(Müller O.F., 1776) [Arca]
<i>Lembulus pellus</i>	(Linné, 1758) [Arca]
<i>Saccella commutata</i>	(Philippi, 1844) [Nuculana]
<i>Saccella illirica</i>	Carrozza, 1987
<i>Ledella marisnostri</i>	La Perna, 2004
<i>Ledella messanensis</i>	(Jeffreys, 1870 ex Seguenza G. ms.)
Familia MALLETIIDAE	
<i>Katadesmia cuneata</i>	(Jeffreys, 1876) [Malletia]
<i>Malletia obtusa</i>	(G. O. Sars, 1872)
Familia YOLDIIDAE	
<i>Yoldiella lucida</i>	(Lovén, 1846) [Yoldia]
<i>Yoldiella nana</i>	(Sars M., 1865) [Yoldia]





<i>Yoldiella ovulum</i>	La Perna, 2004
<i>Yoldiella philippiana</i>	(Nyst, 1845) [Nucula]
<i>Yoldiella striolata</i>	(Brugnone, 1876)
<i>Yoldiella wareni</i>	La Perna, 2004
<i>Microgloma guilonardi</i>	(Hoeksema, 1993) [Phaseolus]
<i>Microgloma pusilla</i>	(Jeffreys, 1879)
<i>Microgloma tumidula</i>	(Monterosato, 1880)

Familia ARCIDAE

<i>Arca noae</i>	Linné, 1758
<i>Arca tetragona</i>	Poli, 1795
<i>Acar clathrata</i>	(Defrance, 1816)
<i>Acar plicata</i>	(Dillwyn, 1817)
<i>Asperarca magdalenae</i>	La Perna, 1998
<i>Asperarca nodulosa</i>	(Müller O.F., 1776)
<i>Asperarca secreta</i>	La Perna, 1998
<i>Barbatia barbata</i>	(Linné, 1758)
<i>Anadara corbuloides</i>	(Monterosato, 1878)
<i>Anadara inaequalvis</i>	(Bruguière, 1789)
<i>Anadara natalensis</i>	(Krauss, 1848)
<i>Anadara polii</i>	(Mayer, 1868)
<i>Anadara transversa</i>	(Say, 1822)
<i>Bathyarca glacialis</i>	(Gray J.E., 1824)
<i>Bathyarca pectunculoides</i>	(Scacchi, 1834)
<i>Bathyarca philippiana</i>	(Nyst, 1848)

Familia NOETIDAE

<i>Striarca lactea</i>	(Linné, 1758)
------------------------	---------------

Familia LIMOPSIDAE

<i>Limopsis angusta</i>	(Jeffreys, 1879)
<i>Limopsis aurita</i>	(Brocchi, 1814)
<i>Limopsis friedbergi</i>	Glibert & van de Poel, 1965
<i>Limopsis minuta</i>	(Philippi, 1836)
<i>Limopsis multistriata</i>	(Forskål, 1775)
<i>Limopsis tenuis</i>	Seguenza G., 1876

Familia GLYCYMERIDAE

<i>Glycymeris arabica</i>	(Adams H., 1870)
<i>Glycymeris bimaculata</i>	(Poli, 1795)
<i>Glycymeris glycymeris</i>	(Linné, 1758)
<i>Glycymeris nummaria</i>	(Linnaeus, 1758)

Familia MYTILIDAE

<i>Mytilus edulis</i>	Linné, 1758
<i>Mytilus galloprovincialis</i>	Lamarck, 1819
<i>Brachidontes pharaonis</i>	(Fischer P., 1870) [Mytilus]
<i>Mytilaster lineatus</i>	(Gmelin, 1791) [Mytilus]
<i>Mytilaster marioni</i>	(Locard, 1889) [Mytilus]
<i>Mytilaster minimus</i>	(Poli, 1795) [Mytilus]
<i>Mytilaster solidus</i>	Monterosato, 1872 ex Martin H. ms.
<i>Perna perna</i>	(Linné, 1758)
<i>Septifer forskali</i>	Dunker, 1855
<i>Modiolus auriculatus</i>	Krauss, 1848





<i>Modiolus barbatus</i>	(Linné, 1758)
<i>Modiolus lulat</i>	(Dautzenberg, 1891)
<i>Gibbomodiola adriatica</i>	(Lamarck, 1819)
<i>Jolya martorelli</i>	(Hidalgo, 1878)
<i>Lioberus agglutinans</i>	(Cantraine, 1835)
<i>Amygdalum politum</i>	(Verrill & Smith, 1880)
<i>Dacrydium hyalinum</i>	Monterosato, 1875
<i>Idas cylindricus</i>	Pelorce & Poutiers, 2009
<i>Idas ghisottii</i>	Warén & Carrozza, 1990
<i>Idas modiolaeformis</i>	(Sturany, 1896)
<i>Idas simpsoni</i>	(Marshall, 1900)
<i>Idas cristiani</i>	Giusti, Mietto & Sbrana 2012
<i>Idas emmae</i>	Giusti, Mietto & Sbrana 2012
<i>Idas filippoi</i> Giusti,	Mietto & Sbrana 2012
<i>Idas jaclinae</i>	Giusti, Mietto & Sbrana 2012
<i>Modiolula phaseolina</i>	(Philippi, 1844)
<i>Limnoperna securis</i>	(Lamarck, 1819)
<i>Crenella arenaria</i>	Monterosato, 1875 ex Martin H. ms.
<i>Crenella pellucida</i>	(Jeffreys, 1850)
<i>Gregariella petagnae</i>	(Scacchi, 1832)
<i>Gregariella semigranata</i>	(Reeve, 1858)
<i>Arcuatula perfragilis</i>	(Dunker, 1857)
<i>Arcuatula senhousia</i>	(Benson in Cantor, 1842)
<i>Musculus costulatus</i>	(Risso, 1826)
<i>Musculus discors</i>	(Linné, 1767)
<i>Musculus subpictus</i>	(Cantraine, 1835)
<i>Rhomboidella prideauxi</i>	(Leach, 1815)
<i>Lithophaga lithophaga</i>	(Linné, 1758)
<i>Lithophaga aristata</i>	(Dillwyn, 1817 ex Solander ms.)
Familia PTERIIDAE	
<i>Pteria hirundo</i>	(Linné, 1758) [Mytilus]
<i>Pinctada margaritifera</i>	(Linné, 1758)
<i>Pinctada imbricata</i>	radiata (Leach, 1814) [Avicula]
<i>Electroma vexillum</i>	(Reeve, 1857)
Familia MALLEIDAE	
<i>Malleus regulus</i>	(Forskål, 1775)
Familia PINNIDAE	
<i>Pinna nobilis</i>	Linné, 1758
<i>Pinna rudis</i>	Linné, 1758
<i>Atrina fragilis</i>	(Pennant, 1777)
Familia LIMIDAE	
<i>Lima lima</i>	(Linné, 1758) [Ostrea]
<i>Lima marioni</i>	Fischer P., 1888
<i>Lima hians</i>	(Gmelin, 1791) [Ostrea]
<i>Lima tuberculata</i>	(Olivi, 1792)
<i>Acesta excavata</i>	(Fabricius J.C., 1779) [Ostrea]
<i>Limatula gwyni</i>	(Sykes, 1903) [Lima]
<i>Limatula subauriculata</i>	(Montagu, 1808) [Pecten]
<i>Limatula subovata</i>	(Jeffreys, 1876)





Limaria loscombi (Sowerby G.B. I, 1823)
Notolimea clandestina Salas, 1994
Notolimea crassa (Forbes, 1844) [Lima]

Familia OSTREIDAE

Ostrea edulis Linné, 1758
Ostreola stentina (Payraudeau, 1826)
Nanostrea fluctigera (Jousseau in Lamy, 1925)
Crassostrea gigas (Thunberg, 1793)
Crassostrea virginica (Gmelin, 1791)
Saccostrea glomerata (A. A. Gould 1850)
Saccostrea cucullata (Born, 1778)
Dendrostrea frons (Linné, 1758)
Dendrostrea sandvichensis (G. B. Sowerby II 1871)

Familia GRYPHAEIDAE

Neopycnodonte cochlear (Poli, 1795) [Ostrea]

Familia PECTINIDAE

Palliolium incomparabile (Risso, 1826)
Palliolium striatum (Müller O.F., 1776)
Delectopecten vitreus (Gmelin, 1791)
Pseudamussium clavatum (Poli, 1795)
Pseudamussium peslutrae (Linné, 1771)
Pseudamussium sulcatum (Müller O.F., 1776)
Manupecten pesfelis (Linné, 1758)
Mimachlamys varia (Linné, 1758)
Talochlamys multistriata (Poli, 1795)
Talochlamys pusio (Linné, 1758)
Flexopecten flexuosus (Poli, 1795)
Flexopecten glaber (Linné, 1758)
Flexopecten hyalinum (Poli, 1795)
Aequipecte commutatus (Monterosato, 1875)
Aequipecten opercularis (Linné, 1758)
Pecten jacobus (Linné, 1758) [Ostrea]
Pecten maximum (Linné, 1758) [Ostrea]

Familia PROPEAMUSSIIDAE

Parvamussium fenestratum (Forbes, 1844) [Pecten]
Parvamussium lucidum (Wyville-Thompson, 1873 ex Jeffreys ms.)
Cyclopecten brundisiensis Smriglio & Mariottini, 1990
Cyclopecten hoskynsi (Forbes, 1844)
Similipecten similis (Laskey, 1811)

Familia SPONDYLIDAE

Spondylus echinatus Schreibers, 1793
Spondylus gaederopus Linné, 1758
Spondylus groschi Lamprell & Kilburn, 1995
Spondylus gussoni Costa O.G., 1829
Spondylus nocobaricus Schreibers, 1793
Spondylus spinosus Schreibers, 1793

Familia ANOMIIDAE

Anomia ephippium Linné, 1758
Heteranomia squamula (Linné, 1758)





Isomonina alberti (Dautzenberg & Fisher H., 1896)
Monia patelliformis (Linné, 1758)
Monia squama (Gmelin, 1791)

Familia LUCINIDAE

Ctena decussata (Costa O.G., 1829)
Loripes lucinalis (Lamarck, 1818)
Megaxinus unguiculinus Pallary, 1904
Myrtea amorpha (Sturany, 1896)
Myrtea spinifera (Montagu, 1803)
Lucinoma boreale (Linné, 1758)
Lucinoma kazani Salas & Woodside, 2002
Lucinoma spelaemus Palazzi & Villari, 2001
Anodontia fragilis (Philippi, 1836)
Divalinga arabica Dekker & Goud, 1994
Lucinella divaricata (Linné, 1758)

Familia THYASIRIDAE

Thyasira alleni Carozza, 1981
Thyasira biplicata (Philippi, 1836)
Thyasira dilatata Gaglini, 1991
Thyasira granulosa (Monterosato, 1874 ex Jeffreys ms.)
Thyasira incrassata (Jeffreys, 1876)
Thyasira oblonga (Monterosato, 1878)
Thyasira obsoleta (Verrill & Bush, 1898)
Thyasira perplicata Salas, 1996
Thyasira planata (Jeffreys, 1882)
Thyasira striata (Sturany, 1896)
Thyasira subovata Jeffreys, 1881
Thyasira succisa (Jeffreys, 1876)
Axinulus croulinensis (Jeffreys, 1847)
Axinulus eumyrius (Sars M., 1870)
Axinus grandis (Verrill & Smith, 1885)
Mendicula ferruginosa (Forbes, 1844)

Familia UNGULINIDAE

Ungulina cuneata (Spengler, 1782)
Diplodonta bogii Aartsen J.J. Van, 2004
Diplodonta brocchi (Deshayes, 1850)
Diplodonta globosa (Forsskål 1775)
Diplodonta intermedia Biondi, 1859
Diplodonta rotundata (Montagu, 1803)
Diplodonta trigona (Scacchi, 1835)

Familia GALEOMMATIDAE

Galeomma turtoni Turton, 1825
Solecardia rotunda (Jeffreys, 1881)
Vasconiella jeffreysiana (Fischer P., 1873)

Familia KELLIDAE

Kellia suborbicularis (Montagu, 1803)
Pseudopythina macandrewi (Fischer P., 1867)
Bornia aartseni Gofas, 2012
Bornia geoffroyi (Payraudeau, 1826)





<i>Bornia sebetia</i>	(Costa O.G., 1829)
Familia LASAEIDAE	
<i>Lasaea adansonii</i>	(Gmelin, 1791)
<i>Scacchia oblonga</i>	(Philippi, 1836)
<i>Scacchia zorni</i>	Van Aartsen & Fehr de Wal, 1985
<i>Hemilepton nitidum</i>	(Turton, 1822)
<i>Lepton lacerum</i>	Jeffreys in de Folin & Périer 1873
<i>Lepton squamosum</i>	(Montagu, 1803)
<i>Lepton subtrigonum</i>	Jeffreys in de Folin & Périer, 1873
<i>Arculus sykesii</i>	(Chaster, 1895)
Familia MONTACUTIDAE	
<i>Montacuta goudi</i>	Van Aartsen, 1996
<i>Montacuta phascalionis</i>	(Dautzemberg & Fischer, 1925)
<i>Montacuta substriata</i>	(Montagu, 1808)
<i>Tellimya ferruginosa</i>	(Montagu, 1808)
<i>Tellimya semirubra</i>	(Gaglioni, 1992)
<i>Tellimya tenella</i>	Lovén, 1846
<i>Planktomya prima</i>	(Locard, 1899)
<i>Kelliopsis jozinae</i>	Van Aartsen & Carrozza, 1998
<i>Kurtiella bidentata</i>	(Montagu, 1803)
<i>Kurtiella ovata</i>	(Jeffreys, 1881)
<i>Kurtiella pellucida</i>	(Jeffreys, 1881)
<i>Kurtiella triangularis</i>	(Watson, 1897)
<i>Kurtiella tumidula</i>	(Jeffreys, 1866)
<i>Coracuta obliquata</i>	(Chaster, 1897)
<i>Devonia perrieri</i>	(Malard, 1904)
<i>Epilepton clarkiae</i>	(Clark W., 1852)
<i>Mancikellia parrussetensis</i>	(Giribet & Peñas, 1999)
<i>Litigiella glabra</i>	(Fischer P., 1873)
<i>Litigiella corgani</i>	Van Aartsen, 1997
Familia SPORTELLIDAE	
<i>Sportella recondita</i>	(Fischer P, 1872)
Familia TURTONIIDAE	
<i>Turtonia minuta</i>	(Fabricius O., 1780)
Familia NEOLEPTONIDAE	
<i>Neolepton discriminatum</i>	Palazzi & Villari, 2001
<i>Neolepton sulcatulum</i>	(Jeffreys, 1859)
Familia CARDITIDAE	
<i>Cardita calyculata</i>	(Linné, 1758)
<i>Centrocardita aculeata</i>	(Poli, 1795)
<i>Centrocarditas akabana</i>	(Sturany, 1899)
<i>Glans trapezia</i>	(Linné, 1758)
<i>Coripia corbis</i>	(Philippi, 1836)
<i>Coripia jozinae</i>	Van Aartsen, 1984
<i>Cardites antiquatus</i>	(Linné, 1758)
Familia CHAMIDAE	
<i>Chama asperella</i>	Lamarck, 1819
<i>Chama circinata</i>	Monterosato, 1878
<i>Chama gryphoides</i>	Linné, 1758





<i>Chama pacifica</i>	Broderip, 1834
<i>Pseudochama corbieri</i>	(Jonas, 1846)
<i>Pseudochama gryphina</i>	(Lamarck, 1819)
Familia CRASSATELLIDAE	
<i>Crassatina modesta</i>	(Adams H., 1869)
Familia ASTARTIDAE	
<i>Astarte fusca</i>	(Poli, 1795) [Tellina]
<i>Astarte sulcata</i>	(Da Costa, 1778)
<i>Digitaria digitaria</i>	(Linné, 1758)
<i>Gonilia calliglypta</i>	(Dall, 1903)
<i>Goodallia micalii</i>	Giribet & Peñas, 1999
<i>Goodallia pusilla</i>	(Forbes, 1844)
<i>Goodallia triangularis</i>	(Montagu, 1803)
Familia CARDIIDAE	
<i>Acanthocardia aculeata</i>	(Linné, 1758)
<i>Acanthocardia deshayesii</i>	(Payraudeau, 1826)
<i>Acanthocardia echinata</i>	(Linné, 1758)
<i>Acanthocardia paucicostata</i>	(Sowerby G.B. II, 1841)
<i>Acanthocardia spinosa</i>	(Solander, 1786)
<i>Acanthocardia tuberculata</i>	(Linné, 1758)
<i>Afrocardium richardi</i>	(Audouin, 1826)
<i>Cardium indicum</i>	Lamarck, 1818
<i>Parvicardium carrozzai</i>	Van Aartsen & Goud, 2001
<i>Parvicardium exiguum</i>	(Gmelin, 1791)
<i>Parvicardium minimum</i>	(Philippi, 1836)
<i>Parvicardium pinnulatum</i>	(Conrad, 1831)
<i>Parvicardium scabrum</i>	(Philippi, 1844)
<i>Parvicardium scriptum</i>	(Bucquoy, Dautzenberg & Dollfus, 1892)
<i>Parvicardium trapezium</i>	Cecalupo & Quadri, 1996
<i>Parvicardium vroomi</i>	Van Aartsen, Menkhorst & Gittenberger, 1984
<i>Papillicardium papillosum</i>	(Poli, 1795)
<i>Fulvia australis</i>	(Sowerby G.B. I, 1834)
<i>Fulvia fragilis</i>	(Forskål in Niebuhr, 1775)
<i>Laevicardium crassum</i>	(Gmelin, 1791)
<i>Laevicardium oblongum</i>	(Gmelin, 1791)
<i>Cerastoderma edule</i>	(Linné, 1758)
<i>Cerastoderma glaucum</i>	(Bruguière, 1789)
Familia MACTRIDAE	
<i>Macra glauca</i>	Von Born, 1778
<i>Macra lilacea</i>	Lamarck, 1818
<i>Macra olorina</i>	Philippi, 1846
<i>Macra stultorum</i>	(Linné, 1758)
<i>Spisula elliptica</i>	(Brown, 1827)
<i>Spisula solida</i>	(Linné, 1758) [Cardium]
<i>Spisula subtruncatula</i>	(Da Costa, 1778)
<i>Lutraria angustior</i>	Philippi, 1844
<i>Lutraria lutraria</i>	(Linné, 1758)
<i>Lutraria oblonga</i>	(Gmelin, 1791)
<i>Eastonia rugosa</i>	(Helbling, 1779)





Familia MESODESMATIDAE

- Donacilla cornea* (Poli, 1795)
Atactodea glabrata (Gmelin, 1791)
Planktomya prima (Locard, 1899)

Familia SOLENIDAE

- Solen marginatus* Pulteney, 1799

Familia TELLINIDAE

- Tellina compressa* Brocchi, 1814
Tellina distorta Poli, 1791
Tellina exigua Poli, 1791
Tellina nitida Poli, 1791
Tellina pulchella Lamarck, 1818
Tellina radiata (Linnaeus, 1758)
Tellina valtonis Hanley, 1844
Moerella donacina Linné, 1758
Angulus fabula Gmelin, 1791
Angulus incarnata Linné, 1758
Angulus pygmaeus (Lovén, 1846)
Angulus tenuis Da Costa, 1778
Peronaea planata (Linné, 1767)
Serratina serrata Brocchi, 1814
Macoma balthica (Linné, 1758)
Macoma melo (Sowerby G.B. III, 1866)
Gastrana fragilis (Linné, 1758)
Psammotreta cumana (Costa O.G., 1829)
Psammotreta praerupta (Salisbury, 1934)
Arcopagia balaustina Linné, 1758
Arcopagia crassa Pennant, 1777

Familia SCROBICULARIIDAE

- Scrobicularia cottardi* (Payraudeau, 1826)
Scrobicularia plana (Da Costa, 1778)
Scrobicularia rubiginosa (Poli, 1795)

Familia SEMELIDAE

- Abra alba* (Wood W., 1802)
Abra longicallus (Scacchi, 1834)
Abra nitida (Müller O.F., 1776)
Abra prismatica (Montagu, 1808)
Abra segmentum (Récluz, 1843)
Abra tenuis tenuis (Montagu, 1803)
Abra tenuis lorenzoi Cecalupo, Buzzurro & Mariani, 2008
Ervilia castanea (Montagu, 1803)
Theora lubrica Gould, 1861

Familia PSAMMOBIIDAE

- Gari costulata* Turton, 1822
Gari depressa (Pennant, 1777)
Gari fervensis (Gmelin, 1791)
Gari intermedia (Deshayes, 1855)
Gari pseudoweinkauffi Von Cosel, 1989
Gari tellinella Lamarck, 1818



<i>Soletellina ruppelliana</i>	(Reeve, 1857)
<i>Soletellina subradiata</i>	(Deshayes in Reeve, 1857) [
Familia SOLECURTIDAE	
<i>Solecurtus scopula</i>	(Turton, 1822)
<i>Solecurtus strigillatus</i>	(Linné, 1758)
<i>Azorinus chamasolen</i>	(Da Costa, 1778)
Familia DREISSENIDAE	
<i>Mytilopsis sallei</i>	(Rècluz, 1849)
Familia PHARIDAE	
<i>Pharus legumen</i>	(Linné, 1758)
<i>Ensis ensis</i>	(Linné, 1758)
<i>Ensis magnus</i>	Schumacher, 1817
<i>Ensis minor</i>	(Chenu, 1843)
<i>Ensiculus cultellus</i>	(Linné, 1758)
<i>Phaxas adriaticus</i>	(Coen, 1933)
<i>Phaxas pellucidus</i>	(Pennant, 1777)
Familia DONACIDAE	
<i>Donax sebae</i>	Cecalupo, Buzzurro & Mariani, 2008
<i>Donax semistriatus</i>	Poli, 1795
<i>Donax trunculus</i>	Linné, 1758
<i>Donax variegatus</i>	Gmelin, 1791
<i>Donax venustus</i>	Poli, 1795
<i>Donax vittatus</i>	(Da Costa, 1778)
Familia ARCTICIDAE	
<i>Arctica islandica</i>	(Linné, 1767)
Familia GLOSSIDAE	
<i>Glossus humanus</i>	(Linné, 1758)
Familia KELLIPELLIDAE	
<i>Kelliella miliaris</i>	(Philippi, 1844)
Familia TRAPEZIIDAE	
<i>Coralliophaga lithophagella</i>	(Lamarck, 1819)
<i>Trapezium oblongum</i>	(Linné, 1758)
Familia VESICOMYIDAE	
<i>Isorropodon perplexum</i>	Sturany, 1896
Familia VENERIDAE	
<i>Venus casina</i>	Linné, 1758
<i>Venus nux</i>	Gmelin, 1791
<i>Venus verrucosa</i>	Linné, 1758
<i>Globivenus effossa</i>	(Philippi, 1836 ex Bivona ms.)
<i>Gouldia minima</i>	(Montagu, 1803)
<i>Gafrarium pectinatum</i>	(Linné, 1758)
<i>Chamelea gallina</i>	(Linné, 1758)
<i>Chamelea striatula</i>	(Da Costa, 1778)
<i>Clausinella brongiartii</i>	(Payraudeau, 1826) [Venus]
<i>Clausinella fasciata</i>	(Da Costa, 1778) [Pectunculus]
<i>Clausinella punctigera</i>	(Dautzenberg & Fischer H. 1906)
<i>Timoclea ovata</i>	(Pennant, 1777)
<i>Timoclea roemeriana</i>	Issel, 1869
<i>Pitar mediterranea</i>	(Dautzenberg, 1891)





<i>Pitar rudis</i>	(Poli, 1795)
<i>Callista chione</i>	(Linné, 1758)
<i>Tapes rhomboides</i>	(Pennant, 1777)
<i>Politiitapes aureus</i>	(Gmelin, 1791)
<i>Venerupis corrugata</i>	(Gmelin, 1791)
<i>Venerupis decussatus</i>	(Linné, 1758)
<i>Venerupis lucens</i>	Locard, 1886
<i>Venerupis philippinarum</i>	(Adams & Reeve, 1850)
<i>Paphia textile</i>	(Gmelin, 1791)
<i>Paphia undulata</i>	(Born, 1778)
<i>Irus irus</i>	(Linné, 1758)
<i>Dosinia erythraea</i>	Romer, 1860
<i>Dosinia exoleta</i>	(Linné, 1758)
<i>Dosinia lupinus</i>	(Linné, 1758)
<i>Clementia papyracea</i>	(Gmelin, 1791)
<i>Circenita callipyga</i>	(Born, 1778)
<i>Mercenaria mercenaria</i>	(Linné, 1758)
<i>Antigona lamellaris</i>	(Schumacher, 1817)
<i>Turtonia minuta</i>	(Fabricius O., 1780)

Familia PETRICOLIDAE

<i>Petricola hemprichi</i>	Issel, 1869
<i>Petricola lajonkairii</i>	(Payraudeau, 1826)
<i>Petricola lithophaga</i>	(Retzius, 1786)
<i>Petricola pholadiformis</i>	Lamarck, 1818
<i>Petricola substriata</i>	(Montagu, 1808)
<i>Mysia undata</i>	(Pennant, 1777)

Familia MYIDAE

<i>Sphenia binghami</i>	Turton, 1822
<i>Sphenia rueppellii</i>	Adams A., 1850
<i>Mya arenaria</i>	Linné, 1758

Familia CORBULIDAE

<i>Corbula gibba</i>	(Olivi, 1792)
<i>Corbula physoides</i>	Deshayes, 1848
<i>Lentidium mediterraneum</i>	(Costa O.G., 1829)

Familia GASTROCHAENIDAE

<i>Gastrochaena cymbium</i>	(Spengler, 1783)
<i>Rocellaria dubia</i>	(Pennant, 1777)

Familia HIATELLIDAE

<i>Hiatella arctica</i>	(Linné, 1767)
<i>Hiatella rugosa</i>	(Linné, 1767)
<i>Panopea glycymeris</i>	(Von Born, 1778)
<i>Saxicavella angulata</i>	(Wood S., 1857)
<i>Saxicavella jeffreysi</i>	Winckworth, 1930

Familia PHOLADIDAE

<i>Pholas dactylus</i>	Linné, 1758
<i>Barnea candida</i>	(Linné, 1758)
<i>Barnea parva</i>	(Pennant, 1777)
<i>Pholadidea loscombiana</i>	Goodall in Turton, 1819

Familia XYLOPHAGIDAE





<i>Xylophaga dorsalis</i>	(Turton, 1819)
<i>Xylophaga praestans</i>	Smith E.A., 1885
Familia TEREDINIDAE	
<i>Nototeredo norvegica</i>	(Spengler, 1792)
<i>Psiloteredo megotara</i>	(Hanley in Forbes & Hanley, 1848)
<i>Psiloteredo senegalensis</i>	(Blainville, 1824)
<i>Teredo bartschi</i>	Clapp, 1923
<i>Teredo navalis</i>	Linné, 1758
<i>Bankia bipennata</i>	(Turton, 1819)
<i>Bankia carinata</i>	(Gray J.E., 1827)
<i>Lyrodus pedicellatus</i>	(Quatrefages, 1849)
Familia PARILIMYIDAE	
<i>Parilimya loveni</i>	Jeffreys, 1882
Familia THRACIIDAE	
<i>Thracia convexa</i>	(Wood W., 1815)
<i>Thracia corbuloides</i>	Deshayes, 1830
<i>Thracia distorta</i>	(Montagu, 1803)
<i>Thracia gracilis</i>	(Jeffreys, 1865)
<i>Thracia phaseolina</i>	(Lamarck, 1818)
<i>Thracia pubescens</i>	(Pulteney, 1799)
<i>Thracia villosiuscula</i>	(Mac Gillivray, 1827)
Familia LATERNULIDAE	
<i>Laternula anatina</i>	(Linné, 1758)
Familia PERIPLOMATIDAE	
<i>Cochlodesma praetenu</i>	(Pulteney, 1799)
<i>Cochlodesma tenerum</i>	(Fischer P., 1882)
Familia LYONSIIDAE	
<i>Allogramma formosa</i>	Jeffreys, 1882
<i>Lyonsia norvegica</i>	(Gmelin, 1791)
Familia PANDORIDAE	
<i>Pandora inaequalis</i>	(Linné, 1758) [Solen]
<i>Pandora pinna</i>	(Montagu, 1803) [Solen]
Familia CLAVAGELLIDAE	
<i>Bryopa aperta</i>	(Sowerby G.B. I, 1823)
<i>Bryopa melitensis</i>	(Broderip, 1835)
Familia POROMYIDAE	
<i>Cetoconca neaeroides</i>	(Seguenza G., 1877)
<i>Poromya granulata</i>	(Nyst & Westendorp, 1839)
Familia CUSPIDARIIDAE	
<i>Cuspidaria abbreviata</i>	(Forbes, 1843)
<i>Cuspidaria cuspidata</i>	(Olivi, 1792)
<i>Cuspidaria elliptica</i>	Di Geronimo, 1974
<i>Cuspidaria jugosa</i>	(Wood S., 1856)
<i>Cuspidaria lamellosa</i>	(M. Sars in G.O.Sars, 1878)
<i>Cuspidaria obesa</i>	(Lovén, 1846)
<i>Cuspidaria rostrata</i>	(Spengler, 1793)
<i>Cardiomya costellata</i>	(Deshayes, 1835)
<i>Halonympha depressa</i>	(Jeffreys, 1882)
Familia VERTICORDIIDAE	





<i>Verticordia acuticostata</i>	(Philippi, 1844)
<i>Verticordia granulata</i>	Seguenza G., 1860
<i>Verticordia quadrata</i>	Smith, 1885
<i>Verticordia trapezoidea</i>	Seguenza G., 1876
<i>Axinus grandis</i>	(Verrill & Smith [in Verrill], 1885)
<i>Polycordia gemma</i>	(Verrill, 1880)
<i>Lyonsiella compressa</i>	(Locard, 1898)

Classis SCAPHOPODA

Familia DENTALIIDAE

<i>Antalis agilis</i>	Sars M. in Sars G.O., 1872
<i>Antalis caprottii</i> <i>Martinez-Ortí</i>	& Cádiz, 2012
<i>Antalis dentalis</i>	(Linné, 1758)
<i>Antalis inaequicostatum</i>	Dautzenberg, 1891
<i>Antalis panorma</i>	Chenu, 1842
<i>Antalis rossati</i>	Caprotti, 1966
<i>Antalis vulgaris</i>	Da Costa, 1778

Familia FUSTIARIDAE

<i>Fustiaria rubescens</i>	(Deshayes, 1826)
----------------------------	------------------

Familia GADILINIDAE

<i>Episiphon filum</i>	(Sowerby G.B. II, 1860)
------------------------	-------------------------

Familia ENTALINIDAE

<i>Entalina tetragona</i>	(Brocchi, 1814)
---------------------------	-----------------

Familia PULSELLIDAE

<i>Pulsellum lofotense</i>	(Sars M., 1865)
----------------------------	-----------------

Familia GADILIDAE

<i>Dischides politus</i>	(Wood S., 1842)
<i>Cadulus jeffreysii</i>	(Monterosato, 1865)
<i>Cadulus subfusiformis</i>	(M. Sars, 1865)

